

TR 29113 WORKING DRAFT

WG5/N1866

6th July 2011 14:20

This is an internal working document of WG5.

Contents

1	Overview	1
1.1	Scope	1
1.2	Normative references	1
1.3	Terms and definitions	1
1.4	Compatibility	1
1.4.1	New intrinsic procedures	1
1.4.2	Fortran 2008 compatibility	2
2	Type specifiers and attributes	3
2.1	Assumed-type objects	3
2.2	Assumed-rank objects	3
2.3	ALLOCATABLE, OPTIONAL, and POINTER attributes	4
2.4	ASYNCHRONOUS attribute	5
2.4.1	Introduction	5
2.4.2	Asynchronous communication	5
3	Procedures	7
3.1	Characteristics of dummy data objects	7
3.2	Explicit interface	7
3.3	Argument association	7
3.4	Intrinsic procedures	7
3.4.1	SHAPE	7
3.4.2	SIZE	7
3.4.3	UBOUND	8
4	New intrinsic procedure	9
4.1	General	9
4.2	RANK (A)	9
5	Interoperability with C	11
5.1	Removed restrictions on C_F_POINTER and C_LOC	11
5.2	C descriptors	11
5.3	ISO_Fortran_binding.h	11
5.3.1	Summary of contents	11
5.3.2	CFLdim_t	11
5.3.3	CFLcdesc_t	12
5.3.4	Macros	13
5.3.5	Functions	15
5.3.6	Use of C descriptors	22
5.3.7	Restrictions on lifetimes	23
5.3.8	Interoperability of procedures and procedure interfaces	23
6	Required editorial changes to ISO/IEC 1539-1:2010(E)	25
6.1	General	25
6.2	Edits to Introduction	25
6.3	Edits to clause 1	25
6.4	Edits to clause 4	26
6.5	Edits to clause 5	26
6.6	Edits to clause 6	27
6.7	Edits to clause 12	27

6.8	Edits to clause 13	28
6.9	Edits to clause 15	30
6.10	Edits for annex A	31
6.11	Edits for annex C	32
Annex A	(informative) Extended notes	33
A.1	Clause 2 notes	33
A.1.1	Using assumed type in the context of interoperation with C	33
A.1.2	Example for mapping of interfaces with void * C parameters to Fortran	33
A.1.3	Using assumed-type dummy arguments	35
A.1.4	Simplifying interfaces for arbitrary rank procedures	36
A.2	Clause 5 notes	37
A.2.1	Dummy arguments of any type and rank	37
A.2.2	Changing the attributes of an array	39
A.2.3	Example for creating an array slice in C	40
A.2.4	Example for handling objects with the POINTER attribute	42

List of Tables

- 5.1 Macros specifying attribute codes 13
- 5.2 Macros specifying type codes 14
- 5.3 Macros specifying error codes 15

Foreword

- 1 ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and nongovernmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.
- 2 International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.
- 3 The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.
- 4 In exceptional circumstances, the joint technical committee may propose the publication of a Technical Report of one of the following types:
 - type 1, when the required support cannot be obtained for the publication of an International Standard, despite repeated efforts;
 - type 2, when the subject is still under technical development or where for any other reason there is the future but not immediate possibility of an agreement on an International Standard;
 - type 3, when the joint technical committee has collected data of a different kind from that which is normally published as an International Standard (“state of the art”, for example).
- 5 Technical Reports of types 1 and 2 are subject to review within three years of publication, to decide whether they can be transformed into International Standards. Technical Reports of type 3 do not necessarily have to be reviewed until the data they provide are considered to be no longer valid or useful.
- 6 Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.
- 7 ISO/IEC TR 29113:2011, which is a Technical Report of type 2, was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC22, *Programming languages, their environments and system software interfaces*.
- 8 This technical report specifies an enhancement of the C interoperability facilities of the programming language Fortran. Fortran is specified by the International Standard ISO/IEC 1539-1:2010.
- 9 It is the intention of ISO/IEC JTC 1/SC22 that the semantics and syntax specified by this technical report be included in the next revision of the Fortran International Standard without change unless experience in the implementation and use of this feature identifies errors that need to be corrected, or changes are needed to achieve proper integration, in which case every reasonable effort will be made to minimize the impact of such changes on existing implementations.

Introduction

Technical Report on Further Interoperability of Fortran with C

- 1 The system for interoperability between the C language, as standardized by ISO/IEC 9899:1999, and Fortran, as standardized by ISO/IEC 1539-1:2010, provides for interoperability of procedure interfaces with arguments that are non-optional scalars, explicit-shape arrays, or assumed-size arrays. These are the cases where the Fortran and C data concepts directly correspond. Interoperability is not provided for important cases where there is not a direct correspondence between C and Fortran.
- 2 The existing system for interoperability does not provide for interoperability of interfaces with Fortran dummy arguments that are assumed-shape arrays, have assumed character length, or have the `ALLOCATABLE`, `POINTER`, or `OPTIONAL` attributes. As a consequence, a significant class of Fortran subprograms is not portably accessible from C, limiting the usefulness of the facility.
- 3 The provision in the existing system for interoperability with a C formal parameter that is a pointer to void is inconvenient to use and error-prone. C functions with such parameters are widely used.
- 4 This Technical Report extends the facility of Fortran for interoperating with C to provide for interoperability of procedure interfaces that specify dummy arguments that are assumed-shape arrays, have assumed character length, or have the `ALLOCATABLE`, `POINTER`, or `OPTIONAL` attributes. New Fortran concepts of assumed type and assumed rank are introduced. The former simplifies interoperation with formal parameters of type (void *). The latter facilitates interoperability with C functions that can accept arguments of arbitrary rank. An intrinsic function, `RANK`, is specified to obtain the rank of an assumed-rank variable.
- 5 The facility specified in this Technical Report is a compatible extension of Fortran as standardized by ISO/IEC 1539-1:2010. It does not require that any changes be made to the C language as standardized by ISO/IEC 9899:1999.
- 6 This Technical Report is organized in 6 clauses:

Overview	Clause 1
Type specifiers and attributes	Clause 2
Procedure	Clause 3
New intrinsic procedure	Clause 4
Interoperability with C	Clause 5
Required editorial changes to ISO/IEC 1539-1:2010(E)	Clause 6

- 7 It also contains the following nonnormative material:

Extended notes	Annex A
----------------	---------

Technical Report — Further Interoperability of Fortran with C —

1 Overview

1.1 Scope

- 1 This Technical Report specifies the form and establishes the interpretation of facilities that extend the Fortran language defined by ISO/IEC 1539-1:2010. The purpose of this Technical Report is to promote portability, reliability, maintainability and efficient execution of programs containing parts written in Fortran and parts written in C, for use on a variety of computing systems.

1.2 Normative references

- 1 The following referenced standards are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.
- 2 ISO/IEC 1539-1:2010, *Information technology—Programming languages—Fortran*
- 3 ISO/IEC 9899:1999, *Information technology—Programming languages—C*

1.3 Terms and definitions

- 1 For the purposes of this document, the following terms and definitions apply. Terms not defined in this Technical Report are to be interpreted according to ISO/IEC 1539-1:2010.

1.3.1

assumed-rank object

⟨dummy variable⟩ whose rank is assumed from its effective argument

1.3.2

assumed-type object

⟨dummy variable⟩ whose type and type parameters are assumed from its effective argument

1.3.3

C descriptor

struct of type CFI_cdesc_t

NOTE 1.1

A C descriptor is used to describe an object that has no exact analog in C.

1.4 Compatibility

1.4.1 New intrinsic procedures

- 1 This Technical Report defines an intrinsic procedure in addition to those specified in ISO/IEC 1539-1:2010. Therefore, a Fortran program conforming to ISO/IEC 1539-1:2010 might have a different interpretation under

1 this Technical Report if it invokes an external procedure having the same name as the new intrinsic procedure,
2 unless that procedure is specified to have the EXTERNAL attribute.

3 **1.4.2 Fortran 2008 compatibility**

4 1 This Technical Report specifies an upwardly compatible extension to ISO/IEC 1539-1:2010.

2 Type specifiers and attributes

2.1 Assumed-type objects

- 1 The syntax rule R403 *declaration-type-spec* in subclause 4.3.1.1 of ISO/IEC 1539-1:2010 is replaced by

```
R403  declaration-type-spec      is  intrinsic-type-spec
                                     or TYPE ( intrinsic-type-spec )
                                     or TYPE ( derived-type-spec )
                                     or CLASS ( derived-type-spec )
                                     or CLASS ( * )
                                     or TYPE ( * )
```

- 2 An entity declared with a *declaration-type-spec* of TYPE (*) is an assumed-type entity. It has no declared type and its dynamic type and type parameters are assumed from its effective argument.

C407a An assumed-type entity shall be a dummy variable that does not have the ALLOCATABLE, CODIMENSION, POINTER, or VALUE attribute and is not an explicit-shape array.

C407b An assumed-type variable name shall not appear in a designator or expression except as an actual argument corresponding to a dummy argument that is assumed-type, or the first argument to the intrinsic and intrinsic module functions IS_CONTIGUOUS, LBOUND, PRESENT, RANK, SHAPE, SIZE, UBOUND, or C_LOC.

C407c An assumed-type actual argument that corresponds to an assumed-rank dummy argument shall be assumed-shape or assumed-rank.

- 3 An assumed-type object is unlimited polymorphic.

NOTE 2.1

An assumed-type object that is not assumed-shape and not assumed-rank is passed as a simple pointer to the first address of the object. This means that there is insufficient information to construct an assumed-shape dope vector or C descriptor. As a consequence, there would be no functional difference between TYPE(*) explicit-shape and TYPE(*) assumed-size. Therefore TYPE(*) explicit-shape is not permitted.

NOTE 2.2

This Technical Report provides no mechanism within Fortran code to determine the actual type of an assumed-type argument.

2.2 Assumed-rank objects

- 1 The syntax rule R515 *array-spec* in subclause 5.3.8.1 of ISO/IEC 1539-1:2010 is replaced by

```
R515  array-spec                is  explicit-shape-spec-list
                                     or assumed-shape-spec-list
                                     or deferred-shape-spec-list
                                     or assumed-size-spec
                                     or implied-shape-spec-list
                                     or assumed-rank-spec
```

- 2 An assumed-rank object is a dummy variable whose rank is assumed from its effective argument. An assumed-rank object is declared with an *array-spec* that is an *assumed-rank-spec*.

- 1 R522a *assumed-rank-spec* is ..
- 2 C535a An assumed-rank entity shall be a dummy variable that does not have the CODIMENSION or VALUE
3 attribute.
- 4 3 An assumed-rank object may have the CONTIGUOUS attribute.
- 5 C535b An assumed-rank variable name shall not appear in a designator or expression except as an actual
6 argument corresponding to a dummy argument that is assumed-rank, the argument of the C_LOC function
7 in the ISO_C_BINDING intrinsic module, or the first argument in a reference to an intrinsic inquiry
8 function.
- 9 4 The intrinsic inquiry function RANK can be used to inquire about the rank of a data object. The rank of an
10 assumed-rank object is zero if the rank of the corresponding actual argument is zero.
- 11 5 The definition of TKR compatible in paragraph 2 of subclause 12.4.3.4.5 of ISO/IEC 1539-1:2010 is changed to:
- 12 A dummy argument is type, kind, and rank compatible, or TKR compatible, with another dummy
13 argument if the first is type compatible with the second, the kind type parameters of the first have
14 the same values as the corresponding kind type parameters of the second, and both have the same
15 rank or either is assumed-rank.

NOTE 2.3

Assumed rank is an attribute of a Fortran dummy argument. When a C function is invoked with an actual argument that corresponds to an assumed-rank dummy argument in a Fortran interface for that C function, the corresponding formal parameter is a pointer to a descriptor of type CFI_cdesc_t (5.3.8). The rank component of the descriptor provides the rank of the actual argument. The C function must therefore be able to handle any rank. On each invocation, the rank is available to it.

2.3 ALLOCATABLE, OPTIONAL, and POINTER attributes

- 16
- 17 1 The ALLOCATABLE, OPTIONAL, and POINTER attributes may be specified for a dummy argument in a
18 procedure interface that has the BIND attribute.
- 19 2 The constraint C1255 in subclause 12.6.2.2 of ISO/IEC 1539-1:2010 is replaced by
- 20 C1255 (R1229) If *proc-language-binding-spec* is specified for a procedure, each dummy argument of the procedure
21 shall be an interoperable procedure (15.3.7) or an interoperable variable (15.3.5, 15.3.6) that does not have
22 both the OPTIONAL and VALUE attributes. If *proc-language-binding-spec* is specified for a function,
23 the function result shall be an *interoperable* scalar variable.
- 24 3 Constraint C516 in subclause 5.3.1 of ISO/IEC 1539-1:2010 says “The ALLOCATABLE, POINTER, or OP-
25 TIONAL attribute shall not be specified for a dummy argument of a procedure that has a *proc-language-binding-*
26 *spec*.” This is replaced by the much less restrictive constraint:
- 27 C516 The ALLOCATABLE or POINTER attribute shall not be specified for a default-initialized dummy
28 argument of a procedure that has a *proc-language-binding-spec*.

NOTE 2.4

It would be a severe burden to implementors to require that CFI_allocate initialize components of an object of a derived type with default initialization. The alternative of not requiring initialization would have been inconsistent with the effect of ALLOCATE in Fortran.

1 **2.4 ASYNCHRONOUS attribute**

2 **2.4.1 Introduction**

3 1 The ASYNCHRONOUS attribute is extended to apply to variables that are used for asynchronous communication
4 initiated and completed by procedures written in C.

5 **2.4.2 Asynchronous communication**

6 1 Asynchronous communication for a Fortran variable occurs through the action of procedures defined by means
7 other than Fortran. It is initiated by execution of an asynchronous communication initiation procedure and
8 completed by execution of an asynchronous communication completion procedure. Between the execution of the
9 initiation and completion procedures, any variable of which any part is associated with any part of the asyn-
10 chronous communication variable is a pending communication affector. Whether a procedure is an asynchronous
11 communication initiation or completion procedure is processor dependent.

12 2 Asynchronous communication is either input communication or output communication. For input communication,
13 a pending communication affector shall not be referenced, become defined, become undefined, become associated
14 with a dummy argument that has the VALUE attribute, or have its pointer association status changed. For
15 output communication, a pending communication affector shall not be redefined, become undefined, or have its
16 pointer association status changed.

3 Procedures

3.1 Characteristics of dummy data objects

- 1 Additionally to the characteristics listed in subclause 12.3.2.2 of ISO/IEC 1539-1:2010, whether the type or rank of a **dummy data object** is assumed is a **characteristic** of the dummy data object.

3.2 Explicit interface

- 1 Additionally to the rules of subclause 12.4.2.2 of ISO/IEC 1539-1:2010, a procedure shall have an **explicit interface** if it has a **dummy argument** that is assumed-rank.

NOTE 3.1

An explicit interface is also required for a procedure if it has a dummy argument that is assumed-type because an assumed-type dummy argument is polymorphic.

3.3 Argument association

- 1 An assumed-rank dummy argument may correspond to an actual argument of any rank. If the actual argument is scalar, the dummy argument has rank zero; the shape is a zero-sized array and the LBOUND and UBOUND intrinsic functions, with no DIM argument, return zero-sized arrays. If the actual argument is an array, the rank and bounds of the dummy argument are assumed from the actual argument. The value of the lower and upper bound of dimension N of the dummy argument are equal to the result of applying the LBOUND and UBOUND intrinsic inquiry functions to the actual argument with DIM= N specified.
- 2 An assumed-type dummy argument shall not correspond to an actual argument that is of a derived type that has type parameters, type-bound procedures, or final procedures.
- 3 If a Fortran procedure that has an INTENT(OUT) allocatable dummy argument is invoked by a C function, and the actual argument in the C function is a pointer to a C descriptor that describes an allocated allocatable variable, the variable is deallocated on entry to the Fortran procedure.
- 4 When a C function is invoked from a Fortran procedure via an interface with an INTENT(OUT) allocatable dummy argument, and the actual argument in the reference to the C function is an allocated allocatable variable, the variable is deallocated on invocation (before execution of the C function begins).

3.4 Intrinsic procedures

3.4.1 SHAPE

- 1 The description of the intrinsic function SHAPE in ISO/IEC 1539-1:2010 is changed for an assumed-rank array that is associated with an assumed-size array; an assumed-size array has no shape, but in this case the result has a value of [(SIZE (ARRAY, I, KIND), I=1, RANK (ARRAY))] with KIND omitted from SIZE if it was omitted from SHAPE.

3.4.2 SIZE

- 1 The description of the intrinsic function SIZE in ISO/IEC 1539-1:2010 is changed in the following cases:

- 1 (1) for an assumed-rank object that is associated with an assumed-size array, the result has a value of -1
2 if DIM is present and equal to the rank of ARRAY, and a negative value that is equal to PRODUCT
3 ([(SIZE (ARRAY, I, KIND), I=1, RANK (ARRAY))]) if DIM is not present;
4 (2) for an assumed-rank object that is associated with a scalar, the result has a value of 1.

5 3.4.3 UBOUND

- 6 1 The description of the intrinsic function UBOUND in ISO/IEC 1539-1:2010 is changed for an assumed-rank object
7 that is associated with an assumed-size array; the result has a value of LBOUND (ARRAY, RANK (ARRAY),
8 KIND) -2 with KIND omitted from LBOUND if it was omitted from UBOUND.

NOTE 3.2

If LBOUND or UBOUND is invoked for an assumed-rank object that is associated with a scalar and DIM is absent, the result is a zero-sized array. LBOUND or UBOUND cannot be invoked for an assumed-rank object that is associated with a scalar if DIM is present because the rank of a scalar is zero and DIM must be ≥ 1 .

1 **4 New intrinsic procedure**

2 **4.1 General**

3 1 Detailed specification of the generic intrinsic function RANK is provided in 4.2. The types and type parameters of
4 the RANK intrinsic procedure argument and function result are determined by this specification. The “Argument”
5 paragraph specifies requirements on the [actual arguments](#) of the procedure. The intrinsic function RANK is pure.

6 **4.2 RANK (A)**

7 1 **Description.** Rank of a data object.

8 2 **Class.** [Inquiry function](#).

9 3 **Arguments.**

10 A shall be a scalar or array of any type.

11 4 **Result Characteristics.** Default integer scalar.

12 5 **Result Value.** The result is the rank of A.

13 6 **Example.** For an array X declared REAL :: X(:, :, :), RANK(X) is 3.

5 Interoperability with C

5.1 Removed restrictions on C_F_POINTER and C_LOC

- 1 The subroutine C_F_POINTER from the intrinsic module ISO_C_BINDING has the restriction in ISO/IEC 1539-1:2010 that if FPTR is an array, it must be of interoperable type.
- 2 The function C_LOC from the intrinsic module ISO_C_BINDING has the restriction in ISO/IEC 1539-1:2010 that if X is an array, it must be of interoperable type.
- 3 These restrictions are removed.

5.2 C descriptors

- 1 A C descriptor is a struct of type CFI_cdesc_t. The C descriptor along with library functions with standard prototypes provide the means for describing an allocatable, assumed character length, assumed-rank, assumed-shape, or data pointer object within a C function. This struct is defined in the file ISO_Fortran_binding.h.

5.3 ISO_Fortran_binding.h

5.3.1 Summary of contents

- 1 The ISO_Fortran_binding.h file contains the definitions of the C structs CFI_cdesc_t and CFI_dim_t, typedef definitions for CFI_attribute_t, CFI_index_t, CFI_rank_t, and CFI_type_t, the definition of the macro CFI_CDESC_T, macro definitions that expand to integer constants, and C prototypes for the C macro and functions CFI_address, CFI_allocate, CFI_deallocate, CFI_establish, CFI_is_contiguous, CFI_section, CFI_select_part, and CFI_setpointer. The contents of ISO_Fortran_binding.h can be used by a C function to interpret a C descriptor and allocate and deallocate objects represented by a C descriptor. These provide a means to specify a C prototype that interoperates with a Fortran interface that has an allocatable, assumed character length, assumed-rank, assumed-shape, or data pointer dummy argument.
- 2 ISO_Fortran_binding.h may be included in any order relative to the standard C headers, and may be included more than once in a given scope, with no effect different from being included only once, other than the effect on line numbers.
- 3 A C source file that includes the header ISO_Fortran_binding.h shall not use any names starting CFI_ that are not defined in the header. All names defined in the header begin with CFI_ or an underscore character, or are defined by a standard C header that it includes.

5.3.2 CFI_dim_t

- 1 CFI_dim_t is a named struct type defined by a typedef. It is used to represent lower bound, extent, and memory stride information for one dimension of an array. CFI_index_t is a typedef name for a standard signed integer type capable of representing the result of subtracting two pointers. CFI_dim_t contains at least the following members in any order:

CFI_index_t lower_bound; equal to the value of the lower bound for the dimension being described.

CFI_index_t extent; equal to the number of elements along the dimension being described.

1 **CFI_index_t sm**; equal to the memory stride for a dimension. The value is the distance in bytes between the
2 beginnings of successive elements along the dimension being described.

3 **5.3.3 CFI_cdesc_t**

4 1 **CFI_cdesc_t** is a named struct type defined by a typedef, containing a flexible array member. It shall contain at
5 least the following members. The first three members of the struct shall be **base_addr**, **elem_len**, and **version**
6 in that order. The final member shall be **dim**, with the other members after **version** and before **dim** in any order.

7 **void * base_addr**; If the object is an unallocated allocatable or a pointer that is disassociated, the value is a
8 null pointer. If the object has zero size, the value is not a null pointer but is otherwise processor-dependent.
9 Otherwise, the value is the base address of the object being described. The base address of a scalar is its C
10 address. The base address of an array is the C address of the first element in Fortran array element order
11 (6.5.3.2 of ISO/IEC 1539-1:2010).

12 **size_t elem_len**; If the object corresponds to a Fortran CHARACTER object, the value equals the length of
13 the CHARACTER object times the **sizeof()** of a scalar of the character type; otherwise, the value equals
14 the **sizeof()** of an element of the object.

15 **int version**; shall be set equal to the value of **CFI_VERSION** in the **ISO_Fortran_binding.h** header file that
16 defined the format and meaning of this descriptor when the descriptor is established and otherwise not
17 changed.

18 **CFI_rank_t rank**; equal to the number of dimensions of the Fortran object being described. If the object is
19 a scalar, the value is zero. **CFI_rank_t** shall be a typedef name for a standard integer type capable of
20 representing the largest supported rank.

21 **CFI_type_t type**; equal to the specifier for the type of the object. Each interoperable intrinsic C type has a
22 specifier. Specifiers are also provided to indicate that the type of the object is an interoperable struct type,
23 or is unknown. Macros and the corresponding values for the specifiers are defined in the **ISO_Fortran_-**
24 **binding.h** file. **CFI_type_t** shall be a typedef name for a standard integer type capable of representing the
25 values for the supported type specifiers.

26 **CFI_attribute_t attribute**; equal to the value of an attribute code that indicates whether the object described
27 is allocatable, assumed-shape, assumed-size, or a data pointer. Macros and the corresponding values for the
28 attribute codes are supplied in the **ISO_Fortran_binding.h** file. **CFI_attribute_t** shall be a typedef name
29 for a standard integer type capable of representing the values of the attribute codes.

30 **CFI_dim_t dim**[]; Each element of the **dim** array contains the lower bound, extent, and memory stride inform-
31 ation for the corresponding dimension of the Fortran object. The number of elements in the array shall be
32 equal to the rank of the object.

33 2 For a descriptor of an assumed-shape array, the value of the **lower-bound** member of each element of the **dim**
34 member of the descriptor shall be zero. For a descriptor of an array pointer or allocatable array, the value of the
35 **lower_bound** member of each element of the **dim** member of the descriptor is the Fortran lower bound.

36 3 There shall be an ordering of the dimensions such that the absolute value of the **sm** member of the first dimension is
37 not less than the **elem_len** member of the descriptor and the absolute value of the **sm** member of each subsequent
38 dimension is not less than the absolute value of the **sm** member of the previous dimension multiplied by the extent
39 of the previous dimension.

40 4 In a descriptor of an assumed-size array, the **extent** member of the last element of the **dim** member has the value
41 -2.

NOTE 5.1

The reason for the restriction on the absolute values of the `sm` members is to ensure that there is no overlap between the elements of the array that is being described, while allowing for the reordering of subscripts. Within Fortran, such a reordering can be achieved with the intrinsic function `TRANSPOSE` or the intrinsic function `RESHAPE` with the optional argument `ORDER`, and an optimizing compiler can accommodate it without making a copy by constructing the appropriate descriptor whenever it can determine that a copy is not needed.

NOTE 5.2

If the type of the Fortran object is `CHARACTER` with kind `C_CHAR`, the value of the `elem_len` member will be equal to the character length.

1 **5.3.4 Macros**

- 2 1 The macros described in this subclause are defined in `ISO_Fortran_binding.h`. Except for `CFI_CDESC_T`, each
3 expands to an integer constant expression suitable for use in `#if` preprocessing directives.
- 4 2 `CFI_CDESC_T` is a function-like macro that takes one argument, which is the rank of the C descriptor to create,
5 and evaluates to a type suitable for declaring a C descriptor of that rank. A pointer to a variable declared
6 using `CFI_CDESC_T` can be cast to `CFI_cdesc_t *`. A variable declared using `CFI_CDESC_T` shall not have an
7 initializer.

NOTE 5.3

The following code uses `CFI_CDESC_T` to declare a descriptor of rank 5 and pass it to `CFI_deallocate`.

```
CFI_CDESC_T(5) object;
int ind;
... code to define and use descriptor ...
ind = CFI_deallocate((CFI_cdesc_t *) &object);
```

- 8 3 `CFI_MAX_RANK` has a processor-dependent value equal to the largest rank supported. The value shall be greater
9 than or equal to 15.
- 10 4 `CFI_VERSION` has a processor-dependent value that encodes the version of the `ISO_Fortran_binding.h` header
11 file containing this macro.

NOTE 5.4

The intent is that the version should be increased every time that the header is incompatibly changed, and that the version in a descriptor may be used to provide a level of upwards compatibility, by using means not defined by this Technical Report.

- 12 5 The macros in Table 5.1 are for use as attribute codes. The values shall be nonnegative and distinct.

Table 5.1: **Macros specifying attribute codes**

Macro	Code
<code>CFI_attribute_assumed</code>	assumed shape
<code>CFI_attribute_allocatable</code>	allocatable
<code>CFI_attribute_pointer</code>	pointer
<code>CFI_attribute_unknown_size</code>	assumed size

- 13 6 `CFI_attribute_pointer` specifies an object with the Fortran `POINTER` attribute. `CFI_attribute_allocatable` spe-
14 cifies an object with the Fortran `ALLOCATABLE` attribute. `CFI_attribute_assumed` specifies an assumed-shape

- 1 object or a nonallocatable nonpointer scalar. CFI_attribute_unknown_size specifies an object that is, or is
 2 argument-associated with, an assumed-size dummy argument.
- 3 7 The macros in Table 5.2 are for use as type specifiers. The value for CFI_type_other shall be negative and distinct
 4 from all other type specifiers. CFI_type_struct specifies a C struct that is interoperable with a Fortran derived
 5 type; its value shall be positive and distinct from all other type specifiers. If a C type is not interoperable
 6 with a Fortran type and kind supported by the Fortran processor, its macro shall evaluate to a negative value.
 7 Otherwise, the value for an intrinsic type shall be positive.
- 8 8 Additional nonnegative processor-dependent type specifier values may be defined for Fortran intrinsic types
 9 that are not represented by other type specifiers and noninteroperable Fortran derived types that do not have
 10 type parameters, type-bound procedures, final procedures, nor components that have the ALLOCATABLE or
 11 POINTER attributes, or correspond to CFI_type_other.

Table 5.2: Macros specifying type codes

Macro	C Type
CFI_type_signed_char	signed char
CFI_type_short	short int
CFI_type_int	int
CFI_type_long	long int
CFI_type_long_long	long long int
CFI_type_size_t	size_t
CFI_type_int8_t	int8_t
CFI_type_int16_t	int16_t
CFI_type_int32_t	int32_t
CFI_type_int64_t	int64_t
CFI_type_int_least8_t	int_least8_t
CFI_type_int_least16_t	int_least16_t
CFI_type_int_least32_t	int_least32_t
CFI_type_int_least64_t	int_least64_t
CFI_type_int_fast8_t	int_fast8_t
CFI_type_int_fast16_t	int_fast16_t
CFI_type_int_fast32_t	int_fast32_t
CFI_type_int_fast64_t	int_fast64_t
CFI_type_intmax_t	intmax_t
CFI_type_intptr_t	intptr_t
CFI_type_ptrdiff_t	ptrdiff_t
CFI_type_float	float
CFI_type_double	double
CFI_type_long_double	long double
CFI_type_float_Complex	float _Complex
CFI_type_double_Complex	double _Complex
CFI_type_long_double_Complex	long double _Complex
CFI_type_Bool	_Bool
CFI_type_char	char
CFI_type_cptr	void *
CFI_type_cfunptr	pointer to a function
CFI_type_struct	interoperable struct
CFI_type_other	Not otherwise specified

NOTE 5.5

The specifiers for two intrinsic types can have the same value. For example, CFI_type_int and CFI_type_int32_t might have the same value.

- 1 9 The macros in Table 5.3 are for use as error codes. The macro CFLSUCCESS shall be defined to be the integer
 2 constant 0. The value of each macro other than CFLSUCCESS shall be nonzero and shall be different from the
 3 values of the other macros specified in this subclause. Error conditions other than those listed in this subclause
 4 should be indicated by error codes different from the values of the macros named in this subclause.
- 5 10 The error codes that indicate the following error conditions are named by the associated macro name.

Table 5.3: Macros specifying error codes

Macro	Error
CFLSUCCESS	No error detected.
CFLERROR_BASE_ADDR_NULL	The base address member of a C descriptor is a null pointer in a context that requires a non-null pointer value.
CFLERROR_BASE_ADDR_NOT_NULL	The base address member of a C descriptor is not a null pointer in a context that requires a null pointer value.
CFLINVALID_ELEM_LEN	The value of the element length member of a C descriptor is not valid.
CFLINVALID_RANK	The value of the rank member of a C descriptor is not valid.
CFLINVALID_TYPE	The value of the type member of a C descriptor is not valid.
CFLINVALID_ATTRIBUTE	The value of the attribute member of a C descriptor is not valid.
CFLINVALID_EXTENT	The value of the extent member of a CFLdim.t structure is not valid.
CFLINVALID_SM	The value of the memory stride member of a CFLdim.t structure is not valid.
CFLINVALID_DESCRIPTOR	A general error condition for C descriptors.
CFLERROR_MEM_ALLOCATION	Memory allocation failed.
CFLERROR_OUT_OF_BOUNDS	A reference is out of bounds.

6 5.3.5 Functions

7 5.3.5.1 General

- 8 1 The macro and functions described in this subclause and the structure of the C descriptor provide a C function
 9 with the capability to interoperate with a Fortran procedure that has an allocatable, assumed character length,
 10 assumed-rank, assumed-shape, or data pointer argument.
- 11 2 Within a C function, an allocatable object shall be allocated or deallocated only by execution of the CFL-
 12 allocate and CFLdeallocate functions. A Fortran pointer can become associated with a target by execution of
 13 the CFLallocate function.
- 14 3 Calling CFLallocate or CFLdeallocate for a C descriptor changes the allocation status of the Fortran variable it
 15 describes and causes the allocation status of any associated allocatable variable to change accordingly (6.7.1.3 of

1 ISO/IEC 1539-1:2010).

2 4 The following restrictions apply if an object is pointed to by a formal parameter or actual argument that corres-
3 ponds to a nonpointer dummy argument in a BIND(C) interface:

- 4 • it shall not be modified if the Fortran dummy argument has the INTENT(IN) attribute;
- 5 • it shall not be accessed before it is given a value if the Fortran dummy argument has the INTENT(OUT)
6 attribute.

7 5 A C descriptor for a Fortran pointer can be constructed by execution of the functions described in this subclause.
8 If a Fortran object without the TARGET attribute is associated with a formal parameter in a call to a C function
9 and a C descriptor for a Fortran pointer to the formal parameter or a part of it exists on return, the `base_addr`
10 member of the C descriptor becomes undefined on return.

11 6 Some of the functions described in 5.3.5 return an integer value that indicates if an error condition was detected.
12 If no error condition was detected an integer zero is returned; if an error condition was detected, a nonzero integer
13 is returned. A list of error conditions and macro names for the corresponding error codes is supplied in 5.3.4. A
14 processor is permitted to detect other error conditions. If an invocation of a function defined in 5.3.5 could detect
15 more than one error condition and an error condition is detected, which error condition is detected is processor
16 dependent.

17 7 Prototypes for these functions are provided in the `ISO_Fortran_binding.h` file as follows:

18 **5.3.5.2 void * CFI_address (const CFI_cdesc_t * dv, const CFI_index_t subscripts[]);**

19 1 **Description.** Compute the address of an object described by a C descriptor.

20 2 **Formal Parameters.**

21 `dv` shall point to a C descriptor describing the object. The object shall not be an unallocated allocatable or a
22 pointer that is not associated.

23 `subscripts` is ignored if the object is scalar. If the object is an array, `subscripts` points to a subscripts array.
24 The number of elements shall be greater than or equal to the rank r of the object. The subscript values
25 shall be within the bounds specified by the corresponding elements of the `dim` member of the C descriptor.

26 3 **Result Value.** If the object is an array, the result is the address of the element of the object that the first r
27 elements of the `subscripts` argument would specify if used as subscripts. If the object is scalar, the result is its
28 address.

NOTE 5.6

When the subscripts argument is ignored, its value may be either a null pointer or a valid pointer value, but it need not point to an object.

29 4 **Example.** If `dv` points to a C descriptor for the Fortran array `a` declared as

```
30     real(C_float) :: a(100,100)
```

31 5 the following code returns the address of `a(10,10)`

```
32     CFI_index_t subscripts[2];
33     float *address;
34     subscripts[0] = 9;
35     subscripts[1] = 9;
36     address = (float *) CFI_address( dv, subscripts );
```


1 **5.3.5.3** `int CFI_allocate (CFI_cdesc_t * dv, const CFI_index_t lower_bounds[],`
 2 `const CFI_index_t upper_bounds[], size_t elem_len) ;`

3 1 **Description.** Allocates memory for an object described by a C descriptor.

4 2 **Formal Parameters.**

5 `dv` shall point to a C descriptor describing the object. The attribute member of the C descriptor shall have a
 6 value of `CFI.attribute.allocatable` or `CFI.attribute.pointer`.

7 `lower_bounds` points to a lower bounds array. The number of elements shall be greater than or equal to the
 8 rank r specified in the descriptor.

9 `upper_bounds` points to an upper bounds array. The number of elements shall be greater than or equal to the
 10 rank r specified in the descriptor.

11 `elem_len` is ignored unless the type specified in the descriptor is a character type. If the object is of Fortran
 12 character type, the value of `elem_len` shall be the number of characters in an element of the object times
 13 the `sizeof()` of a scalar of the character type.

14 3 `CFI_allocate` allocates memory for the object described by the C descriptor pointed to by the `dv` argument
 15 using the same mechanism as the Fortran `ALLOCATE` statement. The first r elements of the `lower_bounds`
 16 and `upper_bounds` arguments provide the lower and upper Fortran bounds, respectively, for each corresponding
 17 dimension of the object. If the rank is zero, the `lower_bounds` and `upper_bounds` arguments are ignored.

18 4 On successful execution of `CFI_allocate`, the supplied lower and upper bounds override any current dimension
 19 information in the C descriptor and the C descriptor is updated. If an error is detected, the C descriptor is not
 20 modified.

21 5 **Result Value.** The result is an error indicator.

22 6 **Example.** If `dv` points to a C descriptor for the Fortran array `a` declared as

```
23     real, allocatable :: a(:,:)
```

24 7 and the array is not allocated, the following code allocates it to be of shape [100, 1000]

```
25         CFI_index_t lower[2], upper[2];
26         int ind;
27         size_t dummy;
28         lower[0] = 1; lower[1] = 1;
29         upper[0] = 100; upper[1] = 1000;
30         ind = CFI_allocate( dv, lower, upper, dummy );
```

31 **5.3.5.4** `int CFI_deallocate (CFI_cdesc_t * dv);`

32 1 **Description.** Deallocates memory for an object described by a C descriptor.

33 2 **Formal Parameters.**

34 `dv` shall point to a C descriptor describing the object. It shall have been allocated using the same mechanism as
 35 the Fortran `ALLOCATE` statement. If the object is a pointer, it shall be associated with a target satisfying
 36 the conditions for successful deallocation by the Fortran `DEALLOCATE` statement (6.7.3.3 of ISO/IEC
 37 1539-1:2010).

1 3 CFI_deallocate deallocates memory for the object. It uses the same mechanism as the Fortran DEALLOCATE
2 statement.

3 4 On successful execution of CFI_deallocate, the C descriptor is updated. If an error is detected, the C descriptor
4 is not modified.

5 5 **Result Value.** The result is an error indicator.

6 6 **Example.** If `dv` points to a C descriptor for the Fortran array `a` declared as

```
7     real, allocatable :: a(:,:)
```

8 7 and the array is allocated, the following code deallocates it

```
9     int ind;  
10    ind = CFI_deallocate( dv );
```

11 **5.3.5.5 int CFI_establish (CFI_cdesc_t * dv, void * base_addr, CFI_attribute_t attribute,
12 CFI_type_t type, size_t elem_len, CFI_rank_t rank, const CFI_index_t extents[]);**

13 1 **Description.** Establishes a C descriptor for an object.

14 2 **Formal Parameters.**

15 `dv` shall point to a C object large enough to hold a C descriptor of the appropriate rank. It shall not point
16 to a C descriptor that is pointed to by either a C formal parameter that corresponds to a Fortran actual
17 argument or a C actual argument that corresponds to a Fortran dummy argument. It shall not point to a
18 C descriptor that describes an allocated allocatable object.

19 `base_addr` shall be a null pointer or the base address of the object. If it is not a null pointer it shall be a pointer
20 to a contiguous storage sequence that is appropriately aligned (ISO/IEC 9899:1999 3.2) for an object of the
21 specified type.

22 `attribute` shall be one of CFI_attribute_assumed, CFI_attribute_allocatable, or CFI_attribute_pointer. If it is
23 CFI_attribute_allocatable, `base_addr` shall be a null pointer.

24 `type` shall be one of the type codes in Table 5.2.

25 `elem_len` is ignored unless `type` is CFI_type_struct, CFI_type_other, or a character type. If the type is CFI_type_-
26 struct or CFI_type_other, `elem_len` shall be greater than zero and equal to the `sizeof()` for an element
27 of the object. If the object is of Fortran character type, the value of `elem_len` shall be the number of
28 characters in an element of the object times the `sizeof()` for a scalar of the character type.

29 `rank` is the rank of the object. It shall be between 0 and CFI_MAX_RANK inclusive.

30 `extents` is ignored if the `rank` r is zero or if `base_addr` is a null pointer. Otherwise, it shall point to an array
31 with r elements specifying the corresponding extents of the described array.

32 3 CFI_establish establishes a C descriptor for an assumed-shape array, an assumed character length object, unalloc-
33 ated allocatable object, or a data pointer. If `base_addr` is not a null pointer, it is for a nonallocatable entity that
34 is a scalar or a contiguous array. If `base_addr` is a null pointer, the established C descriptor is for an unallocated
35 allocatable, a disassociated pointer, or is a C descriptor that has the `attribute` CFI_attribute_assumed but does
36 not describe a Fortran assumed shape array. The properties of the object are given by the other arguments.

37 4 It is unspecified whether CFI_establish is a macro or an identifier declared with external linkage. If a macro
38 definition is suppressed in order to access an actual function, the behavior is undefined.

39 5 On successful execution of CFI_establish, the object pointed to by `dv` is updated to an established C descriptor.
40 If an error is detected, that object is not modified.

1 6 **Result Value.** The function returns an error indicator.

NOTE 5.7

CFI_establish is used to initialize the descriptor declared in C with CFI_CDESC_T before passing it to any other functions as an actual argument, in order to set the rank, attribute, type and element length.

NOTE 5.8

A descriptor with **attribute** CFI_attribute_assumed and **base_addr** a null pointer can be used as the argument **result** in calls to CFI_section or CFI_select_part, which will produce a descriptor for a Fortran assumed shape array.

NOTE 5.9

This function is allowed to be a macro to provide extra implementation flexibility. For example, it could include the value of CFI_VERSION in the header used to compile the call to CFI_establish as an extra argument of the actual function used to establish the descriptor.

2 7 **Example 1.** The following code fragment establishes a C descriptor for an unallocated rank-one allocatable
3 array to pass to Fortran for allocation there.

```
4     CFI_rank_t rank;
5     CFI_CDESC_T(1) field;
6     int ind;
7     rank = 1;
8     ind = CFI_establish ( (CFI_cdesc_t *) &field, NULL, CFI_attribute_allocatable,
9                          CFI_type_double, 0, rank, NULL );
```

10 8 **Example 2.** Given the Fortran type definition

```
11     type, bind(c) :: t
12         real(c_double) :: x
13         complex(c_double_complex) :: y
14     end type
```

15 9 and a Fortran subprogram that has an assumed-shape dummy argument of type **t**, the following code fragment
16 creates a descriptor **a_fortran** for an array of size 100 which can be used as the actual argument in an invocation
17 of the subprogram from C:

```
18     typedef struct {double x; double _Complex y;} t;
19     t a_c[100];
20     CFI_CDESC_T(1) a_fortran;
21     int ind;
22     CFI_index_t extent[1];
23
24     extent[0] = 100;
25     ind = CFI_establish( (CFI_cdesc_t *) &a_fortran, a_c, CFI_attribute_assumed,
26                        CFI_type_struct, sizeof(t), 1, extent);
```

27 **5.3.5.6 int CFI_is_contiguous (const CFI_cdesc_t * dv);**

28 1 **Description.** Test contiguity of an array.

29 2 **Formal Parameter.**

30 **dv** shall point to a C descriptor describing the object.

1 3 **Result Value.** CFI_is_contiguous returns 1 if the object described is determined to be contiguous, and 0
2 otherwise.

NOTE 5.10

A C descriptor whose attribute member has the value CFI_attribute_unknown_size or CFI_attribute_allocatable always describes a contiguous object.

3 **5.3.5.7 int CFI_section (CFI_cdesc_t * result, const CFI_cdesc_t * source,**
4 **const CFI_index_t lower_bounds[], const CFI_index_t upper_bounds[], const CFI_index_t strides[]);**

5 1 **Description.** Updates a C descriptor for an array section for which each element is an element of a given array.

6 2 **Formal Parameters.**

7 **result** shall point to a C descriptor of the appropriate rank. The **attribute** member shall have the value CFI-
8 **attribute_assumed** or CFI_attribute_pointer. If **result** points to a C descriptor that is pointed to by either a
9 C formal parameter that corresponds to a Fortran actual argument or a C actual argument that corresponds
10 to a Fortran dummy argument, the **attribute** member shall have the value CFI_attribute_pointer.

11 **source** shall point to a C descriptor that describes an assumed-shape array, an allocated allocatable array, or an
12 associated array pointer. The corresponding values of the **elem_len** and **type** members shall be the same
13 in the C descriptors pointed to by **source** and **result**.

14 **lower_bounds** points to an array specifying the subscripts of the element in the given array that is the first
15 element, in Fortran array element order (6.5.3.2 of ISO/IEC 1539-1:2010), of the array section. If it is a
16 null pointer, the subscripts of the first element of **source** are used; otherwise, the number of elements shall
17 be **source->rank**.

18 **upper_bounds** points to an array specifying the subscripts of the element in the given array that is the last
19 element, in Fortran array element order (6.5.3.2 of ISO/IEC 1539-1:2010), of the array section. If it is a
20 null pointer, the subscripts of the last element of **source** are used; otherwise, the number of elements shall
21 be **source->rank**.

22 **strides** points to an array specifying the strides of the array section in units of elements of the array described
23 by the C descriptor pointed to by **source**; if an element is 0, the section subscript for the dimension is a
24 subscript and the corresponding elements of **lower_bounds** and **upper_bounds** shall be equal. If it is a null
25 pointer, the strides are treated as being all 1; otherwise, the number of elements shall be **source->rank**.

26 3 CFI_section updates the C descriptor pointed to by **result** to describe a section of the array described by the
27 C descriptor pointed to by **source**. The value of **result->rank** shall be **source->rank** minus the number of
28 **stride** elements that have value 0.

29 4 On successful execution of CFI_section, the C descriptor pointed to by **result** is updated. If an error is detected,
30 that C descriptor is not modified.

31 5 **Result Value.** The function returns an error indicator.

32 6 **Example.** If **source** already points to a C descriptor for the rank-one Fortran array **A** declared as

33 `real A(100)`

34 7 the following code fragment updates a C descriptor to describe the array section A(3::5).

```
35 CFI_index_t lower_bounds[] = {2}, strides[] = {5};
36 CFI_CDESC_T(1) section;
37 int ind;
38 /* Establish the C descriptor section before calling CFI_section. */
39 ind = CFI_section ( (CFI_cdesc_t *) &section, source,
40 lower_bounds, NULL, strides );
```

1 8 If `source` already points to a C descriptor for the rank-two assumed-shape array `A` declared in Fortran as
 2 `real A(100,100)`

3 9 the following code fragment updates a C descriptor to describe the rank-one array section `A(:,42)`.

```
4 CFI_index_t lower_bounds[] = {source->dim[0].lower_bound,41},
5 upper_bounds[] = {source->dim[0].upper_bound,41},
6 strides[] = {1,0};
7 CFI_CDESC_T(1) section;
8 int ind;
9 /* Establish the C descriptor section before calling CFI_section. */
10 ind = CFI_section ( (CFI_cdesc_t *) &section, source,
11 lower_bounds, upper_bounds, strides );
```

12 **5.3.5.8 int CFI_select_part (CFI_cdesc_t * result, const CFI_cdesc_t * source, size_t displacement, size_t elem_len);**
 13

14 1 **Description.** `CFI_select_part` updates a C descriptor for an array section for which each element is a part of the
 15 corresponding element of an array.

16 2 **Formal Parameters.**

17 **result** shall point to a C descriptor of the appropriate rank. The **attribute** member shall have the value `CFI-`
 18 `attribute_assumed` or `CFI_attribute_pointer`. If **result** points to a C descriptor that is pointed to by either a
 19 C formal parameter that corresponds to a Fortran actual argument or a C actual argument that corresponds
 20 to a Fortran dummy argument, the **attribute** member shall have the value `CFI_attribute_pointer`.

21 **source** shall point to a C descriptor for an assumed-shape array, an allocated allocatable array, or an associated
 22 array pointer. The corresponding values of the **rank** member shall be the same in the C descriptors pointed
 23 to by **source** and **result**.

24 **displacement** is the value in bytes to be added to the base address of the array described by the C descriptor
 25 pointed to by **source** to give the base address of the array section. The resulting base address shall be ap-
 26 propriately aligned (ISO/IEC 9899:1999 3.2) for an object of the specified type. The value of **displacement**
 27 shall be between 0 and `source->elem_len - 1` inclusive.

28 **elem_len** is ignored unless **type** is a character type. If the array section is of Fortran character type, the value
 29 of **elem_len** shall be the number of characters in an element of the array section times the `sizeof()` for a
 30 scalar of the character type. The value of **elem_len** shall be between 1 and `source->elem_len` inclusive.

31 3 `CFI_select_part` updates the C descriptor pointed to by **result** for an array section for which each element is a
 32 part of the corresponding element of the array described by the C descriptor pointed to by **source**. The part may
 33 be a component of a structure, a substring, or the real or imaginary part of a complex value. In the C descriptor
 34 pointed to by **result**, the **type** member shall be the specifier for the type of the part.

35 4 On successful execution of `CFI_select_part`, the C descriptor pointed to by **result** is updated. If an error is
 36 detected, that C descriptor is not modified.

37 5 **Result Value.** The function returns an error indicator.

38 6 **Example.** If `source` already points to a C descriptor for the Fortran array `a` declared thus:

```
39 type,bind(c):: t
40 real(C_DOUBLE) :: x
41 complex(C_DOUBLE_COMPLEX) :: y
42 end type
43 type(t) a(100)
```

1 7 the following code fragment establishes a C descriptor for the array `a(:)%y`.

```

2     typedef struct { double x; double complex y;} t;
3     CFI_CDESC_T(1) component;
4     int ind;
5     CFI_cdesc_t * comp_cdesc = (CFI_cdesc_t *)&component;
6     CFI_index_t extent[] = {100};
7
8     ind = CFI_establish (comp_cdesc, NULL, CFI_attribute_assumed,
9         CFI_type_double_complex, sizeof(double _Complex), 1, extent);
10
11    ind = CFI_select_part (comp_cdesc, source, offsetof(t,y), 0);

```

12 **5.3.5.9 int CFI_setpointer (CFI_cdesc_t * result, CFI_cdesc_t * source, const CFI_index_t lower_bounds[]);**

13 1 **Description.** CFI_setpointer updates a C descriptor for a Fortran pointer to point to the whole of a given object
14 or be disassociated.

15 2 **Formal Parameters.**

16 **result** shall point to a C descriptor for a Fortran pointer. It is updated using information from the **source** and
17 **lower_bounds** arguments.

18 **source** shall be a null pointer or point to a C descriptor for an assumed-shape array, an allocated allocatable
19 object, or a data pointer object. If **source** is not a null pointer, the corresponding values of the **elem_len**,
20 **rank**, and **type** members shall be in same in the C descriptors pointed to by **source** and **result**.

21 **lower_bounds** is ignored if **source** is a null pointer or the rank zero. Otherwise, the number of elements in
22 the array **lower_bounds** shall be greater than or equal to the rank specified in the **source** C descriptor.
23 The elements provide the lower bounds for each corresponding dimension of the **result** C descriptor. The
24 extents and memory strides are copied from the **source** C descriptor.

25 3 CFI_setpointer updates the C descriptor pointed to by **result** with information in the C descriptor pointed to
26 by **source** and the **lower_bounds** argument.

27 4 If **source** is a null pointer or points to a C descriptor for a disassociated pointer, the updated C descriptor
28 describes a disassociated pointer. Otherwise, the C descriptor pointed to by **result** becomes a C descriptor for
29 the object described by the C descriptor pointed to by **source**, except that the lower bounds are replaced by the
30 values of the **lower_bounds** array if the rank is greater than zero and **lower_bounds** is not a null pointer.

31 5 On successful execution of CFI_setpointer, the C descriptor pointed to by **result** is updated. If an error is
32 detected, that C descriptor is not modified.

33 6 **Result Value.** The function returns an error indicator.

34 7 **Example.** If **ptr** already points to a C descriptor for an array pointer of rank 1, the following code makes it
35 point to this with lower bound 0.

```

36     CFI_index_t lower_bounds[1];
37     int ind;
38     lower_bounds[0] = 0;
39     ind = CFI_setpointer ( ptr, ptr, lower_bounds );

```

40 **5.3.6 Use of C descriptors**

41 1 A C descriptor shall not be initialized, updated or copied other than by calling the functions specified here.

- 1 2 If a C descriptor is pointed to by a formal parameter that corresponds to a Fortran actual argument or a C actual
2 argument that corresponds to a Fortran dummy argument,
- 3 • it shall not be modified if either the corresponding dummy argument in the Fortran interface has the
4 INTENT(IN) attribute or the descriptor is for an assumed-shape or unknown-size object, and
 - 5 • its `base_addr` member shall not be accessed before it is given a value if the corresponding dummy argument
6 in the Fortran interface has the POINTER and INTENT(OUT) attributes.

NOTE 5.11

In this context, modification refers to any change to the location or contents of the descriptor, including establishment and update. The intent of these restrictions is that C descriptors remain intact at all times they are accessible to an active Fortran procedure, so that the Fortran code is not required to copy them. C programmers should note that doing things with descriptors that are not possible in Fortran will cause undefined behavior.

5.3.7 Restrictions on lifetimes

- 7
- 8 1 When a Fortran object is deallocated, execution of its host instance is completed, or its association status becomes
9 undefined, all C descriptors and C pointers to any part of it become undefined, and any further use of them is
10 undefined behavior (ISO/IEC 9899:1999 3.4.3).
- 11 2 A C descriptor that is pointed to by a formal parameter that corresponds to a Fortran dummy argument becomes
12 undefined on return from a call to the function from Fortran. If the dummy argument does not have any of the
13 TARGET, ASYNCHRONOUS or VOLATILE attributes, all C pointers to any part of the object it describes
14 become undefined on return from the call, and any further use of them is undefined behavior.
- 15 3 If a pointer to a C descriptor is passed as an actual argument to a Fortran procedure, the lifetime (ISO/IEC
16 9899:1999 6.2.4) of the C descriptor shall not end before the return from the procedure call. If an object is passed
17 to a Fortran procedure as a nonallocatable, nonpointer dummy argument, its lifetime shall not end before the
18 return from the procedure call. A Fortran pointer variable that is associated with the object described by a C
19 descriptor shall not be accessed beyond the end of the lifetime of the C descriptor and the object it describes.
- 20 4 If the lifetime of a C descriptor for an allocatable object that was established by C ends before the program exits,
21 the object shall be unallocated at that time.

5.3.8 Interoperability of procedures and procedure interfaces

- 23 1 The rules in this subclause replace the contents of paragraphs one and two of subclause 15.3.7 of ISO/IEC
24 1539-1:2010 entirely.
- 25 2 A Fortran procedure is interoperable if it has the [BIND attribute](#), that is, if its interface is specified with a
26 [proc-language-binding-spec](#).
- 27 3 A Fortran procedure interface is interoperable with a C function prototype if
- 28 (1) the interface has the [BIND attribute](#),
 - 29 (2) either
 - 30 (a) the interface describes a function whose [result variable](#) is a scalar that is interoperable with
31 the result of the prototype or
 - 32 (b) the interface describes a subroutine and the prototype has a result type of void,
 - 33 (3) the number of dummy arguments of the interface is equal to the number of formal parameters of the
34 prototype,
 - 35 (4) the prototype does not have variable arguments as denoted by the ellipsis (...),
 - 36 (5) any dummy argument with the [VALUE attribute](#) is interoperable with the corresponding formal
37 parameter of the prototype, and

- 1 (6) any dummy argument without the **VALUE attribute** corresponds to a formal parameter of the proto-
2 type that is of a pointer type, and either
- 3 (a) the dummy argument is interoperable with an entity of the referenced type (ISO/IEC 9899:1999,
4 6.2.5, 7.17, and 7.18.1) of the formal parameter,
- 5 (b) the dummy argument is a nonallocatable, nonpointer variable of type CHARACTER with
6 assumed length, and corresponds to a formal parameter of the prototype that is a pointer to
7 CFI_cdesc_t,
- 8 (c) the dummy argument is allocatable, assumed-shape, assumed-rank, or a pointer, and corres-
9 ponds to a formal parameter of the prototype that is a pointer to CFI_cdesc_t, or
- 10 (d) the dummy argument is assumed-type and not assumed-shape or assumed-rank, and corres-
11 ponds to a formal parameter of the prototype that is a pointer to void.
- 12 4 If a dummy argument in an interoperable interface is of type CHARACTER and is allocatable or a pointer, its
13 character length shall be deferred.
- 14 5 If a dummy argument in an interoperable interface is allocatable, assumed-shape, assumed-rank, or a pointer,
15 the corresponding formal parameter is interpreted as a pointer to a C descriptor for the effective argument in a
16 reference to the procedure. The C descriptor shall describe an object with the same characteristics as the effective
17 argument; the type member shall have a value from Table 5.2 that depends on the effective argument as follows:
- 18 • if the dynamic type of the effective argument is an interoperable type listed in Table 5.2, the corresponding
19 value for that type;
 - 20 • if the dynamic type of the effective argument is an intrinsic type with no corresponding type listed in Table
21 5.2, or a noninteroperable derived type that does not have type parameters, type-bound procedures, final
22 procedures, nor components that have the ALLOCATABLE or POINTER attributes, or correspond to
23 CFI_type_other, one of the processor-dependent nonnegative type specifier values;
 - 24 • otherwise, CFI_type_other.
- 25 6 An absent actual argument in a reference to an interoperable procedure is indicated by a corresponding formal
26 parameter with the value of a null pointer.

6 Required editorial changes to ISO/IEC 1539-1:2010(E)

6.1 General

- 1 The following editorial changes, if implemented, would provide the facilities described in foregoing clauses of this Technical Report. Descriptions of how and where to place the new material are enclosed in braces . Edits to different places within the same clause are separated by horizontal lines.
- 2 In the edits, except as specified otherwise by the editorial instructions, underwave (underwave) and strike-out (~~strike-out~~) are used to indicate insertion and deletion of text.

6.2 Edits to Introduction

1 {In paragraph 1 of the Introduction }

2 After “informally known as Fortran 2008”
insert “, plus the facilities defined in ISO/IEC TR 29113:2011”.

3 {After paragraph 3 of the Introduction, insert new paragraph}

4 ISO/IEC TR 29113 provides additional facilities with the purpose of improving interoperability with the C programming language:

- assumed-type objects provide more convenient interoperability with C pointers;
- assumed-rank objects provide more convenient interoperability with the C memory model;
- it is now possible for a C function to interoperate with a Fortran procedure that has an allocatable, assumed character length, assumed-shape, optional, or pointer dummy data object.

6.3 Edits to clause 1

1 {Insert new term definitions before term **1.3.9 attribute**}

2 **1.3.8a**
assumed rank
<dummy variable> the property of assuming the rank from its effective argument (5.3.8.7, 12.5.2.4)

3 **1.3.8b**
assumed type
<dummy variable> being declared as TYPE (*) and therefore assuming the type and type parameters from its effective argument (4.3.1)

4 {Insert new term definition before **1.3.20 character context**}

5 **1.3.19a**
C descriptor
struct of type CFI_cdesc_t defined in the header ISO_Fortran_binding.h (15.5)

6 {Insert new subclause before 1.6.2 Fortran 2003 compatibility}

7 **1.6.1a Fortran 2008 compatibility**

8 This part of ISO/IEC 1539 is an upward compatible extension to the preceding Fortran International Standard,

1 ISO/IEC 1539-1:2010(E). Any standard-conforming Fortran 2008 program remains standard-conforming under
2 this part of ISO/IEC 1539.

3 6.4 Edits to clause 4

4 1 {In 4.3.1.1 Type specifier syntax, insert additional production for R403 *declaration-type-spec* after the one for
5 CLASS (*)}

6 **or** TYPE (*)

7 2 {In 4.3.1.2 TYPE, edit the first paragraph as follows}

8 3 A TYPE type specifier is used to declare entities that are of assumed type, or of an intrinsic or derived type.

9 4 {In 4.3.1.2 TYPE, insert new paragraphs at the end of the subclause}

10 5 An entity that is declared using the TYPE(*) type specifier has assumed type and is an unlimited polymorphic
11 entity (4.3.1.3). Its dynamic type and type parameters are assumed from its associated effective argument.

12 C407a An assumed-type entity shall be a dummy variable that does not have the ALLOCATABLE, CODIMEN-
13 SION, POINTER or VALUE attributes.

14 C407b An assumed-type variable name shall not appear in a designator or expression except as an actual argu-
15 ment corresponding to a dummy argument that is assumed-type, or the first argument to the intrinsic and
16 intrinsic module functions IS_CONTIGUOUS, LBOUND, PRESENT, RANK, SHAPE, SIZE, UBOUND,
17 or C_LOC.

18 C407c An assumed-type actual argument that corresponds to an assumed-rank dummy argument shall be
19 assumed-shape or assumed-rank.

20 6.5 Edits to clause 5

21 1 {In 5.3.1 Constraints, replace C516 with}

22 C516 The ALLOCATABLE or POINTER attribute shall not be specified for a default-initialized dummy
23 argument of a procedure that has a *proc-language-binding-spec*.

24 2 {In 5.3.4 ASYNCHRONOUS attribute, edit paragraphs 1 and 2 as follows:}

25 3 An entity with the ASYNCHRONOUS attribute is a variable that may be subject to asynchronous input/output
26 or asynchronous communication (15.5.4)

27 4 The base object of a variable shall have the ASYNCHRONOUS attribute in a scoping unit if

- 28 • the variable appears in an executable statement or specification expression in that scoping unit and
 - 29 • any statement of the scoping unit is executed while the variable is a pending I/O storage sequence affector
30 (9.6.2.5) or a pending communication affector (15.5.4).
-

31 5 {In 5.3.7 CONTIGUOUS attribute, edit C530 as follows}

32 C530 An entity with the CONTIGUOUS attribute shall be an array pointer, ~~or~~ an assumed-shape array, ~~or~~
33 have assumed rank.

34 6 {In 5.3.7 CONTIGUOUS attribute, edit paragraph 1 as follows}

35 7 The CONTIGUOUS attribute specifies that an assumed-shape array can only be argument associated with a

1 contiguous effective argument, ~~or~~ that an array pointer can only be pointer associated with a contiguous target,
 2 ~~or that an assumed-rank object can only be argument associated with a scalar or contiguous effective argument.~~

3 8 {In 5.3.7 CONTIGUOUS attribute, paragraph 2, item (3)}

4 9 Change first “array” to “or assumed-rank dummy argument”,
 5 change second “array” to “object”.

6 10 {In 5.3.8.1 General, edit paragraph 1 as follows}

7 11 The DIMENSION attribute specifies that an entity has assumed rank or is an array. An assumed-rank entity has
 8 the rank and shape of its associated actual argument; otherwise, the~~The~~ rank or rank and shape is specified by
 9 its *array-spec*.

10 12 {In 5.3.8.1 General, insert additional production for R515 *array-spec*, after *implied-shape-spec-list*}

11 ~~or~~ *assumed-rank-spec*

12 13 {At the end of 5.3.8, immediately before 5.3.9, insert new subclause}

13 14 **5.3.8.7 Assumed-rank entity**

14 15 An assumed-rank entity is a dummy variable whose rank is assumed from its effective argument; this rank may
 15 be zero. An assumed-rank entity is declared with an *array-spec* that is an *assumed-rank-spec*.

16 R522a *assumed-rank-spec* is ..

17 C535a An assumed-rank entity shall be a dummy variable that does not have the CODIMENSION or VALUE
 18 attribute.

19 C535b An assumed-rank variable name shall not appear in a designator or expression except as an actual
 20 argument corresponding to a dummy argument that is assumed-rank, the argument of the C.LOC function
 21 in the ISO_C_BINDING intrinsic module, or the first argument in a reference to an intrinsic inquiry
 22 function.

23 16 The intrinsic function RANK can be used to inquire about the rank of a data object.

24 **6.6 Edits to clause 6**

25 1 {In 6.5.4 Simply contiguous array designators, paragraph 2, edit the second bullet item as follows}

- 26 • an *object-name* that is not a pointer, ~~not~~ assumed-shape, and not assumed-rank,
-

27 2 {In 6.7.3.2 Deallocation of allocatable variables, append to paragraph 6}

28 3 If a Fortran procedure that has an INTENT (OUT) allocatable dummy argument is invoked by a C function
 29 and the corresponding argument in the C function call is a C descriptor that describes an allocated allocatable
 30 variable, the variable is deallocated on entry to the Fortran procedure. When a C function is invoked from a
 31 Fortran procedure via an interface with an INTENT (OUT) allocatable dummy argument and the corresponding
 32 actual argument in the reference of the C function is an allocated allocatable variable, the variable is deallocated
 33 on invocation (before execution of the C function begins).

34 **6.7 Edits to clause 12**

35 1 {In 12.3.2.2, edit paragraph 1 as follows}

36 2 The characteristics of a dummy data object are its type, its type parameters (if any), its shape (unless it is

1 assumed-rank), its corank, its codimensions, its intent (5.3.10, 5.4.10), whether it is optional (5.3.12, 5.4.10),
 2 whether it is allocatable (5.3.3), whether it has the ASYNCHRONOUS (5.3.4), CONTIGUOUS (5.3.7), VALUE
 3 (5.3.18), or VOLATILE (5.3.19) attributes, whether it is polymorphic, and whether it is a pointer (5.3.14, 5.4.12)
 4 or a target (5.3.17, 5.4.15). If a type parameter of an object or a bound of an array is not a constant expression,
 5 the exact dependence on the entities in the expression is a characteristic. If a rank, shape, size, type, or type
 6 parameter is assumed or deferred, it is a characteristic.

7 3 {In 12.4.2.2 Explicit interface, after item (2)(c) insert new item}

8 4 (c2) has assumed rank,

9 5 {In 12.5.2.4 Ordinary dummy variables, append to paragraph 2}

10 6 If the actual argument is of a derived type that has type parameters, type-bound procedures, or final subroutines,
 11 the dummy argument shall not be assumed type.

12 7 {In 12.5.2.4 Ordinary dummy variables, paragraphs 3 and 4}

13 8 Change “not assumed shape” to “explicit-shape or assumed-size” (twice).

14 9 {In 12.5.2.4 Ordinary dummy variables, paragraph 9}

15 10 After “dummy argument is a scalar”
 16 Change “or” to “, has assumed rank, or is”.

17 11 {In 12.5.2.4 Ordinary dummy variables, insert new paragraph after paragraph 14}

18 12 An actual argument of any rank may correspond to an assumed-rank dummy argument. The rank and shape
 19 of the dummy argument are the rank and shape of the corresponding actual argument. If the rank is nonzero,
 20 the lower and upper bounds of the dummy argument are those that would be given by the intrinsic functions
 21 LBOUND and UBOUND respectively if applied to the actual argument, except that when the actual argument
 22 is assumed size, the upper bound of the last dimension of the dummy argument is 2 less than the lower bound of
 23 that dimension.

24 13 {In 12.6.2.2 Function subprogram, edit C1255 as follows}

25 C1255 (R1229) If *proc-language-binding-spec* is specified for a procedure, each of the procedure’s dummy ar-
 26 guments shall be an ~~nonoptional~~ interoperable variable (15.3.5, 15.3.6) that does not have both the
 27 OPTIONAL and VALUE attributes, or an ~~nonoptional~~ interoperable procedure (15.3.7). If *proc-language-*
 28 *binding-spec* is specified for a function, the function result shall be an interoperable scalar variable.

29 6.8 Edits to clause 13

30 1 {In 13.5 Standard generic intrinsic procedures, Table 13.1, LBOUND and UBOUND intrinsic functions}

31 2 Delete “ of an array” (twice).

32 3 {In 13.5 Standard generic intrinsic procedures, Table 13.1}

33 4 Insert new entry into the table, alphabetically

34 5 RANK (A) I Rank of a data object.

35 6 {In 13.7.86, IS_CONTIGUOUS, edit paragraph 3 as follows}

36 7 **Argument.** ARRAY may be of any type. It shall be an array or an assumed-rank object. If it is a pointer it
 37 shall be associated.

1 8 {In 13.7.86, IS_CONTIGUOUS, edit paragraph 5 as follows}

2 9 **Result Value.** The result has the value true if ARRAY has rank zero or is contiguous, and false otherwise.

3 10 {In 13.7.90 LBOUND, edit paragraph 1 as follows}

4 11 **Description.** Lower bound(s) ~~of an array.~~

5 12 {In 13.7.90 LBOUND, edit paragraph 3, ARRAY argument, as follows}

6 ARRAY shall be an array or assumed-rank object of any type. It shall not be an unallocated allocatable
7 variable or a pointer that is not associated.

8 13 {In 13.7.90 LBOUND, insert note after paragraph 3}

9 14 “NOTE 13.14a

10 Note that if ARRAY is an assumed-rank object of rank zero, DIM cannot be present.”

11 15 {In 13.7.93 LEN, paragraph 3}

12 16 Change “a type character scalar or array”
13 to “of type character”.

14 17 {Immediately before subclause 13.8.138 REAL, insert new subclause}

15 18 **13.7.137a RANK (A)**

16 19 **Description.** Rank of a data object.

17 20 **Class.** Inquiry function.

18 21 **Argument.** A shall be a data object of any type.

19 22 **Result Characteristics.** Default integer scalar.

20 23 **Result Value.** The result is the rank of A.

21 24 **Example.** If X is declared as REAL X (:, :, :), the result has the value 3.

22 25 {In 13.7.149 SHAPE, replace paragraph 5 with}

23 26 **Result Value.** The result has a value equal to [(SIZE(SOURCE, *i*, KIND), *i*=1, RANK(SOURCE))].

24 27 {In 13.7.156 SIZE, edit paragraph 3, argument ARRAY, as follows}

25 ARRAY shall be an array or assumed-rank object of any type. It shall not be an unallocated allocatable
26 variable or a pointer that is not associated. If ARRAY is an assumed-size array, DIM shall be
27 present with a value less than the rank of ARRAY.

28 28 {In 13.7.156 SIZE, insert note after paragraph 3}

29 29 “NOTE 13.21a

30 Note that if ARRAY is an assumed-rank object of rank zero, DIM cannot be present.”

31 30 {In 13.7.156 SIZE, replace paragraph 5 with}

32 31 **Result Value.** If ARRAY is an assumed-rank object associated with an assumed-size array and DIM is present
33 with a value equal to the rank of ARRAY, the result is -1 ; otherwise, if DIM is present, the result has a
34 value equal to the extent of dimension DIM of ARRAY. If DIM is not present, the result has a value equal to
35 PRODUCT([(SIZE(ARRAY, *i*, KIND), *i*=1, RANK(ARRAY))]).

1 32 {In 13.7.160 STORAGE_SIZE, paragraph 3}

2 33 Change “a scalar or array of any type”
3 to “a data object of any type”.

4 34 {In 13.7.171 UBOUND, paragraph 1}

5 35 Delete “ of an array”.

6 36 {In 13.7.171 UBOUND, paragraph 3, ARRAY argument}

7 37 After “shall be an array”
8 insert “or assumed-rank object”.

9 38 {In 13.7.171 UBOUND, insert note after paragraph 3}

10 39 “NOTE 13.24a
11 Note that if ARRAY is an assumed-rank object of rank zero, DIM cannot be present.”

12 40 {In 13.7.171 UBOUND, edit paragraph 5 as follows}

13 41 **Result Value.**

14 *Case (i):* For an array section or for an array expression, other than a whole array, UBOUND (ARRAY, DIM)
15 has a value equal to the number of elements in the given dimension; ~~otherwise,~~

16 *Case (ii):* ~~For an assumed-rank object associated with an assumed-size array, UBOUND(ARRAY, *n*, KIND)~~
17 ~~where *n* is the rank of ARRAY has a value equal to LBOUND(ARRAY, *n*, KIND) – 2.~~

18 *Case (iii):* ~~Otherwise,~~ UBOUND(ARRAY, DIM) has a value equal to the upper bound for subscript DIM of
19 ARRAY if dimension DIM of ARRAY does not have size zero and has the value zero if dimension
20 DIM has size zero.

21 *Case (iv):* UBOUND (ARRAY) has a value whose i^{th} element is equal to UBOUND (ARRAY, i), for $i = 1, 2,$
22 \dots, n , where n is the rank of ARRAY.

23 6.9 Edits to clause 15

24 1 {In 15.1 General, at the end of the subclause, insert new paragraph}

25 2 The header `ISO_Fortran_binding.h` provides definitions and prototypes to enable a C function to interoperate
26 with a Fortran procedure with an allocatable, assumed character length, assumed-shape, assumed-rank, or pointer
27 dummy data object.

28 3 {In 15.2.3.3 paragraph 3, append a new paragraph to the description of FPTR:}

29 4 “If the value of CPTR is the C address of a storage sequence, FPTR becomes associated with that storage
30 sequence. If FPTR is an array, its shape is specified by SHAPE and each lower bound is 1. The storage sequence
31 shall be large enough to contain the target object described by FPTR, shall not be in use by another Fortran
32 entity, and shall satisfy any other processor-dependent requirements for association.”

33 5 {At the end of 15.2.3.4, insert new note}

34 6 “NOTE 15.xx

35 In the case of associating FPTR with a storage sequence, there might be processor-dependent requirements such
36 as alignment of the memory address or placement in memory.”

37 7 {In 15.2.3.6 paragraph 3}

- 1 8 Delete “scalar,”.
-
- 2 9 {In 15.3.2 Interoperability of intrinsic types, Table 15.2, add a new Named constant / C type pair in the Fortran
3 type = INTEGER block, following C_INTPTR_T | intptr_t, as follows}
- 4 10 C_PTRDIFF_T | ptrdiff_t
-
- 5 11 {In 15.3.7 Interoperability of procedures and procedure interfaces, paragraph 2, edit item (5) as follows}
- 6 (5) any dummy argument without the VALUE attribute corresponds to a formal parameter of the proto-
7 type that is of pointer type, and either
- 8 (a) the dummy argument is interoperable with an entity of the referenced type (ISO/IEC 9899:1999,
9 6.25, 7.17, and 7.18.1) of the formal parameter,
- 10 (b) the dummy argument is a nonallocatable, nonpointer variable of type CHARACTER with
11 assumed length, and corresponds to a formal parameter of the prototype that is a pointer to
12 CFI_desc_t,
- 13 (c) the dummy argument is allocatable, assumed-shape, assumed-rank, or a pointer, and corresponds
14 to a formal parameter of the prototype that is a pointer to CFI_desc_t, or
- 15 (d) the dummy argument is assumed-type and not allocatable, assumed-shape, assumed-rank, or
16 a pointer, and corresponds to a formal parameter of the prototype that is a pointer to void,
- 17 (5a) each allocatable or pointer dummy argument of type CHARACTER has deferred character length,
18 and,
-
- 19 12 {In 15.3.7 Interoperability of procedures and procedure interfaces, insert new paragraphs at the end of the
20 subclause}
- 21 13 If a dummy argument in an interoperable interface is allocatable, assumed-shape, assumed-rank, or a pointer,
22 the corresponding formal parameter is interpreted as a pointer to a C descriptor for the effective argument in a
23 reference to the procedure. The C descriptor shall describe an object with the same characteristics as the effective
24 argument.
- 25 14 An absent actual argument in a reference to an interoperable procedure is indicated by a corresponding formal
26 parameter with the value of a null pointer.
-
- 27 15 {At the end of clause 15}
- 28 16 Insert subclause 5.3 of this Technical Report as subclause 15.5, including subclauses 5.3.1 to 5.3.8 as subclauses
29 15.5.1 to 15.5.8.
- 30 17 Insert subclause 2.4.2 of this Technical Report as subclause 15.5.4 at the end of the existing subclause 15.5.

31 6.10 Edits for annex A

- 32 1 {At the end of A.2 Processor dependencies, replace the final full stop with a semicolon and add two new items
33 as follows}
- 34 • the value of CFI_MAX_RANK in the file CFI_Fortran_binding.h;
 - 35 • the value of CFI_VERSION in the file CFI_Fortran_binding.h;
 - 36 • which error condition is detected if more than one error condition is detected for an invocation of one of
37 the functions specified in the file CFI_Fortran_binding.h;
 - 38 • the values of the type specifier macros defined in the file CFI_Fortran_binding.h;
 - 39 • which additional type specifier values are defined in the file CFI_Fortran_binding.h;
 - 40 • the values of the error code macros, except for CFI_SUCCESS, defined in the file CFI_Fortran_binding.h;
 - 41 • the base address of a zero-sized array;

- 1 • the requirements on the storage sequence to be associated with the pointer FPTR by the C.F.POINTER
2 subroutine;
- 3 • whether a procedure defined by means other than Fortran is an asynchronous communication initiation or
4 completion procedure.

5 **6.11 Edits for annex C**

- 6 1 {In C.11 Clause 15 notes, at the end of the subclause}
- 7 2 Insert subclauses A.1.1 to A.1.4 as subclauses C.11.6 to C.11.9.
- 8 3 Insert subclause A.2.1 as C.11.10 with the revised title “Processing assumed-shape arrays in C”.
- 9 4 Insert subclauses A.2.2 to A.2.4 as subclauses C.11.11 to C.11.13.

Annex A

(Informative)

Extended notes

A.1 Clause 2 notes

A.1.1 Using assumed type in the context of interoperation with C

1 The mechanism for handling unlimited polymorphic entities whose dynamic type is interoperable with C is designed to handle the following two situations:

- 2 (1) An entity corresponding to a C pointer to void. This is a start address, and no further information about the entity is available via the language rules. This situation occurs if the entity is a nonallocatable nonpointer scalar or is an array of assumed size.
- 3 (2) An entity of interoperable dynamic type for which additional information on state, type and size is implicitly provided with the entity. All assumed-type entities of assumed shape or rank fall into this category.

4 For entities in the first category, it is the programmer's responsibility to explicitly provide additional information on the size (e.g., in units of bytes) and possibly also the type of the object pointed to.

5 Within C, entities in the second category require the use of a C descriptor. The rules of the language ensure that, within Fortran, entities of the first category cannot be used in a context where the additional information needed for the second category is required but unavailable. However, it is possible to use entities of the second category in a context where the Fortran processor simply needs to extract the starting address from the entity to convert it to the first category. Within C, the programmer must explicitly perform this extraction.

6 Because the purpose of assumed type is to allow the companion processor to bypass some of the strictness of the typing in the Fortran standard, it is not generally a suitable type for use within a Fortran program and no facilities have been provided to make it more useful for that.

7 The examples A.1.2 and A.1.3 illustrate some uses of assumed type entities.

A.1.2 Example for mapping of interfaces with void * C parameters to Fortran

1 A C interface for message passing or I/O functionality could be provided in the form

```
2 int EXAMPLE_send(const void *buffer, size_t buffer_size, const HANDLE_t *handle);
```

3 where the `buffer_size` argument is given in units of bytes, and the `handle` argument (which is of a type aliased to `int`) provides information about the target the buffer is to be transferred to. In this example, type resolution is not required.

4 The first method provides a thin binding; a call to `EXAMPLE_send` from Fortran directly invokes the C function.

```
5 interface
6   integer(c_int) function EXAMPLE_send(buffer, buffer_size, handle) &
7     bind(c,name='EXAMPLE_send')
8   use,intrinsic :: iso_c_binding
9   type(*), dimension(*), intent(in) :: buffer
10  integer(c_size_t), value :: buffer_size
11  integer(c_int), intent(in) :: handle
```

```

1     end function EXAMPLE_send
2 end interface

```

3 4 It is assumed that this interface is declared in the specification part of a module mod_EXAMPLE_old. Example
4 invocations from Fortran then are

```

5     use, intrinsic :: iso_c_binding
6     use mod_EXAMPLE_old
7
8     real(c_float) :: x(100)
9     integer(c_int) :: y(10,10)
10    real(c_double) :: z
11    integer(c_int) :: status, handle
12    :
13    ! assign values to x, y, z and initialize handle
14    :
15    ! send values in x, y, and z using EXAMPLE_send:
16    status = EXAMPLE_send(x, c_sizeof(x), handle)
17    status = EXAMPLE_send(y, c_sizeof(y), handle)
18    status = EXAMPLE_send(/ z /), c_sizeof(z), handle)

```

19 5 In these invocations, x and y are passed by address, and for y the sequence association rules (12.5.2.11 of ISO/IEC
20 1539-1:2010) allow this. For z, it is necessary to explicitly create an array expression.

```

21    status = EXAMPLE_send(y, c_sizeof(y(:,1)), handle)

```

22 6 passes the first column of y (again by address).

```

23    status = EXAMPLE_send(y(1,5), c_sizeof(y(:,5)), handle)

```

24 7 passes the fifth column of y using the sequence association rules.

25 8 The second method provides a Fortran interface which is easier to use, but requires writing a separate C wrapper
26 routine; this is commonly called a “fat binding”. In this implementation, a C descriptor is created because the
27 buffer is declared with assumed rank in the Fortran interface; the use of an optional argument is also demonstrated.

```

28 interface
29     subroutine example_send(buffer, handle, status) &
30         BIND(C, name='EXAMPLE_send_fortran')
31     use, intrinsic :: iso_c_binding
32     type(*), dimension(..), contiguous, intent(in) :: buffer
33     integer(c_int), intent(in) :: handle
34     integer(c_int), intent(out), optional :: status
35 end subroutine example_send
36 end interface

```

37 9 It is assumed that this interface is declared in the specification part of a module mod_EXAMPLE_new. Example
38 invocations from Fortran then are

```

39 use, intrinsic :: iso_c_binding
40 use mod_EXAMPLE_new
41
42 type, bind(c) :: my_derived
43 integer(c_int) :: len_used

```

```

1     real(c_float) :: stuff(100)
2 end type
3 type(my_derived) :: w(3)
4 real(c_float) :: x(100)
5 integer(c_int) :: y(10,10)
6 real(c_double) :: z
7 integer(c_int) :: status, handle
8 :
9 ! assign values to w, x, y, z and initialize handle
10 :
11 ! send values in w, x, y, and z using EXAMPLE_send
12 call EXAMPLE_send(w, handle, status)
13 call EXAMPLE_send(x, handle)
14 call EXAMPLE_send(y, handle)
15 call EXAMPLE_send(z, handle)
16
17 call EXAMPLE_send(y(:,5), handle) ! fifth column of y
18 call EXAMPLE_send(y(1,5), handle) ! scalar y(1,5) passed by descriptor

```

19 10 However, the following call from Fortran is not allowed

```

20 type(*) :: d(*) ! is a dummy argument
21 :
22 call EXAMPLE_send(d(1:4), handle, status)

```

23 11 The wrapper routine implemented in C reads

```

24 #include "ISO_Fortran_binding.h"
25
26 void EXAMPLE_send_fortran(const CFI_cdesc_t *buffer,
27                          const HANDLE_t *handle, int *status) {
28     int status_local;
29     size_t buffer_size;
30     int i;
31
32     buffer_size = buffer->elem_len;
33     for (i=0; i<buffer->rank; i++) {
34         buffer_size *= buffer->dim[i].extent;
35     }
36     status_local = EXAMPLE_send(buffer->base_addr,buffer_size, handle);
37     if (status != NULL) *status = status_local;
38 }

```

39 **A.1.3 Using assumed-type dummy arguments**

40 **Example of TYPE (*) for an abstracted message passing routine with two arguments.**

41 1 The first argument is a data buffer of type (void *) and the second argument is an integer indicating the size
42 of the buffer to be transferred. The generic interface accepts both 32-bit and 64-bit integers as the buffer size,
43 converting them to “C int” since the caller will probably want to use default integer and the size of default integer
44 varies depending on the compiler and option used.

45 2 The C prototype is:

```

46 void EXAMPLE_send ( void * buffer, int n);

```

1 3 and it is assumed that an implementation exists.

2 4 The Fortran module has the public generic interface:

```

3     interface EXAMPLE_send
4         subroutine EXAMPLE_send (buffer, n) bind(c,name="EXAMPLE_send")
5             use,intrinsic :: iso_c_binding
6             type(*),dimension(*) :: buffer
7             integer(c_int),value :: n
8         end subroutine EXAMPLE_send
9         module procedure EXAMPLE_send_i8
10    end interface EXAMPLE_send

```

11 5 and the module procedure

```

12     subroutine EXAMPLE_send_i8 (buffer, n)
13         use,intrinsic :: iso_c_binding
14         type(*),dimension(*) :: buffer
15         integer(selected_int_kind(17)) :: n
16         call EXAMPLE_send(buffer, int(n,c_int))
17     end subroutine EXAMPLE_send_i8

```

18 **A.1.4 Simplifying interfaces for arbitrary rank procedures**

19 **Example of assumed-rank usage in Fortran**

20 1 Assumed-rank variables are not restricted to be assumed-type. For example, many of the IEEE intrinsic proced-
 21 ures in Clause 14 of ISO/IEC 1539-1:2010 could be written using an assumed-rank dummy argument instead of
 22 writing 16 separate specific routines, one for each possible rank.

23 2 An example of an assumed-rank dummy argument for the specific procedures for the IEEE_SUPPORT_DIVIDE
 24 function.

```

25     interface ieee_support_divide
26         module procedure ieee_support_divide_noarg
27         module procedure ieee_support_divide_onearg_r4
28         module procedure ieee_support_divide_onearg_r8
29     end interface ieee_support_divide
30
31     ...
32
33     logical function ieee_support_divide_noarg ()
34         ieee_support_divide_noarg = .true.
35     end function ieee_support_divide_noarg
36
37     logical function ieee_support_divide_onearg_r4 (x)
38         real(4),dimension(..) :: x
39         ieee_support_divide_onearg_r4 = .true.
40     end function ieee_support_divide_onearg_r4
41
42     logical function ieee_support_divide_onearg_r8 (x)
43         real(8),dimension(..) :: x
44         ieee_support_divide_onearg_r8 = .true.
45     end function ieee_support_divide_onearg_r8

```

1 A.2 Clause 5 notes

2 A.2.1 Dummy arguments of any type and rank

3 1 The example shown below calculates the product of individual elements of arrays A and B and returns the result
 4 in array C. The Fortran interface of `elemental_mult` will accept arguments of any type and rank. However, the
 5 C function will return an error code if any argument is not a two-dimensional `int` array. Note that the arguments
 6 are permitted to be array sections, so the C function does not assume that any argument is contiguous.

7 2 The Fortran interface is:

```
8
9     interface
10        function elemental_mult(A, B, C) bind(C,name="elemental_mult_c"), result(err)
11            use,intrinsic :: iso_c_binding
12            integer(c_int) :: err
13            type(*), dimension(..) :: A, B, C
14        end function elemental_mult
15    end interface
16
```

17 3 The definition of the C function is:

```
18
19     #include "ISO_Fortran_binding.h"
20
21     int elemental_mult_c(CFI_cdesc_t * a_desc,
22                        CFI_cdesc_t * b_desc, CFI_cdesc_t * c_desc) {
23         size_t i, j, ni, nj;
24
25         int err = 1; /* this error code represents all errors */
26
27         char * a_col = (char*) a_desc->base_addr;
28         char * b_col = (char*) b_desc->base_addr;
29         char * c_col = (char*) c_desc->base_addr;
30         char *a_elt, *b_elt, *c_elt;
31
32         /* only support integers */
33         if (a_desc->type != CFI_type_int || b_desc->type != CFI_type_int ||
34             c_desc->type != CFI_type_int) {
35             return err;
36         }
37
38         /* only support two dimensions */
39         if (a_desc->rank != 2 || b_desc->rank != 2 || c_desc->rank != 2) {
40             return err;
41         }
42
43         ni = a_desc->dim[0].extent;
44         nj = a_desc->dim[1].extent;
45
46         /* ensure the shapes conform */
47         if (ni != b_desc->dim[0].extent || ni != c_desc->dim[0].extent) return err;
48         if (nj != b_desc->dim[1].extent || nj != c_desc->dim[1].extent) return err;
49
50         /* multiply the elements of the two arrays */
```

```

1     for (j = 0; j < nj; j++) {
2         a_elt = a_col;
3         b_elt = b_col;
4         c_elt = c_col;
5         for (i = 0; i < ni; i++) {
6             *(int*)a_elt = *(int*)b_elt * *(int*)c_elt;
7             a_elt += a_desc->dim[0].sm;
8             b_elt += b_desc->dim[0].sm;
9             c_elt += c_desc->dim[0].sm;
10        }
11        a_col += a_desc->dim[1].sm;
12        b_col += b_desc->dim[1].sm;
13        c_col += c_desc->dim[1].sm;
14    }
15    return 0;
16 }
17

```

18 4 The following example provides functions that can be used to copy an array described by a CFI_cdesc_t descriptor
19 to a contiguous buffer. The input array need not be contiguous.

20 5 The C functions are:

```

21 #include "ISO_Fortran_binding.h"
22 /* other necessary includes omitted */
23
24 /*
25  * Returns the number of elements in the object described by desc.
26  * If it is an array, it need not be contiguous.
27  * (The number of elements could be zero).
28  */
29 size_t numElements(const CFI_cdesc_t * desc) {
30     CFI_rank_t r;
31     size_t num = 1;
32
33     for (r = 0; r < desc->rank; r++) {
34         num *= desc->dim[r].extent;
35     }
36     return num;
37 }
38
39 /*
40  * Auxiliary routine to loop over a particular rank.
41  */
42 static void * _copyToContiguous (const CFI_cdesc_t * vald,
43     void * output, const void * input, CFI_rank_t rank) {
44     CFI_index_t e;
45
46     if (rank == 0) {
47         /* copy scalar element */
48         memcpy (output, input, vald->elem_len);
49         output = (void *)((char *)output + vald->elem_len);
50     }
51     else {
52         for (e = 0; e < vald->dim[rank-1].extent; e++) {
53             /* recurse on subarrays of lesser rank */

```

```

1         output = _copyToContiguous (vald, output, input, rank-1);
2         input = (void *) ((char *)input + vald->dim[rank].sm);
3     }
4 }
5     return output;
6 }
7
8 /*
9  * General routine to copy the elements in the array described by vald
10 * to buffer, as done by sequence association. The array itself may
11 * be non-contiguous. This is not the most efficient approach.
12 */
13 void copyToContiguous (void * buffer, const CFI_cdesc_t * vald) {
14     _copyToContiguous (vald, buffer, vald->base_addr, vald->rank);
15 }
16
17 /*
18 * Send the data described by vald using the function send_contig, which
19 * requires a contiguous buffer. If needed, copy the data to a contiguous
20 * buffer before calling send_contig.
21 */
22 void send_data (CFI_cdesc_t * vald) {
23     size_t num_bytes = numElements(vald)*vald->elem_len;
24     if (CFI_is_contiguous(vald)) {
25         /* the data described by vald is already contiguous, just send it */
26         send_contig(vald->base_addr, num_bytes);
27     }
28     else if (num_bytes) {
29         void * buffer = malloc(num_bytes);
30         copyToContiguous(buffer, vald);
31
32         /* send the contiguous copy of data described by vald */
33         send_contig(buffer, num_bytes);
34
35         free(buffer);
36     }
37 }
38

```

39 A.2.2 Changing the attributes of an array

40 1 A C programmer might want to call more than one Fortran procedure and the attributes of an array involved
41 might differ between the procedures. In this case, it is necessary to set up more than one C descriptor for the
42 array. For example, this code fragment initializes the first C descriptor for an allocatable entity of rank 2, calls a
43 procedure that allocates the array described by the first descriptor, constructs the second descriptor by invoking
44 CFI_section with the value CFI_attribute_assumed for the `attribute` parameter, then calls a procedure that
45 expects an assumed-shape array.

```

46
47     CFI_CDESC_T(2) loc_alloc, loc_assum;
48     CFI_cdesc_t * desc_alloc = (CFI_cdesc_t *)&loc_alloc,
49         * desc_assum = (CFI_cdesc_t *)&loc_assum;
50     CFI_index_t extents[2];
51     CFI_rank_t rank = 2;
52     int flag;

```

```

1
2     flag = CFI_establish(desc_alloc,
3                          NULL,
4                          CFI_attribute_allocatable,
5                          CFI_type_double,
6                          sizeof(double),
7                          rank,
8                          NULL);
9
10    Fortran_factor (desc_alloc, ...); /* Allocates array described by desc_alloc */
11
12    /* Extract extents from descriptor */
13    extents[0] = desc_alloc->dim[0].extent;
14    extents[1] = desc_alloc->dim[1].extent;
15
16    flag = CFI_establish(desc_assum,
17                        desc_alloc->base_addr,
18                        CFI_attribute_assumed,
19                        CFI_type_double,
20                        sizeof(double),
21                        rank,
22                        extents);
23
24    Fortran_solve (desc_assum, ...); /* Uses array allocated in Fortran_factor */
25

```

26 2 After invocation of the second CFIestablish, the lower bounds stored in the `dim` member of `desc_assum` will
27 have the value 0 even if the corresponding entries in `desc_alloc` have different values.

28 **A.2.3 Example for creating an array slice in C**

29 1 Given the Fortran subprogram

```

30     subroutine set_all(int_array, val) bind(c)
31         integer(c_int) :: int_array(:)
32         integer(c_int), value :: val
33         int_array = val
34     end subroutine

```

35 2 that sets all the elements of an array and the Fortran interface

```

36     interface
37         subroutine set_odd(int_array, val) bind(c)
38             use, intrinsic :: iso_c_binding, only : c_int
39             integer(c_int) :: int_array(:)
40             integer(c_int), value :: val
41         end subroutine
42     end interface

```

43 3 for a C function that sets every second array element, beginning with the first one, the implementation in C reads

```

44     #include "ISO_Fortran_binding.h"
45
46     void set_odd(CFI_cdesc_t *int_array, int val) {
47         CFI_index_t lower_bound[1], upper_bound[1], stride[1];

```



```

1     CFI_CDESC_T(1) array;
2     int status;
3     /* Create a new descriptor which will contain the section */
4     status = CFI_establish( (CFI_cdesc_t *) &array,
5                             NULL,
6                             CFI_attribute_assumed,
7                             int_array->type,
8                             int_array->elem_len,
9                             /* rank */ 1,
10                            /* extents is ignored */ NULL);
11
12     lower_bound[0] = int_array->dim[0].lower_bound;
13     upper_bound[0] = lower_bound[0] + (int_array->dim[0].extent - 1);
14     stride[0] = 2;
15
16     status = CFI_section( (CFI_cdesc_t *) &array,
17                          (CFI_cdesc_t *) &int_array,
18                          lower_bound,
19                          upper_bound,
20                          stride);
21
22     set_all( (CFI_cdesc_t *) &array, val);
23
24     /* here one could make use of int_array and access all its data */
25
26 }

```

27 4 Let invocation of `set_odd()` from a Fortran program be done as follows:

```

28     integer(c_int) :: d(5)
29     d = (/ 1, 2, 3, 4, 5 /)
30     call set_odd(d, -1)
31     write(*, *) d

```

32 5 Then, the program will print

```

33     -1    2   -1    4   -1

```

34 6 During execution of the subprogram `set_all()`, its dummy object `int_array` would appear to be an array of size 3 with lower bound 1 and upper bound 3.

36 7 It is also possible to invoke `set_odd()` from C. However, it is the C programmer's responsibility to make sure that all members of the descriptor have the correct value on entry to the function. Inserting additional checking into the function's implementation could alleviate this problem.

```

39     /* necessary includes omitted */
40     #define ARRAY_SIZE 5
41
42     CFI_CDESC_T(1) d;
43     CFI_index_t extent[1];
44     CFI_index_t subscripts[1];
45     void *base;
46     int i, status;
47
48     base = malloc(ARRAY_SIZE*sizeof(int));

```

```

1  extent[0] = ARRAY_SIZE;
2  status = CFI_establish( (CFI_cdesc_t *) &d,
3                          base,
4                          CFI_attribute_assumed,
5                          CFI_type_int,
6                          /* element length is ignored */ 0,
7                          /* rank */ 1,
8                          extent);
9
10 set_odd( (CFI_cdesc_t *) &d, -1);
11
12 for (i=0; i<ARRAY_SIZE; i++) {
13     subscripts[1] = i;
14     printf("  %d",*((int *)CFI_address( (CFI_cdesc_t *) &d, subscripts)));
15 }
16 printf("\n");
17 free(base);

```

18 8 This C program will print (apart from formatting) the same output as the Fortran program above. It also
19 demonstrates how an assumed shape entity is dynamically generated within C.

20 **A.2.4 Example for handling objects with the POINTER attribute**

21 1 The following C function modifies a pointer to an integer variable to point at a global variable defined inside C:

```

22 #include "ISO_Fortran_binding.h"
23
24 int y = 2;
25
26 void change_target(CFI_cdesc_t *ip) {
27     CFI_CDESC_T(0) yp;
28     int status;
29     /* make local yp point at y */
30     status = CFI_establish( (CFI_cdesc_t *) &yp,
31                             &y,
32                             CFI_attribute_pointer,
33                             CFI_type_int,
34                             /* elem_len is ignored */ sizeof(int),
35                             /* rank */ 0,
36                             /* extents are ignored */ NULL);
37     /* Pointer association of ip with yp */
38     status = CFI_setpointer(ip, (CFI_cdesc_t *) &yp, NULL);
39     if (status != CFI_SUCCESS) {
40         /* handle run time error */
41     }
42 }

```

43 2 The restrictions on the use of CFI_establish prohibit direct modification of the incoming pointer entity ip by
44 invoking that function on it.

45 3 The following Fortran code

```

46 use, intrinsic :: iso_c_binding
47
48 interface

```

```
1      subroutine change_target(ip) bind(c)
2          import :: c_int
3          integer(c_int), pointer :: ip
4      end subroutine
5  end interface
6
7  integer(c_int), target :: it = 1
8  integer(c_int), pointer :: it_ptr
9
10     it_ptr => it
11     write(*,*) it_ptr
12     call change_target(it_ptr)
13     write(*,*) it_ptr
```

14 4 will then print

```
15 1
16 2
```