

# TS 18508 Additional Parallel Features in Fortran

WG5/N2040

**31st December 2014 16:40**

Draft document for WG5 Ballot

(Blank page)

## Contents

1	Scope . . . . .	1
2	Normative references . . . . .	3
3	Terms and definitions . . . . .	5
4	Compatibility . . . . .	7
4.1	New intrinsic procedures . . . . .	7
4.2	Fortran 2008 compatibility . . . . .	7
5	Teams of images . . . . .	9
5.1	Introduction . . . . .	9
5.2	TEAM_TYPE . . . . .	9
5.3	CHANGE TEAM construct . . . . .	9
5.4	Image selectors . . . . .	11
5.5	FORM TEAM statement . . . . .	12
5.6	SYNC TEAM statement . . . . .	13
5.7	FAIL IMAGE statement . . . . .	13
5.8	STAT_FAILED_IMAGE . . . . .	13
5.9	STAT_STALLED_IMAGE . . . . .	14
6	Events . . . . .	17
6.1	Introduction . . . . .	17
6.2	EVENT_TYPE . . . . .	17
6.3	EVENT POST statement . . . . .	17
6.4	EVENT WAIT statement . . . . .	18
7	Intrinsic procedures . . . . .	19
7.1	General . . . . .	19
7.2	Atomic subroutines . . . . .	19
7.3	Collective subroutines . . . . .	20
7.4	New intrinsic procedures . . . . .	21
7.4.1	ATOMIC_ADD (ATOM, VALUE [, STAT]) . . . . .	21
7.4.2	ATOMIC_AND (ATOM, VALUE [, STAT]) . . . . .	21
7.4.3	ATOMIC_CAS (ATOM, OLD, COMPARE, NEW [, STAT]) . . . . .	21
7.4.4	ATOMIC_FETCH_ADD (ATOM, VALUE, OLD [, STAT]) . . . . .	22
7.4.5	ATOMIC_FETCH_AND (ATOM, VALUE, OLD [, STAT]) . . . . .	22
7.4.6	ATOMIC_FETCH_OR (ATOM, VALUE, OLD [, STAT]) . . . . .	23
7.4.7	ATOMIC_FETCH_XOR (ATOM, VALUE, OLD [, STAT]) . . . . .	23
7.4.8	ATOMIC_OR (ATOM, VALUE [, STAT]) . . . . .	23
7.4.9	ATOMIC_XOR (ATOM, VALUE [, STAT]) . . . . .	24
7.4.10	CO_BROADCAST (A, SOURCE_IMAGE [, STAT, ERRMSG]) . . . . .	24
7.4.11	CO_MAX (A [, RESULT_IMAGE, STAT, ERRMSG]) . . . . .	24
7.4.12	CO_MIN (A [, RESULT_IMAGE, STAT, ERRMSG]) . . . . .	25
7.4.13	CO_REDUCE (A, OPERATOR [, RESULT_IMAGE, STAT, ERRMSG]) . . . . .	25
7.4.14	CO_SUM (A [, RESULT_IMAGE, STAT, ERRMSG]) . . . . .	26
7.4.15	EVENT_QUERY (EVENT, COUNT [, STAT]) . . . . .	27

7.4.16	FAILED_IMAGES ([TEAM, KIND]) . . . . .	27
7.4.17	GET_TEAM ([LEVEL]) . . . . .	28
7.4.18	IMAGE_STATUS (IMAGE, [TEAM]) . . . . .	29
7.4.19	STALLED_IMAGES ([TEAM, KIND]) . . . . .	29
7.4.20	STOPPED_IMAGES ([TEAM, KIND]) . . . . .	29
7.4.21	TEAM_ID ([TEAM]) . . . . .	30
7.5	Modified intrinsic procedures . . . . .	31
7.5.1	ATOMIC_DEFINE and ATOMIC_REF . . . . .	31
7.5.2	IMAGE_INDEX . . . . .	31
7.5.3	MOVE_ALLOC . . . . .	31
7.5.4	NUM_IMAGES . . . . .	32
7.5.5	THIS_IMAGE . . . . .	32
8	Required editorial changes to ISO/IEC 1539-1:2010(E) . . . . .	33
8.1	General . . . . .	33
8.2	Edits to Introduction . . . . .	33
8.3	Edits to clause 1 . . . . .	33
8.4	Edits to clause 2 . . . . .	34
8.5	Edits to clause 4 . . . . .	35
8.6	Edits to clause 6 . . . . .	35
8.7	Edits to clause 8 . . . . .	36
8.8	Edits to clause 9 . . . . .	39
8.9	Edits to clause 13 . . . . .	39
8.10	Edits to clause 16 . . . . .	43
8.11	Edits to annex A . . . . .	44
8.12	Edits to annex C . . . . .	44
Annex A	(informative) Extended notes . . . . .	45
A.1	Clause 5 notes . . . . .	45
A.1.1	Example using three teams . . . . .	45
A.1.2	Example involving failed images . . . . .	45
A.1.3	Accessing coarrays in sibling teams . . . . .	47
A.1.4	Reducing the codimension of a coarray . . . . .	48
A.2	Clause 6 notes . . . . .	49
A.2.1	EVENT_QUERY example . . . . .	49
A.2.2	EVENT_QUERY example that tolerates image failure . . . . .	50
A.2.3	EVENTS example . . . . .	52
A.3	Clause 7 notes . . . . .	53
A.3.1	Collective subroutine examples . . . . .	53
A.3.2	Atomic memory consistency . . . . .	53

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and nongovernmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, the joint technical committee may decide to publish an ISO/IEC Technical Specification (ISO/IEC TS), which represents an agreement between the members of the joint technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

An ISO/IEC TS is reviewed after three years in order to decide whether it will be confirmed for a further three years, revised to become an International Standard, or withdrawn. If the ISO/IEC TS is confirmed, it is reviewed again after a further three years, at which time it must either be transformed into an International Standard or be withdrawn.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC TS 18508:2015 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC22, *Programming languages, their environments and system software interfaces*.

## Introduction

The system for parallel programming in Fortran, as standardized by ISO/IEC 1539-1:2010, defines simple syntax for access to data on another image of a program, synchronization statements for controlling the ordering of execution segments between images, and collective allocation and deallocation of memory on all images.

The existing system for parallel programming does not provide for an environment where a subset of the images can easily work on part of an application while not affecting other images in the program. This complicates development of independent parts of an application by separate teams of programmers. The existing system does not provide a mechanism for a processor to identify what images have failed during execution of a program. This adversely affects the resilience of programs executing on large systems. The synchronization primitives available in the existing system do not provide a convenient mechanism for ordering execution segments on different images without requiring that those images arrive at a synchronization point before either is allowed to proceed. This introduces unnecessary inefficiency into programs. Finally, the existing system does not provide intrinsic procedures for commonly used collective and atomic memory operations. Intrinsic procedures for these operations can be highly optimized for the target computational system, providing significantly improved program performance.

This Technical Specification extends the facilities of Fortran for parallel programming to provide for grouping the images of a program into nonoverlapping teams that can more effectively execute independently parts of a larger problem, for the processor to indicate which images have failed during execution and allow continued execution of the program on the remaining images, for a system of events that can be used for fine grain ordering of execution segments, and for collective and atomic memory operation subroutines that can provide better performance for specific operations involving more than one image.

The facility specified in this Technical Specification is a compatible extension of Fortran as standardized by ISO/IEC 1539-1:2010, ISO/IEC 1539-1:2010/Cor 1:2012, and ISO/IEC 1539-1:2010/Cor 2:2013.

It is the intention of ISO/IEC JTC 1/SC22 that the semantics and syntax specified by this Technical Specification be included in the next revision of ISO/IEC 1539-1 without change unless experience in the implementation and use of this feature identifies errors that need to be corrected, or changes are needed to achieve proper integration, in which case every reasonable effort will be made to minimize the impact of such changes on existing implementations.

This Technical Specification is organized in 8 clauses:

Scope	Clause 1
Normative references	Clause 2
Terms and definitions	Clause 3
Compatibility	Clause 4
Teams of images	Clause 5
Events	Clause 6
Intrinsic procedures	Clause 7
Required editorial changes to ISO/IEC 1539-1:2010(E)	Clause 8

It also contains the following nonnormative material:

Extended notes	Annex A
----------------	---------

# 1 Scope

This Technical Specification specifies the form and establishes the interpretation of facilities that extend the Fortran language defined by ISO/IEC 1539-1:2010, ISO/IEC 1539-1:2010/Cor 1:2012, and ISO/IEC 1539-1:2010/Cor 2:2013. The purpose of this Technical Specification is to promote portability, reliability, maintainability, and efficient execution of parallel programs written in Fortran, for use on a variety of computing systems.

This Technical Specification does not specify formal data consistency or progress models. Some level of asynchronous progress is required to ensure that the examples in clauses 6 and 7 are conforming. Developing the formal data consistency and progress models is left until the integration of these facilities into ISO/IEC 1539-1.

1

2

(Blank page)

3

2



## 1 2 Normative references

2 The following referenced standards are indispensable for the application of this document. For dated references,  
3 only the edition cited applies. For undated references, the latest edition of the referenced document (including  
4 any amendments) applies.

5 ISO/IEC 1539-1:2010, *Information technology—Programming languages—Fortran—Part 1:Base language*

6 ISO/IEC 1539-1:2010/Cor 1:2012, *Information technology—Programming languages—Fortran—Part 1:Base lan-*  
7 *guage TECHNICAL CORRIGENDUM 1*

8 ISO/IEC 1539-1:2010/Cor 2:2013, *Information technology—Programming languages—Fortran—Part 1:Base lan-*  
9 *guage TECHNICAL CORRIGENDUM 2*

1

2

(Blank page)

3

4

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC 1539-1:2010 and the following apply. The intrinsic module ISO\_FORTRAN\_ENV is extended by this Technical Specification.

### 3.1

#### **active image**

An image that has not failed, stalled, or initiated termination

### 3.2

#### **asynchronous progress**

ability of images to define or reference coarrays without requiring the images on which the data reside to execute any particular statements

### 3.3

#### **collective subroutine**

intrinsic subroutine that is invoked on the current team of images to perform a calculation on those images and assign the computed value on one or all of them (7.3)

### 3.4

#### **established coarray**

coarray that is accessible within a CHANGE TEAM construct from outside the construct (5.1)

### 3.5

#### **team**

set of images that can readily execute independently of other images (5.1)

#### 3.5.1

##### **current team**

the team specified in the CHANGE TEAM statement of the innermost executing CHANGE TEAM construct, or the initial team if no CHANGE TEAM construct is active (5.1)

#### 3.5.2

##### **initial team**

the current team when the program began execution (5.1)

#### 3.5.3

##### **parent team**

team from which the current team was formed by executing a FORM TEAM statement (5.1)

#### 3.5.4

##### **team identifier**

integer value identifying a team (5.1)

### 3.6

#### **failed image**

an image for which references or definitions of a variable on the image fail when that variable should be accessible; or an image that is not a stalled image, is not a stopped image, and fails to respond during the execution of an image control statement or a reference to a collective subroutine (5.8)

### 3.7

#### **stalled image**

an image that, in a statement other than an image control statement or an invocation of a collective or atomic subroutine, attempts to reference or define data using an *image-selector* that identifies an image that has failed

1 and has not yet executed an END TEAM statement that makes it active again (5.9)

2 **3.8**

3 **stopped image**

4 an image that has initiated normal termination

5 **3.9**

6 **event variable**

7 scalar variable of type EVENT\_TYPE (6.2) in the intrinsic module ISO\_FORTRAN\_ENV

8 **3.10**

9 **team variable**

10 scalar variable of type TEAM\_TYPE (5.2) in the intrinsic module ISO\_FORTRAN\_ENV

## 1 **4 Compatibility**

### 2 **4.1 New intrinsic procedures**

3 This Technical Specification defines intrinsic procedures in addition to those specified in ISO/IEC 1539-1:2010.  
4 Therefore, a Fortran program conforming to ISO/IEC 1539-1:2010 might have a different interpretation under  
5 this Technical Specification if it invokes an external procedure having the same name as one of the new intrinsic  
6 procedures, unless that procedure is specified to have the EXTERNAL attribute.

### 7 **4.2 Fortran 2008 compatibility**

8 This Technical Specification specifies an upwardly compatible extension to ISO/IEC 1539-1:2010, as modified by  
9 ISO/IEC 1539-1:2010/Cor 1:2012 and ISO/IEC 1539-1:2010/Cor 2:2013.

1

2

(Blank page)

3

**8**

## 5 Teams of images

### 5.1 Introduction

A team of images is a set of images that can readily execute independently of other images. Syntax and semantics of *image-selector* (R624 in ISO/IEC 1539-1:2010) are extended to determine how cosubscripts are mapped to image indices for both sibling and ancestor team references. Initially, the current team consists of all the images and this is known as the initial team. Except for the initial team, every team has a unique parent team. A team is divided into new teams by executing a FORM TEAM statement. Each new team is identified by an integer value known as its team identifier. Information about the team to which the current image belongs can be determined by the processor from the collective value of the team variables on the images of the team.

The current team is the team specified in the CHANGE TEAM statement of the innermost executing CHANGE TEAM construct, or the initial team if no CHANGE TEAM construct is active.

A nonallocatable coarray that is neither a dummy argument, host associated with a dummy argument, declared as a local variable of a subprogram, nor declared in a BLOCK construct is established in the initial team. An allocated allocatable coarray is established in the team in which it was allocated. An unallocated allocatable coarray is not established. An associating coarray is established in the team of its CHANGE TEAM construct. A nonallocatable coarray that is a dummy argument or host associated with a dummy argument is established in the team in which the procedure was invoked. A nonallocatable coarray that is a local variable of a subprogram or host associated with a local variable of a subprogram is established in the team in which the procedure was invoked. A nonallocatable coarray declared in a BLOCK construct is established in the team in which the BLOCK statement was executed. A coarray dummy argument is not established in any ancestor team even if the corresponding actual argument is established in one or more of them.

### 5.2 TEAM\_TYPE

TEAM\_TYPE is a derived type with private components. It is an extensible type with no type parameters. Each component is fully default initialized. A scalar variable of this type describes a team. TEAM\_TYPE is defined in the intrinsic module ISO\_FORTRAN\_ENV.

A scalar variable of type TEAM\_TYPE is a team variable. The default initial value of a team variable shall not represent any valid team.

### 5.3 CHANGE TEAM construct

The CHANGE TEAM construct changes the current team to which the executing image belongs.

R501	<i>change-team-construct</i>	is	<i>change-team-stmt</i> <i>block</i> <i>end-change-team-stmt</i>
R502	<i>change-team-stmt</i>	is	[ <i>team-construct-name</i> : ] CHANGE TEAM ( <i>team-variable</i> ■ ■ [ <i>coarray-association-list</i> ] [ <i>sync-stat-list</i> ] )
R503	<i>coarray-association</i>	is	<i>codimension-decl</i> => <i>coselector-name</i>
R504	<i>end-change-team-stmt</i>	is	END TEAM [ ( <i>sync-stat-list</i> ) ] [ <i>team-construct-name</i> ]

- 1 R505 *team-variable* is *scalar-variable*
- 2 C501 (R501) A branch within a CHANGE TEAM construct shall not have a branch target that is outside the  
3 construct.
- 4 C502 (R501) A RETURN statement shall not appear within a CHANGE TEAM construct.
- 5 C503 (R501) An *exit-stmt* or *cycle-stmt* within a CHANGE TEAM construct shall not belong to an outer  
6 construct.
- 7 C504 (R501) If the *change-team-stmt* of a *change-team-construct* specifies a *team-construct-name*, the corres-  
8 ponding *end-change-team-stmt* shall specify the same *team-construct-name*. If the *change-team-stmt* of a  
9 *change-team-construct* does not specify a *team-construct-name*, the corresponding *end-change-team-stmt*  
10 shall not specify a *team-construct-name*.
- 11 C505 (R503) The *coarray-name* in the *codimension-decl* shall not be the same as any *coselector-name* in the  
12 *change-team-stmt* or the same as a *coarray-name* in another *codimension-decl* in the *change-team-stmt*.
- 13 C506 (R505) A *team-variable* shall be of type TEAM\_TYPE (5.2).
- 14 C507 (R502) No *coselector-name* shall appear more than once in a *change-team-stmt*.
- 15 C508 (R503) A *coselector-name* shall be the name of an accessible coarray.

16 A coselector name identifies a coarray. The coarray shall be established when the CHANGE TEAM statement  
17 begins execution.

18 The value of *team-variable* shall be the value of a team variable defined by execution of a FORM TEAM statement  
19 in the team that executes the CHANGE TEAM statement or be the value of a team variable for the initial team.  
20 The values of the *team-variables* on the images of the team shall be those of team variables defined by execution  
21 of the same FORM TEAM statement on all the images of the team or be the values of team variables for the  
22 initial team. The current team for the statements of the CHANGE TEAM *block* is the team specified by the value  
23 of the *team-variable*. The current team is not changed by a redefinition of the team variable during execution  
24 of the CHANGE TEAM construct. A CHANGE TEAM construct completes execution by executing its END  
25 TEAM statement.

26 A *codimension-decl* in a *coarray-association* associates a coarray with an established coarray during the execution  
27 of the block. This coarray is an associating entity (8.1.3.2, 8.1.3.3, 16.5.1.6 of ISO/IEC 1539-1:2010). Its name is  
28 an associate name that has the scope of the construct. It has the declared type, dynamic type, type parameters,  
29 rank, and bounds of the established coarray. Its corank and cobounds are those specified in the *codimension-decl*.

30 Within a CHANGE TEAM construct, a coarray that is not an associating entity has the corank and cobounds  
31 that it had when it was established.

32 An allocatable coarray that was allocated when execution of a CHANGE TEAM construct began shall not be  
33 deallocated during execution of the construct. An allocatable coarray that is allocated when execution of a  
34 CHANGE TEAM construct completes is deallocated if it was not allocated when execution of the construct  
35 began.

36 The CHANGE TEAM and END TEAM statements are image control statements. All active images of the current  
37 team shall execute the same CHANGE TEAM statement. When a CHANGE TEAM statement is executed, there  
38 is an implicit synchronization of all active images of the team containing the executing image that is identified  
39 by *team-variable*. On each active image of the team, execution of the segment following the statement is delayed  
40 until all the other active images of the team have executed the same statement the same number of times since  
41 execution last began in the team that was current before execution of the CHANGE TEAM statement. When a  
42 CHANGE TEAM construct completes execution, there is an implicit synchronization of all active images in the  
43 current team. On each active image of the team, execution of the segment following the END TEAM statement  
44 is delayed until all other active images of the team have executed the same construct the same number of times  
45 since execution last began in the team that was current before execution of the corresponding CHANGE TEAM



1 statement.

#### NOTE 5.1

Deallocation of an allocatable coarray that was not allocated at the beginning of a CHANGE TEAM construct, but is allocated at the end of execution of the construct, occurs even for allocatable coarrays with the SAVE attribute.

## 2 5.4 Image selectors

3 The syntax rule R624 *image-selector* in subclause 6.6 of ISO/IEC 1539-1:2010 is replaced by:

4 R624 *image-selector* is *lbracket* [ *team-variable* :: ] *cosubscript-list* ■  
 5 ■ [ , TEAM\_ID = *scalar-int-expr* ] *rbracket*

6 C509 (R624) *team-variable* and TEAM\_ID = shall not both appear in the same *image-selector*.

7 If *team-variable* appears in a coarray designator, it shall be defined with a value that represents the current or an  
 8 ancestor team. The coarray shall be established in that team or an ancestor of that team and the cosubscripts  
 9 determine an image index in that team.

10 If TEAM\_ID = appears in a coarray designator and the current team is not the initial team, the *scalar-int-expr*  
 11 shall be defined with the value of a team identifier for one of the teams that were formed by the execution of the  
 12 FORM TEAM statement for the current team. The coarray shall be established in an ancestor of the current  
 13 team and the cosubscripts determine an image index in the team identified by TEAM\_ID. If TEAM\_ID= appears  
 14 in a coarray designator and the current team is the initial team, the value of *scalar-int-expr* is ignored.

#### NOTE 5.2

The image selector in `b[i]` identifies the current team. The image selector in `b[i,team_id=1]` identifies a sibling team. The image selector in `b[ancestor::i]` identifies the team `ancestor`.

#### NOTE 5.3

In the following code, the vector *a* of length N\*P is distributed over P images. Each image has an array A(0:N+1) holding its own values of *a* and halo values from its two neighbors. The images are divided into two teams that execute independently but periodically exchange halo data. Before the data exchange, all the images (of the initial team) must be synchronized and for the data exchange the coindices of the initial team are needed.

```

USE, INTRINSIC :: ISO_FORTRAN_ENV, ONLY: TEAM_TYPE
TYPE(Team_Type) :: INITIAL, BLOCK
REAL :: A(0:N+1)[*]
INTEGER :: ME, P2
INITIAL = GET_TEAM()
ME = THIS_IMAGE()
P2 = NUM_IMAGES()/2
FORM TEAM(1+(ME-1)/P2,BLOCK)
CHANGE TEAM(BLOCK,B[*]=>A)
DO
  ! Iterate within team
  :
  ! Halo exchange across team boundary
  SYNC TEAM(INITIAL)
  IF(ME==P2 ) B(N+1) = A(1) [INITIAL::ME+1]
  IF(ME==P2+1) B(0) = A(N) [INITIAL::ME-1]
  SYNC TEAM(INITIAL)
END DO

```

## NOTE 5.3 (cont.)

END TEAM
----------

1 **5.5 FORM TEAM statement**

2 R506 *form-team-stmt* is FORM TEAM ( *team-id*, *team-variable* ■  
3 ■ [, *form-team-spec-list* ] )

4 R507 *team-id* is *scalar-int-expr*

5 R508 *form-team-spec* is NEW\_INDEX = *scalar-int-expr*  
6 or *sync-stat*

7 C510 (R506) No specifier shall appear more than once in a *form-team-spec-list*.

8 The FORM TEAM statement defines *team-variable* for a new team. The value of *team-id* specifies the new team  
9 to which the executing image will belong. The value of *team-id* shall be positive and is the same for all images  
10 that are members of the same team.

11 The value of the *scalar-int-expr* in a NEW\_INDEX= specifier specifies the image index that the executing image  
12 will have in the team specified by *team-id*. It shall be positive and less than or equal to the number of images  
13 in the team. Each image with the same value for *team-id* shall have a different value for the NEW\_INDEX=  
14 specifier. If the NEW\_INDEX= specifier does not appear, the image index that the executing image will have  
15 in the team specified by *team-id* is a processor-dependent value that shall be positive and not greater than the  
16 number of images in the team.

17 The FORM TEAM statement is an image control statement. If the FORM TEAM statement is executed on one  
18 image, the same statement shall be executed on all active images of the current team. When a FORM TEAM  
19 statement is executed, there is an implicit synchronization of all active images in the current team. On these  
20 images, execution of the segment following the statement is delayed until all other active images in the current  
21 team have executed the same statement the same number of times since execution last began in this team. If an  
22 error condition other than detection of a failed or stalled image occurs, the team variable becomes undefined.

**NOTE 5.4**

Executing the statement
-------------------------

```
FORM TEAM ( 2-MOD(ME,2), ODD_EVEN )
```

with ME an integer with value THIS\_IMAGE() and ODD\_EVEN of type TEAM\_TYPE, divides the current team into two teams according to whether the image index is even or odd.

**NOTE 5.5**

When executing on $P^2$ images with corresponding coarrays on each image representing parts of a larger array spread over a $P$ by $P$ square, the following code establishes teams for the rows with image indices equal to the column indices.
--

```
USE, INTRINSIC :: ISO_FORTRAN_ENV
TYPE(Team_Type) :: Row
REAL :: A[P,*]
INTEGER :: ME(2)
ME(:) = THIS_IMAGE(A)
FORM TEAM(ME(1), Row, NEW_INDEX=ME(2))
```

## 5.6 SYNC TEAM statement

R509 *sync-team-stmt* is SYNC TEAM ( *team-variable* [, *sync-stat-list*] )

The SYNC TEAM statement is an image control statement. The values of the *team-variables* on the images of the team shall be those defined by execution of the same FORM TEAM statement on all the active images of the team or shall be the values of team variables for the initial team. Execution of a SYNC TEAM statement performs a synchronization of the executing image with each of the other active images of the team specified by *team-variable*. Execution on an image, M, of the segment following the SYNC TEAM statement is delayed until each active other image of the specified team has executed a SYNC TEAM statement specifying the same team as many times as has image M since execution last began in this team. The segments that executed before the SYNC TEAM statement on an image precede the segments that execute after the SYNC TEAM statement on another image.

### NOTE 5.6

A SYNC TEAM statement performs a synchronization of images of a particular team whereas a SYNC ALL statement performs a synchronization of all images of the current team.

## 5.7 FAIL IMAGE statement

R510 *fail-image-stmt* is FAIL IMAGE [*stop-code*]

Execution of a FAIL IMAGE statement causes the executing image to behave as if it has failed. No further statements are executed by that image.

When an image executes a FAIL IMAGE statement, its stop code, if any, is made available in a processor-dependent manner.

### NOTE 5.7

The FAIL IMAGE statement allows a program to test a recovery algorithm without experiencing an actual failure.

On a processor that does not have the ability to detect that an image has failed, execution of a FAIL IMAGE statement might provide a simulated failure environment that provides debug information.

In a piece of code that executes about once a second, invoking this subroutine on an image

```
SUBROUTINE FAIL
  REAL :: X
  CALL RANDOM_NUMBER(X)
  IF (X<0.001) FAIL IMAGE "Subroutine FAIL called"
END SUBROUTINE FAIL
```

will cause that image to have an independent 1/1000 chance of failure every second if the random number generators on different images are independent.

## 5.8 STAT\_FAILED\_IMAGE

If the processor has the ability to detect that an image has failed, the value of the default integer scalar constant STAT\_FAILED\_IMAGE is positive; otherwise, the value of STAT\_FAILED\_IMAGE is negative. If the processor has the ability to detect that an image involved in execution of an image control statement or a collective or atomic subroutine has failed and does so, and no error condition other than a failed image or a stalled image is detected, the value of STAT\_FAILED\_IMAGE is assigned to the variable specified in a STAT=specifier in an execution of an image control statement, or the STAT argument in an invocation of a collective or atomic procedure. If more than one nonzero status value other than STAT\_STALLED\_IMAGE is valid for the execution of a statement, the

1 status variable is defined with a value other than `STAT_FAILED_IMAGE`. If the `STAT=` specifier of an execution  
2 of a `CHANGE TEAM`, `END TEAM`, `FORM TEAM`, `SYNC ALL`, `SYNC IMAGES`, or `SYNC TEAM` statement  
3 is assigned the value `STAT_FAILED_IMAGE`, the intended action shall have taken place for all the active images  
4 involved.

5 `STAT_FAILED_IMAGE` is defined in the intrinsic module `ISO_FORTRAN_ENV`. The values of the named  
6 constants `IOSTAT_INQUIRE_INTERNAL_UNIT`, `STAT_FAILED_IMAGE`, `STAT_LOCKED`, `STAT_LOCKED_-`  
7 `OTHER_IMAGE`, `STAT_STALLED_IMAGE`, `STAT_STOPPED_IMAGE`, and `STAT_UNLOCKED` shall be dis-  
8 tinct.

9 A failed image is one for which references or definitions of a variable on the image fail when that variable should  
10 be accessible; or an image that is not a stalled image, is not a stopped image, and fails to respond during the  
11 execution of an image control statement or a reference to a collective subroutine. A failed image remains failed  
12 for the remainder of the program execution. The conditions that cause an image to fail are processor dependent.

#### NOTE 5.8

A failed image is usually associated with a hardware failure of a cpu, memory system, or interconnection network. A failure that occurs while a coindexed reference or definition, or collective action, is in progress might leave variables on other images that would be defined by that action in an undefined state. Similarly, failure while using a file might leave that file in an undefined state.

#### NOTE 5.9

Continued execution after the failure of image 1 in the initial team might be difficult because of the lost connection to standard input. However, the likelihood of a given image failing is small. With a large number of images, the likelihood of some image other than image 1 in the initial team failing is significant and it is for this circumstance that `STAT_FAILED_IMAGE` is designed.

#### NOTE 5.10

In addition to detecting that an image has failed by having the variable in a `STAT=` specifier or a `STAT` argument of a call to a collective or atomic subroutine assigned the value `STAT_FAILED_IMAGE`, an image can get the indices of failed images in a specified team by invoking the intrinsic function `FAILED_IMAGES`.

## 13 5.9 STAT\_STALLED\_IMAGE

14 If the processor has the ability to manage a stalled image, the value of the default integer constant `STAT_-`  
15 `STALLED_IMAGE` is positive; otherwise the value of `STAT_STALLED_IMAGE` is negative. If the processor  
16 detects that an image involved in execution of an image control statement or a collective subroutine has stalled,  
17 and no other error condition is detected, the value of `STAT_STALLED_IMAGE` is assigned to the variable specified  
18 in a `STAT=` specifier in an execution of an image control statement, or the `STAT` argument in an invocation of a  
19 collective procedure. If more than one nonzero status value is valid for the execution of a statement, the status  
20 variable is defined with a value other than `STAT_STALLED_IMAGE`. If the `STAT=` specifier of an execution of  
21 a `CHANGE TEAM`, `FORM TEAM`, `SYNC ALL`, `SYNC IMAGES`, or `SYNC TEAM` statement is assigned the  
22 value `STAT_STALLED_IMAGE`, the intended action shall have taken place for all the active images involved.

23 `STAT_STALLED_IMAGE` is defined in the intrinsic module `ISO_FORTRAN_ENV`.

24 If an image, in a statement other than an image control statement or an invocation of a collective or atomic  
25 subroutine, attempts to reference or define data using an *image-selector* that identifies an image that has failed,  
26 the executing image becomes a stalled image. If the *image-selector* identifies the initial team or the processor  
27 does not have the ability to manage a stalled image, the executing image remains a stalled image for the rest of  
28 the execution of the program. Otherwise, the executing image resumes execution at the `END TEAM` statement  
29 of the construct after execution of all finalizations and deallocations that would have occurred during the normal  
30 completion of active procedures that were invoked within the `CHANGE TEAM` construct.

1 While an image is stalled, other images can still access data on that image. If an image is stalled in the initial  
2 team, it participates in normal termination as if it had initiated normal termination.

**NOTE 5.11**

In addition to detecting that an image has stalled by having the variable in a STAT=specifier or a STAT argument of a call to a collective subroutine assigned the value STAT\_STALLED\_IMAGE, an image can get the indices of stalled images in a specified team by invoking the intrinsic function STALLED\_IMAGES.

1

2

(Blank page)

3

## 6 Events

### 6.1 Introduction

An image can post an event to notify another image that it can proceed to work on tasks that use common resources. An image can wait on events posted by other images and can query if images have posted events.

### 6.2 EVENT\_TYPE

EVENT\_TYPE is a derived type with private components. It is an extensible type with no type parameters. Each component is fully default initialized. EVENT\_TYPE is defined in the intrinsic module ISO\_FORTRAN\_ENV .

A scalar variable of type EVENT\_TYPE is an event variable. An event variable has a count that is updated by execution of a sequence of EVENT POST or EVENT WAIT statements. The effect of each change is as if the atomic subroutine ATOMIC\_ADD were executed with a variable that stores the event count as its ATOM argument. A coarray that is of type EVENT\_TYPE may be referenced or defined during the execution of a segment that is unordered relative to the execution of another segment in which that coarray of type EVENT\_TYPE is defined. The event count is type integer with kind ATOMIC\_INT\_KIND, where ATOMIC\_INT\_KIND is a named constant defined in the intrinsic module ISO\_FORTRAN\_ENV. The initial value of the event count of an event variable is zero.

C601 A named variable of type EVENT\_TYPE shall be a coarray. A named variable with a noncoarray subcomponent of type EVENT\_TYPE shall be a coarray.

C602 An event variable shall not appear in a variable definition context except as the *event-variable* in an EVENT POST or EVENT WAIT statement, as an *allocate-object* in an ALLOCATE statement without a SOURCE= *alloc-opt*, as an *allocate-object* in a DEALLOCATE statement, or as an actual argument in a reference to a procedure with an explicit interface if the corresponding dummy argument has INTENT (INOUT).

C603 A variable with a nonpointer subobject of type EVENT\_TYPE shall not appear in a variable definition context except as an *allocate-object* in an ALLOCATE statement without a SOURCE= *alloc-opt*, as an *allocate-object* in a DEALLOCATE statement, or as an actual argument in a reference to a procedure with an explicit interface if the corresponding dummy argument has INTENT (INOUT).

#### NOTE 6.1

The restrictions against changing an event variable except via EVENT POST and EVENT WAIT statements ensure the integrity of its value and facilitate efficient implementation, particularly when special synchronization is needed for correct event handling.

### 6.3 EVENT POST statement

The EVENT POST statement provides a way to post an event. It is an image control statement.

R601 *event-post-stmt* is EVENT POST ( *event-variable* [, *sync-stat-list*] )

R602 *event-variable* is *scalar-variable*

C604 (R602) An *event-variable* shall be of type EVENT\_TYPE (6.2).

Successful execution of an EVENT POST statement atomically increments the count of the event variable by 1.

1 If an error condition occurs during execution of an EVENT POST statement, the count does not change.

2 If the segment that precedes an EVENT POST statement is unordered with respect to the segment that precedes  
3 another EVENT POST statement for the same event variable, the order of execution of the EVENT POST  
4 statements is processor dependent.

#### NOTE 6.2

It is expected that an image will continue executing after posting an event without waiting for an EVENT WAIT statement to execute on the image of the event variable.

## 5 6.4 EVENT WAIT statement

6 The EVENT WAIT statement provides a way to wait until events are posted. It is an image control statement.

7 R603 *event-wait-stmt* is EVENT WAIT ( *event-variable* [, *wait-spec-list*] )

8 R604 *wait-spec* is *until-spec*  
9 or *sync-stat*

10 R605 *until-spec* is UNTIL\_COUNT = *scalar-int-expr*  
11

12 C605 (R603) An *event-variable* in an *event-wait-stmt* shall not be coindexed.

13 C606 (R603) An *until-spec* shall not appear more than once in an *event-wait-stmt*.

14 Execution of an EVENT WAIT statement causes the following sequence of actions:

- 15 (1) the threshold value is set to *scalar-int-expr* if the UNTIL\_COUNT specifier appears and *scalar-int-*  
16 *expr* has a positive value, and to 1 otherwise,  
17 (2) the executing image waits until the count of the event variable is greater than or equal to its threshold  
18 value or an error condition occurs, and  
19 (3) if no error condition occurs, the count of the event variable is atomically decremented by its threshold  
20 value.

21 If an EVENT WAIT statement using an event variable is executed with a threshold of  $k$ , the segments preceding  
22 at least  $k$  EVENT POST statements using that event variable will precede the segment following the EVENT  
23 WAIT statement. The segment following a different EVENT WAIT statement using the same event variable can  
24 be ordered to succeed segments preceding other EVENT POST statements using that event variable.

#### NOTE 6.3

The segment that follows the execution of an EVENT WAIT statement is ordered with respect to all the segments that precede EVENT POST statements that caused prior changes in the sequence of values of the event variable.

#### NOTE 6.4

Event variables of type EVENT\_TYPE are restricted so that EVENT WAIT statements can only wait on an event variable on the executing image. This enables more efficient implementation of this concept.



## 7 Intrinsic procedures

### 7.1 General

Detailed specifications of the generic intrinsic procedures `ATOMIC_ADD`, `ATOMIC_AND`, `ATOMIC_CAS`, `ATOMIC_FETCH_ADD`, `ATOMIC_FETCH_AND`, `ATOMIC_FETCH_OR`, `ATOMIC_FETCH_XOR`, `ATOMIC_OR`, `ATOMIC_XOR`, `CO_BROADCAST`, `CO_MAX`, `CO_MIN`, `CO_REDUCE`, `CO_SUM`, `EVENT_QUERY`, `FAILED_IMAGES`, `GET_TEAM`, `IMAGE_STATUS`, `STALLED_IMAGES`, `STOPPED_IMAGES`, and `TEAM_ID` are provided in 7.4. The types and type parameters of the arguments to these intrinsic procedures are determined by these specifications. The “Argument” paragraphs specify requirements on the **actual arguments** of the procedures. All of these intrinsic procedures are pure.

The intrinsic procedures `ATOMIC_DEFINE`, `ATOMIC_REF`, `IMAGE_INDEX`, `MOVE_ALLOC`, `NUM_IMAGES`, and `THIS_IMAGE` described in clause 13 of ISO/IEC 1539-1:2010, as modified by ISO/IEC 1539-1:2010/Cor 1:2012, are extended as described in 7.5.

### 7.2 Atomic subroutines

An atomic subroutine is an intrinsic subroutine that performs an action on its `ATOM` argument or the count of its `EVENT` argument atomically. For any two executions of atomic subroutines in unordered segments by different images on the same atomic object, the effect is as if one of the executions is performed before the other in a single segment on a separate image, without access to the object in either execution interleaving with access to the object in the other. Which is executed first is indeterminate. The sequence of atomic actions within ordered segments is specified in 2.3.5 of ISO/IEC 1539-1:2010. If two variables are updated by atomic actions in segments  $P_1$  and  $P_2$ , and the changes to them are observed by atomic accesses from a segment  $Q$  which is unordered relative to either  $P_1$  or  $P_2$ , the changes need not be observed in segment  $Q$  in the same order as they are made in segments  $P_1$  and  $P_2$ , even if segments  $P_1$  and  $P_2$  are ordered.

For invocation of an atomic subroutine with an argument `OLD`, the determination of the value to be assigned to `OLD` is part of the atomic operation even though the assignment of that value to `OLD` is not. For invocation of an atomic subroutine, evaluation of an `INTENT(IN)` argument is not part of the atomic action.

If the `STAT` argument is present in an invocation of an atomic subroutine and no error condition occurs, the argument is assigned the value zero.

If the `STAT` argument is present in an invocation of an atomic subroutine other than `ATOMIC_REF` and an error condition occurs, any `ATOM` or `OLD` argument becomes undefined. The `STAT` argument is assigned the value `STAT_FAILED_IMAGE` if a coindexed `ATOM` or `EVENT` argument is determined to be located on a failed image; otherwise, the `STAT` argument is assigned a processor-dependent positive value that is different from `STAT_FAILED_IMAGE`.

If a condition occurs that would assign a nonzero value to a `STAT` argument but the `STAT` argument is not present, error termination is initiated.

#### NOTE 7.1

The properties of atomic subroutines support their use for designing customized synchronization mechanisms. The programmer needs to account for all possible orderings of sequences of atomic subroutine executions that can arise as a consequence of the above rules; the orderings can turn out to be different on different images even in the same program run.

### 7.3 Collective subroutines

A collective subroutine is one that is invoked on each image of the current team to perform a calculation on those images and that assigns the computed value on one or all of them. If it is invoked by one image, it shall be invoked by the same statement on all images of the current team in execution segments that are not ordered with respect to each other. From the beginning to the end of execution as the current team, the sequence of invocations of collective subroutines shall be the same on all images of the current team. A call to a collective subroutine shall appear only in a context that allows an image control statement.

If the `A` argument to a collective subroutine is a whole coarray the corresponding ultimate arguments on all images of the current team shall be corresponding coarrays as described in 2.4.7 of ISO/IEC 1539-1:2010.

Collective subroutines have the optional arguments `STAT` and `ERRMSG`. If the `STAT` argument is present in the invocation on one image it shall be present on the corresponding invocations on all of the images of the current team.

If the `STAT` argument is present in an invocation of a collective subroutine and its execution is successful, the argument is assigned the value zero.

If the `STAT` argument is present in an invocation of a collective subroutine and an error condition occurs, the argument is assigned a nonzero value and the `A` argument becomes undefined. If execution involves synchronization with an image that has initiated normal termination, the argument is assigned the value of `STAT_STOPPED_IMAGE` in the intrinsic module `ISO_FORTRAN_ENV`; otherwise, if all images of the current team are active, the argument is assigned a processor-dependent positive value that is different from the value of `STAT_STOPPED_IMAGE`, `STAT_FAILED_IMAGE`, or `STAT_STALLED_IMAGE` in the intrinsic module `ISO_FORTRAN_ENV`. Otherwise, if an image of the current team has been detected as failed, the argument is assigned the value of the constant `STAT_FAILED_IMAGE`. Otherwise, if an image of the current team has been detected as stalled, the argument is assigned the value of the constant `STAT_STALLED_IMAGE`.

If a condition occurs that would assign a nonzero value to a `STAT` argument but the `STAT` argument is not present, error termination is initiated.

If an `ERRMSG` argument is present in an invocation of a collective subroutine and an error condition occurs during its execution, the processor shall assign an explanatory message to the argument. If no error condition occurs, the processor shall not change the value of the argument.

#### NOTE 7.2

The argument `A` becomes undefined if an error condition occurs during execution of a collective subroutine because it is intended that implementations be able to use `A` as scratch space.

#### NOTE 7.3

All the collective subroutines have an argument `A` with `INTENT(INOUT)` that holds the original data on entry and the result on return. If it is desired to retain the original data, this is readily obtained by making a copy before entry. Here is an example:

```
REDUCTION = ORIGINAL
CALL CO_MIN(REDUCTION)
```

#### NOTE 7.4

There is no separate synchronization at the beginning and end of an invocation of a collective subroutine, which allows overlap with other actions. However, each collective subroutine involves transfer of data between images. The rules of Fortran do not allow the value of an associated argument such as `A` to be changed except via the argument. This includes action taken by another image that has not started its execution of the collective subroutine or has finished it. This restriction has the effect of a partial synchronization of invocations of a collective subroutine.

## 7.4 New intrinsic procedures

### 7.4.1 ATOMIC\_ADD (ATOM, VALUE [, STAT])

**Description.** Atomic add operation.

**Class.** Atomic subroutine.

**Arguments.**

ATOM shall be a scalar coarray or coindexed object of type integer with kind ATOMIC\_INT\_KIND, where ATOMIC\_INT\_KIND is a named constant in the intrinsic module ISO\_FORTRAN\_ENV. It is an INTENT (INOUT) argument. ATOM becomes defined with the value of ATOM + INT(VALUE, ATOMIC\_INT\_KIND).

VALUE shall be an integer scalar. It is an INTENT (IN) argument.

STAT (optional) shall be an integer scalar with a decimal exponent range of at least four. It is an INTENT(OUT) argument.

**Example.**

CALL ATOMIC\_ADD(I[3], 42) causes the value of I on image 3 to become defined with the value 46 if the value of I[3] was 4 when the atomic operation executed.

### 7.4.2 ATOMIC\_AND (ATOM, VALUE [, STAT])

**Description.** Atomic bitwise AND operation.

**Class.** Atomic subroutine.

**Arguments.**

ATOM shall be a scalar coarray or coindexed object of type integer with kind ATOMIC\_INT\_KIND, where ATOMIC\_INT\_KIND is a named constant in the intrinsic module ISO\_FORTRAN\_ENV. It is an INTENT (INOUT) argument. ATOM becomes defined with the value IAND ( ATOM, INT(VALUE, ATOMIC\_INT\_KIND) ).

VALUE shall be an integer scalar. It is an INTENT(IN) argument.

STAT (optional) shall be an integer scalar with a decimal exponent range of at least four. It is an INTENT(OUT) argument.

**Example.** CALL ATOMIC\_AND (I[3], 6) causes I on image 3 to become defined with the value 4 if the value of I[3] was 5 when the atomic operation executed.

### 7.4.3 ATOMIC\_CAS (ATOM, OLD, COMPARE, NEW [, STAT])

**Description.** Atomic compare and swap.

**Class.** Atomic subroutine.

**Arguments.**

ATOM shall be a scalar coarray or coindexed object of type integer with kind ATOMIC\_INT\_KIND or of type logical with kind ATOMIC\_LOGICAL\_KIND, where ATOMIC\_INT\_KIND and ATOMIC\_LOGICAL\_KIND are named constants in the intrinsic module ISO\_FORTRAN\_ENV. It is an INTENT (INOUT) argument. If the value of ATOM is equal to the value of COMPARE, ATOM becomes defined with the value of INT (NEW, ATOMIC\_INT\_KIND) if it is of type integer, and with the value of NEW if it is of type logical. If the value of ATOM is not equal to the value of COMPARE, the value of ATOM is not changed.

OLD shall be a scalar of the same type and kind as ATOM. It is an INTENT (OUT) argument. It is

1           defined with the value of ATOM that was used for performing the atomic operation.  
2 COMPARE shall be a scalar of the same type and kind as ATOM. It is an INTENT(IN) argument.  
3 NEW shall be a scalar of the same type as ATOM. It is an INTENT(IN) argument.  
4 STAT (optional) shall be an integer scalar with a decimal exponent range of at least four. It is an INTENT(OUT)  
5           argument.

6 **Example.** CALL ATOMIC\_CAS(I[3], OLD, Z, 1) causes I on image 3 to become defined with the value 1 if its  
7 value is that of Z, and OLD to be defined with the value of I on image 3 that was used for performing the atomic  
8 operation.

#### 9 **7.4.4 ATOMIC\_FETCH\_ADD (ATOM, VALUE, OLD [, STAT])**

10 **Description.** Atomic fetch and add operation.

11 **Class.** Atomic subroutine.

##### 12 **Arguments.**

13 ATOM shall be a scalar coarray or coindexed object of type integer with kind ATOMIC\_INT\_KIND, where  
14 ATOMIC\_INT\_KIND is a named constant in the intrinsic module ISO\_FORTRAN\_ENV. It is an  
15 INTENT (INOUT) argument. ATOM becomes defined with the value of ATOM + INT(VALUE,  
16 ATOMIC\_INT\_KIND).  
17 VALUE shall be an integer scalar. It is an INTENT (IN) argument.  
18 OLD shall be a scalar of the same type and kind as ATOM. It is an INTENT (OUT) argument. It is  
19 defined with the value of ATOM that was used for performing the atomic operation.  
20 STAT (optional) shall be an integer scalar with a decimal exponent range of at least four. It is an INTENT(OUT)  
21           argument.

22 **Example.** CALL ATOMIC\_FETCH\_ADD(I[3], 7, OLD) causes I on image 3 to become defined with the value  
23 12 and the value of OLD on the image executing the statement to be defined with the value 5 if the value of I[3]  
24 was 5 when the atomic operation executed.

#### 25 **7.4.5 ATOMIC\_FETCH\_AND (ATOM, VALUE, OLD [, STAT])**

26 **Description.** Atomic fetch and bitwise AND operation.

27 **Class.** Atomic subroutine.

##### 28 **Arguments.**

29 ATOM shall be a scalar coarray or coindexed object of type integer with kind ATOMIC\_INT\_KIND, where  
30 ATOMIC\_INT\_KIND is a named constant in the intrinsic module ISO\_FORTRAN\_ENV. It is an IN-  
31 TENT (INOUT) argument. ATOM becomes defined with the value of IAND( ATOM, INT(VALUE,  
32 ATOMIC\_INT\_KIND) ).  
33 VALUE shall be an integer scalar. It is an INTENT (IN) argument.  
34 OLD shall be a scalar of the same type and kind as ATOM. It is an INTENT (OUT) argument. It is  
35 defined with the value of ATOM that was used for performing the atomic operation.  
36 STAT (optional) shall be an integer scalar with a decimal exponent range of at least four. It is an INTENT(OUT)  
37           argument.

38 **Example.** CALL ATOMIC\_FETCH\_AND (I[3], 6, IOLD) causes I on image 3 to become defined with the value  
39 4 and the value of IOLD on the image executing the statement to be defined with the value 5 if the value of I[3]  
40 was 5 when the atomic operation executed.

#### 7.4.6 ATOMIC\_FETCH\_OR (ATOM, VALUE, OLD [, STAT])

**Description.** Atomic fetch and bitwise OR operation.

**Class.** Atomic subroutine.

##### Arguments.

ATOM shall be a scalar coarray or coindexed object of type integer with kind ATOMIC\_INT\_KIND, where ATOMIC\_INT\_KIND is a named constant in the intrinsic module ISO\_FORTRAN\_ENV. It is an INTENT (INOUT) argument. ATOM becomes defined with the value of IOR( ATOM, INT(VALUE, ATOMIC\_INT\_KIND) ).

VALUE shall be an integer scalar. It is an INTENT (IN) argument.

OLD shall be a scalar of the same type and kind as ATOM. It is an INTENT (OUT) argument. It is defined with the value of ATOM that was used for performing the atomic operation.

STAT (optional) shall be an integer scalar with a decimal exponent range of at least four. It is an INTENT(OUT) argument.

**Example.** CALL ATOMIC\_FETCH\_OR (I[3], 1, IOLD) causes I on image 3 to become defined with the value 3 and the value of IOLD on the image executing the statement to be defined with the value 2 if the value of I[3] was 2 when the atomic operation executed.

#### 7.4.7 ATOMIC\_FETCH\_XOR (ATOM, VALUE, OLD [, STAT])

**Description.** Atomic fetch and bitwise exclusive OR operation.

**Class.** Atomic subroutine.

##### Arguments.

ATOM shall be a scalar coarray or coindexed object of type integer with kind ATOMIC\_INT\_KIND, where ATOMIC\_INT\_KIND is a named constant in the intrinsic module ISO\_FORTRAN\_ENV. It is an INTENT (INOUT) argument. ATOM becomes defined with the value of IEOR( ATOM, INT(VALUE, ATOMIC\_INT\_KIND) ).

VALUE shall be an integer scalar. It is an INTENT (IN) argument.

OLD shall be a scalar of the same type and kind as ATOM. It is an INTENT (OUT) argument. It is defined with the value of ATOM that was used for performing the atomic operation.

STAT (optional) shall be an integer scalar with a decimal exponent range of at least four. It is an INTENT(OUT) argument.

**Example.** CALL ATOMIC\_FETCH\_XOR (I[3], 1, IOLD) causes I on image 3 to become defined with the value 2 and the value of IOLD on the image executing the statement to be defined with the value 3 if the value of I[3] was 3 when the atomic operation executed.

#### 7.4.8 ATOMIC\_OR (ATOM, VALUE [, STAT])

**Description.** Atomic bitwise OR operation.

**Class.** Atomic subroutine.

##### Arguments.

ATOM shall be a scalar coarray or coindexed object of type integer with kind ATOMIC\_INT\_KIND, where ATOMIC\_INT\_KIND is a named constant in the intrinsic module ISO\_FORTRAN\_ENV. It is an INTENT (INOUT) argument. ATOM becomes defined with the value IOR ( ATOM, INT(VALUE, ATOMIC\_INT\_KIND) ).

VALUE shall be an integer scalar. It is an INTENT (IN) argument.

1 STAT (optional) shall be an integer scalar with a decimal exponent range of at least four. It is an INTENT(OUT)  
2 argument.

3 **Example.** CALL ATOMIC\_OR (I[3], 1) causes I on image 3 to become defined with the value 3 if the value of  
4 I[3] was 2 when the atomic operation executed.

#### 5 **7.4.9 ATOMIC\_XOR (ATOM, VALUE [, STAT])**

6 **Description.** Atomic bitwise exclusive OR operation.

7 **Class.** Atomic subroutine.

##### 8 **Arguments.**

9 ATOM shall be a scalar coarray or coindexed object of type integer with kind ATOMIC\_INT\_KIND, where  
10 ATOMIC\_INT\_KIND is a named constant in the intrinsic module ISO\_FORTRAN\_ENV. It is an  
11 INTENT (INOUT) argument. ATOM becomes defined with the value IEOR ( ATOM, INT(VALUE,  
12 ATOMIC\_INT\_KIND) ).

13 VALUE shall be an integer scalar. It is an INTENT (IN) argument.

14 STAT (optional) shall be an integer scalar with a decimal exponent range of at least four. It is an INTENT(OUT)  
15 argument.

16 **Example.** CALL ATOMIC\_XOR (I[3], 1) causes I on image 3 to become defined with the value 2 if the value of  
17 I[3] was 3 when the atomic operation executed.

#### 18 **7.4.10 CO\_BROADCAST (A, SOURCE\_IMAGE [, STAT, ERRMSG])**

19 **Description.** Copy a value to all images of the current team.

20 **Class.** Collective subroutine.

##### 21 **Arguments.**

22 A shall have the same dynamic type and type parameter values on all images in the current team. It  
23 shall not be a coindexed object. It is an INTENT(INOUT) argument. If it is an array, it shall have  
24 the same shape on all images in the current team. A becomes defined, as if by intrinsic assignment,  
25 on all images in the current team with the value of A on image SOURCE\_IMAGE.

26 SOURCE\_IMAGE shall be an integer scalar. It is an INTENT(IN) argument. It shall be the image index of an  
27 image in the current team and have the same value on all images in the current team.

28 STAT (optional) shall be an integer scalar with a decimal exponent range of at least four. It is an INTENT(OUT)  
29 argument.

30 ERRMSG (optional) shall be a default character scalar. It is an INTENT(INOUT) argument.

31 The effect of the presence of the optional arguments STAT and ERRMSG is described in [7.3](#).

32 **Example.** If A is the array [1, 5, 3] on image one, after execution of CALL CO\_BROADCAST(A,1) the value  
33 of A on all images of the current team is [1, 5, 3].

#### 34 **7.4.11 CO\_MAX (A [, RESULT\_IMAGE, STAT, ERRMSG])**

35 **Description.** Compute elemental maximum value on the current team of images.

36 **Class.** Collective subroutine.

##### 37 **Arguments.**

38 A shall be of type integer, real, or character. It shall have the same type and type parameters on  
39 all images in the current team. It shall not be a coindexed object. It is an INTENT(INOUT)

1 argument. If it is a scalar, the computed value is equal to the maximum value of A on all images  
2 in the current team. If it is an array it shall have the same shape on all images of the current team  
3 and each element of the computed value is equal to the maximum value of all the corresponding  
4 elements of A on the images in the current team.

5 RESULT\_IMAGE (optional) shall be an integer scalar. It is an INTENT(IN) argument. If it is present, it shall  
6 be present on all images in the current team, have the same value on all images in the current team,  
7 and that value shall be the image index of an image in the current team.

8 STAT (optional) shall be an integer scalar with a decimal exponent range of at least four. It is an INTENT(OUT)  
9 argument.

10 ERRMSG (optional) shall be a default character scalar. It is an INTENT(INOUT) argument.

11 If RESULT\_IMAGE is not present, the computed value is assigned to A on all the images in the current team. If  
12 RESULT\_IMAGE is present, the computed value is assigned to A on image RESULT\_IMAGE and A on all other  
13 images in the current team becomes undefined.

14 The effect of the presence of the optional arguments STAT and ERRMSG is described in 7.3.

15 **Example.** If the number of images in the current team is two and A is the array [1, 5, 3] on one image and [4,  
16 1, 6] on the other image, the value of A after executing the statement CALL CO\_MAX(A) is [4, 5, 6] on both  
17 images.

#### 18 7.4.12 CO\_MIN (A [, RESULT\_IMAGE, STAT, ERRMSG])

19 **Description.** Compute elemental minimum value on the current team of images.

20 **Class.** Collective subroutine.

##### 21 Arguments.

22 A shall be of type integer, real, or character. It shall have the same type and type parameters on  
23 all images in the current team. It shall not be a coindexed object. It is an INTENT(INOUT)  
24 argument. If it is a scalar, the computed value is equal to the minimum value of A on all images in  
25 the current team. If it is an array it shall have the same shape on all images in the current team  
26 and each element of the computed value is equal to the minimum value of all the corresponding  
27 elements of A on the images in the current team.

28 RESULT\_IMAGE (optional) shall be an integer scalar. It is an INTENT(IN) argument. If it is present, it shall  
29 be present on all images in the current team, have the same value on all images in the current team,  
30 and that value shall be the image index of an image in the current team.

31 STAT (optional) shall be an integer scalar with a decimal exponent range of at least four. It is an INTENT(OUT)  
32 argument.

33 ERRMSG (optional) shall be a default character scalar. It is an INTENT(INOUT) argument.

34 If RESULT\_IMAGE is not present, the computed value is assigned to A on all the images in the current team. If  
35 RESULT\_IMAGE is present, the computed value is assigned to A on image RESULT\_IMAGE and A on all other  
36 images in the current team becomes undefined.

37 The effect of the presence of the optional arguments STAT and ERRMSG is described in 7.3.

38 **Example.** If the number of images in the current team is two and A is the array [1, 5, 3] on one image and [4,  
39 1, 6] on the other image, the value of A after executing the statement CALL CO\_MIN(A) is [1, 1, 3] on both  
40 images.

#### 41 7.4.13 CO\_REDUCE (A, OPERATOR [, RESULT\_IMAGE, STAT, ERRMSG])

42 **Description.** General reduction of elements on the current team of images.

1 **Class.** Collective subroutine.

2 **Arguments.**

3 A shall not be polymorphic. It shall have the same type and type parameters on all images in the  
4 current team. It shall not be a coindexed object. It is an INTENT(INOUT) argument. If A is  
5 a scalar, the computed value is the result of the reduction operation of applying OPERATOR to  
6 the values of A on all images in the current team. If A is an array it shall have the same shape  
7 on all images in the current team and each element of the computed value is equal to the result of  
8 the reduction operation of applying OPERATOR to all the corresponding elements of A on all the  
9 images in the current team.

10 OPERATOR shall be a pure function with two scalar, nonallocatable, nonpointer, nonoptional arguments of the  
11 same type and type parameters as A. Its result shall have the same type and type parameters as A.  
12 The arguments and result shall not be polymorphic. If one argument has the ASYNCHRONOUS,  
13 TARGET, or VALUE attribute, both shall have the attribute. OPERATOR shall implement a  
14 mathematically commutative and associative operation. OPERATOR shall be the same function  
15 on all images in the current team.

16 RESULT\_IMAGE (optional) shall be an integer scalar. It is an INTENT(IN) argument. If it is present, it shall  
17 be present on all images in the current team, have the same value on all images in the current team,  
18 and that value shall be the image index of an image in the current team.

19 STAT (optional) shall be an integer scalar with a decimal exponent range of at least four. It is an INTENT(OUT)  
20 argument.

21 ERRMSG (optional) shall be a default character scalar. It is an INTENT(INOUT) argument.

22 If RESULT\_IMAGE is not present, the computed value is assigned to A as if by intrinsic assignment on all  
23 images in the current team. If RESULT\_IMAGE is present, the computed value is assigned to A as if by intrinsic  
24 assignment on image RESULT\_IMAGE and A on all other images in the current team becomes undefined.

25 The computed value of a reduction operation over a set of values is the result of an iterative process. Each  
26 iteration involves the evaluation of  $\text{OPERATOR}(x,y)$  for  $x$  and  $y$  in the set, the removal of  $x$  and  $y$  from the set, and  
27 the addition of the value of  $\text{OPERATOR}(x,y)$  to the set. The process terminates when the set has only one element  
28 which is the value of the reduction.

29 The effect of the presence of the optional arguments STAT and ERRMSG is described in 7.3.

30 **Example.** If the number of images in the current team is two and A is the array [1, 5, 3] on one image and [4,  
31 1, 6] on the other image, and MyADD is a function that returns the sum of its two integer arguments, the value  
32 of A after executing the statement CALL CO\_REDUCE(A, MyADD) is [5, 6, 9] on both images.

### 33 7.4.14 CO\_SUM (A [, RESULT\_IMAGE, STAT, ERRMSG])

34 **Description.** Sum elements on the current team of images.

35 **Class.** Collective subroutine.

36 **Arguments.**

37 A shall be of numeric type. It shall have the same type and type parameters on all images in the  
38 current team. It shall not be a coindexed object. It is an INTENT(INOUT) argument. If it is a  
39 scalar, the computed value is equal to a processor-dependent and image-dependent approximation  
40 to the sum of the values of A on all images in the current team. If it is an array it shall have the  
41 same shape on all images in the current team and each element of the computed value is equal  
42 to a processor-dependent and image-dependent approximation to the sum of all the corresponding  
43 elements of A on the images in the current team.

44 RESULT\_IMAGE (optional) shall be an integer scalar. It is an INTENT(IN) argument. If it is present, it shall  
45 be present on all images in the current team, have the same value on all images in the current team,  
46 and that value shall be the image index of an image in the current team.



1 STAT (optional) shall be an integer scalar with a decimal exponent range of at least four. It is an INTENT(OUT)  
2 argument.

3 ERRMSG (optional) shall be a default character scalar. It is an INTENT(INOUT) argument.

4 If RESULT\_IMAGE is not present, the computed value is assigned to A on all the images in the current team. If  
5 RESULT\_IMAGE is present, the computed value is assigned to A on image RESULT\_IMAGE and A on all other  
6 images in the current team becomes undefined.

7 The effect of the presence of the optional arguments STAT and ERRMSG is described in 7.3.

8 **Example.** If the number of images in the current team is two and A is the array [1, 5, 3] on one image and [4,  
9 1, 6] on the other image, the value of A after executing the statement CALL CO\_SUM(A) is [5, 6, 9] on both  
10 images.

#### 11 7.4.15 EVENT\_QUERY ( EVENT, COUNT [, STAT])

12 **Description.** Query the count of an event variable.

13 **Class.** Atomic subroutine.

14 **Arguments.**

15 EVENT shall be a scalar of type EVENT\_TYPE defined in the intrinsic module ISO\_FORTRAN\_ENV. It is  
16 an INTENT(IN) argument.

17 COUNT shall be an integer scalar with a decimal range no smaller than that of default integer. It is an  
18 INTENT(OUT) argument. If no error conditions occurs, COUNT is assigned the value of the count  
19 of EVENT. Otherwise, it is assigned the value 0.

20 STAT (optional) shall be an integer scalar with a decimal exponent range of at least four. It is an INTENT(OUT)  
21 argument.

22 **Example.** If EVENT is an event variable for which there have been no successful posts or waits, after the  
23 invocation

24 CALL EVENT\_QUERY ( EVENT, COUNT )

25 the integer variable COUNT has the value 0. If there have been 10 successful posts to EVENT[2] and 2 successful  
26 waits without an UNTIL\_COUNT specification, after the invocation

27 CALL EVENT\_QUERY ( EVENT[2], COUNT )

28 COUNT has the value 8.

##### NOTE 7.5

Execution of EVENT\_QUERY does not imply any synchronization.

#### 29 7.4.16 FAILED\_IMAGES ([TEAM, KIND])

30 **Description.** Indices of failed images.

31 **Class.** Transformational function.

32 **Arguments.**

33 TEAM (optional) shall be a scalar of type TEAM\_TYPE defined in the intrinsic module ISO\_FORTRAN\_ENV.  
34 Its value shall represent the current or an ancestor team.

35 KIND (optional) shall be a scalar integer constant expression. Its value shall be the value of a kind type parameter  
36 for type INTEGER. The decimal range for integers of this kind shall be at least as large as for default  
37 integer.

**Result Characteristics.** Integer. If KIND is present, the kind type parameter is that specified by the value of KIND; otherwise, the kind type parameter is that of default integer type. The result is an array of rank one whose size is equal to the number of images in the specified team that are known by the invoking image to have failed.

**Result Value.** If TEAM is present, its value specifies the team; otherwise, the team specified is the current team. The elements of the result are the values of the image indices of the known failed images in the specified team, in numerically increasing order. If the executing image has previously executed an image control statement whose STAT= specifier assigned the value STAT\_FAILED\_IMAGE from the intrinsic module ISO\_FORTRAN\_ENV, or invoked a collective subroutine whose STAT argument was set to STAT\_FAILED\_IMAGE, and has not meanwhile entered or left a CHANGE TEAM construct, at least one image in the set of images participating in that image control statement or collective invocation shall be known to have failed.

**Examples.** If image 3 is the only image in the current team that is known by the invoking image to have failed, FAILED\_IMAGES() has the value [3]. If there are no images in the current team that are known by the invoking image to have failed, FAILED\_IMAGES() is a zero-sized array.

## 7.4.17 GET\_TEAM ([LEVEL])

**Description.** Team value.

**Class.** Transformational function.

**Argument.** LEVEL (optional) shall be a scalar integer whose value shall be equal to one of the named constants INITIAL\_TEAM, PARENT\_TEAM, or CURRENT\_TEAM defined in the intrinsic module ISO\_FORTRAN\_ENV.

**Result Characteristics.** Scalar of type TEAM\_TYPE defined in the intrinsic module ISO\_FORTRAN\_ENV.

**Result Value.** The result is the value of a team variable for the current team if LEVEL is not present, LEVEL is present with the value CURRENT\_TEAM, or the current team is the initial team. Otherwise, the result is the value of a team variable for the parent team if LEVEL is present with the value PARENT\_TEAM, and for the initial team if LEVEL is present with the value INITIAL\_TEAM.

**Examples.**

```

26     USE, INTRINSIC :: ISO_FORTRAN_ENV, ONLY: TEAM_TYPE
27     TYPE(Team_Type) :: World_Team, Team2
28
29     ! Define a team variable representing the initial team
30     World_Team = GET_TEAM()
31     END
32
33     SUBROUTINE TT (A)
34     USE, INTRINSIC :: ISO_FORTRAN_ENV, ONLY: TEAM_TYPE
35     REAL A[*]
36     TYPE(Team_Type) :: New_Team, Parent_Team
37
38     ... ! Form New_Team
39
40     Parent_Team = GET_TEAM()
41
42     CHANGE_TEAM(New_Team)
43
44     ! Reference image 1 in parent's team
45     A [Parent_Team :: 1] = 4.2
46
47     ! Reference image 1 in current team
48     A [1] = 9.0

```

```
1     END TEAM
2     END SUBROUTINE TT
3
```

#### 4 **7.4.18 IMAGE\_STATUS (IMAGE, [TEAM])**

5 **Description.** Status of images.

6 **Class.** Elemental function.

7 **Arguments.**

8 IMAGE shall be of type integer.

9 TEAM (optional) shall be a scalar of type TEAM\_TYPE defined in the intrinsic module ISO\_FORTRAN\_ENV.  
10 Its value shall represent the current or an ancestor team.

11 **Result Characteristics.** Default integer.

12 **Result Value.** If TEAM is present, its value specifies the team; otherwise, the team specified is the current  
13 team. The result value is STAT\_FAILED\_IMAGE if the specified image has failed, STAT\_STALLED\_IMAGE  
14 if the specified image has stalled, STAT\_STOPPED\_IMAGE if that image has initiated normal termination, a  
15 positive processor-dependent value different from STAT\_FAILED\_IMAGE, STAT\_STALLED\_IMAGE, or STAT\_-  
16 STOPPED\_IMAGE if some other error has occurred for that image, and zero otherwise.

17 **Example.** If image 3 of the current team has failed, IMAGE\_STATUS ( 3 ) has the value STAT\_FAILED\_IMAGE.

#### 18 **7.4.19 STALLED\_IMAGES ([TEAM, KIND])**

19 **Description.** Indices of stalled images.

20 **Class.** Transformational function.

21 **Arguments.**

22 TEAM (optional) shall be a scalar of type TEAM\_TYPE defined in the intrinsic module ISO\_FORTRAN\_ENV.  
23 Its value shall represent the current or an ancestor team.

24 KIND (optional) shall be a scalar integer constant expression. Its value shall be the value of a kind type parameter  
25 for type INTEGER. The decimal range for integers of this kind shall be at least as large as for default  
26 integer.

27 **Result Characteristics.** Integer. If KIND is present, the kind type parameter is that specified by the value  
28 of KIND; otherwise, the kind type parameter is that of default integer type. The result is an array of rank one  
29 whose size is equal to the number of images in the specified team that are known by the invoking image to have  
30 stalled.

31 **Result Value.** If TEAM is present, its value specifies the team; otherwise, the team specified is the current  
32 team. The elements of the result are the values of the image indices of the known stalled images in the specified  
33 team, in numerically increasing order.

34 **Examples.** If image 3 is the only image in the current team that is known by the invoking image to have  
35 stalled, STALLED\_IMAGES() has the value [3]. If there are no images in the current team that are known by  
36 the invoking image to have stalled, STALLED\_IMAGES() is a zero-sized array.

#### 37 **7.4.20 STOPPED\_IMAGES ([TEAM, KIND])**

38 **Description.** Indices of stopped images.

39 **Class.** Transformational function.

1 **Arguments.**

2 TEAM (optional) shall be a scalar of type TEAM\_TYPE defined in the intrinsic module ISO\_FORTRAN\_ENV.  
 3 Its value shall represent the current or an ancestor team.

4 KIND (optional) shall be a scalar integer constant expression. Its value shall be the value of a kind type parameter  
 5 for type INTEGER. The decimal range for integers of this kind shall be at least as large as for default  
 6 integer.

7 **Result Characteristics.** Integer. If KIND is present, the kind type parameter is that specified by the value  
 8 of KIND; otherwise, the kind type parameter is that of default integer type. The result is an array of rank one  
 9 whose size is equal to the number of images in the specified team that have initiated normal termination.

10 **Result Value.** If TEAM is present, its value specifies the team; otherwise, the team specified is the current team.  
 11 The elements of the result are the values of the indices of the images that have initiated normal termination in the  
 12 specified team, in numerically increasing order. If the executing image has previously executed an image control  
 13 statement whose STAT= specifier assigned the value STAT\_STOPPED\_IMAGE from the intrinsic module ISO\_-  
 14 FORTRAN\_ENV or invoked a collective subroutine whose STAT argument was set to STAT\_STOPPED\_IMAGE,  
 15 and has not meanwhile entered or left a CHANGE TEAM construct, at least one of the images participating in  
 16 that image control statement or collective invocation shall have initiated normal termination.

17 **Examples.** If image 3 is the only image in the current team that has initiated normal termination, STOPPED\_-  
 18 IMAGES() has the value [3]. If there are no images in the current team that have initiated normal termination,  
 19 STOPPED\_IMAGES() is a zero-sized array.

20 **7.4.21 TEAM\_ID ([TEAM])**

21 **Description.** Team identifier.

22 **Class.** Transformational function.

23 **Argument.** TEAM (optional) shall be a scalar of type TEAM\_TYPE defined in the intrinsic module ISO\_-  
 24 FORTRAN\_ENV. Its value shall represent the current or an ancestor team.

25 **Result Characteristics.** Default integer scalar.

26 **Result Value.** If TEAM is present its value specifies the team; otherwise, the team specified is the current team.  
 27 If the specified team is the initial team, the result is -1; otherwise, the result value is the team identifier of the  
 28 invoking image in the specified team.

29 **Example.** The following code illustrates the use of TEAM\_ID to control which code is executed.

```
30 TYPE(Team_Type) :: ODD_EVEN
31 :
32 ME = THIS_IMAGE()
33 FORM TEAM ( 2-MOD(ME,2), ODD_EVEN )
34 CHANGE TEAM (ODD_EVEN)
35   SELECT CASE (TEAM_ID())
36     CASE (1)
37       : ! Code for images with odd image indices in parent team
38     CASE (2)
39       : ! Code for images with even image indices in parent team
40   END SELECT
41 END TEAM
```

## 7.5 Modified intrinsic procedures

### 7.5.1 ATOMIC\_DEFINE and ATOMIC\_REF

The descriptions of the intrinsic functions ATOMIC\_DEFINE and ATOMIC\_REF in ISO/IEC 1539-1:2010 are changed to take account of the possibility that an ATOM argument is located on a failed image and to add the optional argument STAT.

The STAT argument shall be a scalar of type integer. It is an INTENT(OUT) argument.

### 7.5.2 IMAGE\_INDEX

The description of the intrinsic function IMAGE\_INDEX in ISO/IEC 1539-1:2010 is changed by adding two additional versions that specify the team with the argument TEAM or the argument TEAM\_ID, and a modified result if either of these versions is invoked.

The TEAM argument shall be a scalar of type TEAM\_TYPE defined in the intrinsic module ISO\_FORTRAN\_ENV. Its value shall represent the current or an ancestor team.

The TEAM\_ID argument shall be a positive integer scalar. If the current team is the initial team, its value is ignored. Otherwise, its value shall be that of a team identifier for a team that was formed by execution of a FORM TEAM statement for the current team.

### 7.5.3 MOVE\_ALLOC

The description of the intrinsic function MOVE\_ALLOC in ISO/IEC 1539-1:2010, as modified by ISO/IEC 1539-1:2010/Cor 2:2013, is changed to take account of the possibility of failed or stalled images and to add two optional arguments, STAT and ERRMSG, and a modified result if either is present.

The STAT argument shall be an integer scalar with a decimal exponent range of at least four. It is an INTENT(OUT) argument.

The ERRMSG argument shall be a default character scalar. It is an INTENT(INOUT) argument.

If the execution is successful

- (1) The allocation status of TO becomes unallocated if FROM is unallocated on entry to MOVE\_ALLOC. Otherwise, TO becomes allocated with dynamic type, type parameters, array bounds, array cobounds, and value identical to those that FROM had on entry to MOVE\_ALLOC.
- (2) If TO has the TARGET attribute, any pointer associated with FROM on entry to MOVE\_ALLOC becomes correspondingly associated with TO. If TO does not have the TARGET attribute, the pointer association status of any pointer associated with FROM on entry becomes undefined.
- (3) The allocation status of FROM becomes unallocated.

When a reference to MOVE\_ALLOC is executed for which the FROM argument is a coarray, there is an implicit synchronization of all active images of the current team. On each active image, execution of the segment (8.5.2 of ISO/IEC 1539-1:2010) following the CALL statement is delayed until all other active images of the current team have executed the same statement the same number of times since execution last began in this team.

If the STAT argument appears and execution is successful on all images, the argument is assigned the value zero; if a failed image is detected and execution is otherwise successful, the STAT= specifier is assigned the value STAT\_FAILED\_IMAGE in the intrinsic module ISO\_FORTRAN\_ENV; otherwise, if a stalled image is detected and execution is otherwise successful, the STAT= specifier is assigned the value STAT\_STALLED\_IMAGE in the intrinsic module ISO\_FORTRAN\_ENV.

If the STAT argument appears and an error condition occurs, the argument is assigned the value STAT\_STOPPED\_IMAGE in the intrinsic module ISO\_FORTRAN\_ENV if the reason is that a successful execution would

1 have involved an interaction with an image that has initiated termination; otherwise, the value is a processor-  
2 dependent positive value that is different from the value of STAT\_STOPPED\_IMAGE, STAT\_FAILED\_IMAGE,  
3 or STAT\_STALLED\_IMAGE.

4 If the STAT argument does not appear and an error condition occurs or an image involved in execution of the  
5 statement has failed or stalled, error termination is initiated.

6 If the ERRMSG argument is present and an error condition occurs, the processor shall assign an explanatory  
7 message to the argument. If no error condition occurs, the processor shall not change the value of the argument.

#### 8 **7.5.4 NUM\_IMAGES**

9 The description of the intrinsic function NUM\_IMAGES in ISO/IEC 1539-1:2010 is changed by adding two  
10 versions that specify the team with the argument TEAM or the argument TEAM\_ID, and a modified result if  
11 either of these versions is invoked.

12 The TEAM argument shall be a scalar of type TEAM\_TYPE defined in the intrinsic module ISO\_FORTRAN\_-  
13 ENV. Its value shall represent the current or an ancestor team.

14 The TEAM\_ID argument shall be a positive integer scalar. If the current team is the initial team, its value is  
15 ignored. Otherwise, its value shall be that of a team identifier for a team that was formed by execution of a  
16 FORM TEAM statement for the current team.

#### 17 **7.5.5 THIS\_IMAGE**

18 The description of the intrinsic function THIS\_IMAGE in ISO/IEC 1539-1:2010, as modified by ISO/IEC 1539-  
19 1:2010/Cor 1:2012, is changed by adding an optional argument TEAM and a modified result if TEAM is present.

20 The TEAM argument shall be a scalar of type TEAM\_TYPE defined in the intrinsic module ISO\_FORTRAN\_-  
21 ENV. Its value shall represent the current or an ancestor team. If TEAM is present, the result is the image index  
22 that the invoking image has in the team specified by the value of TEAM; otherwise, the result value is the image  
23 index of the invoking image in the current team.

## 8 Required editorial changes to ISO/IEC 1539-1:2010(E)

### 8.1 General

The following editorial changes, if implemented, would provide the facilities described in foregoing clauses of this Technical Specification. Descriptions of how and where to place the new material are enclosed in braces {}. Edits to different places within the same clause are separated by horizontal lines.

In the edits, except as specified otherwise by the editorial instructions, underwave (underwave) and strike-out (~~strike-out~~) are used to indicate insertion and deletion of text.

### 8.2 Edits to Introduction

{In paragraph 1 of the Introduction}

After “informally known as Fortran 2008, plus the facilities defined in ISO/IEC TS 29113:2012” add “and ISO/IEC TS 18508:2015”.

---

{After paragraph 3 of the Introduction and after the paragraph added by ISO/IEC TS 29113:2012, insert new paragraph}

ISO/IEC TS 18508 provides additional facilities for parallel programming:

- teams provide a capability for a subset of the images of the program to act as if it consists of all images for the purposes of image index values, coarray allocations, and synchronization.
- collective subroutines perform computations based on values on all the images of the current team, offering the possibility of efficient execution of reduction operations;
- atomic memory operations provide low-level primitives for synchronization of activities among images and performing limited remote computation;
- events allow one-sided ordering of execution segments;
- features for the support of continued execution after one or more images have failed; and
- features to detect which images have stalled or failed and simulate failure of an image.

### 8.3 Edits to clause 1

{In 1.3 Terms and definitions, insert new terms as follows}

#### 1.3.8a

##### **asynchronous progress**

ability of images to define or reference coarrays without requiring the images on which the data reside to execute any particular statements

#### 1.3.30a

##### **collective subroutine**

intrinsic subroutine that is invoked on the current team of images to perform a calculation on those images and assign the computed value on one or all of them (13.1)

- 1 **1.3.68a**  
2 **established coarray**  
3 coarray that is accessible within a CHANGE TEAM construct from outside the construct (8.1.4a)
- 4 **1.3.83a**  
5 **active image**  
6 an image that has not failed, stalled, or initiated termination (2.3.6)
- 7 **1.3.83b**  
8 **failed image**  
9 an image for which references or definitions of a variable on the image fail when that variable should be accessible;  
10 or an image that is not a stalled image, is not a stopped image, and fails to respond during the execution of an  
11 image control statement or a reference to a collective subroutine (2.3.6)
- 12 **1.3.83c**  
13 **stalled image**  
14 an image that, in a statement other than an image control statement or an invocation of a collective or atomic  
15 subroutine, attempts to reference or define data using an *image-selector* that identifies an image that has failed  
16 and has not yet executed an END TEAM statement that makes it active again (2.3.6)
- 17 **1.3.83d**  
18 **stopped image**  
19 an image that has initiated normal termination (2.3.6)
- 20 **1.3.145a**  
21 **team**  
22 set of images that can readily execute independently of other images (2.3.4)
- 23 **1.3.145a.1**  
24 **current team**  
25 the team specified in the CHANGE TEAM statement of the innermost executing CHANGE TEAM construct,  
26 or the initial team if no CHANGE TEAM construct is active (2.3.4)
- 27 **1.3.145a.2**  
28 **initial team**  
29 the current team when the program began execution (2.3.4)
- 30 **1.3.145a.3**  
31 **parent team**  
32 team from which the current team was formed by executing a FORM TEAM statement (2.3.4)
- 33 **1.3.145a.4**  
34 **team identifier**  
35 integer value identifying a team (2.3.4)
- 36 **1.3.154.1-**  
37 **event variable**  
38 scalar variable of type EVENT\_TYPE (13.8.2.8a) from the intrinsic module ISO\_FORTRAN\_ENV
- 39 **1.3.154.3**  
40 **team variable**  
41 scalar variable of type TEAM\_TYPE (13.8.2.26) from the intrinsic module ISO\_FORTRAN\_ENV

## 8.4 Edits to clause 2

{In 2.1 High level syntax, Add new construct and statements into the syntax list as follows: In R213 *executable-construct* insert alphabetically “*change-team-construct*”; in R214 *action-stmt* insert alphabetically “*event-post-*



1 *stmt*”, “*event-wait-stmt*”, “*fail-image-stmt*”, “*form-team-stmt*”, and “*sync-team-stmt*”.

---

2 {In 2.3.4 Program execution, after the first paragraph, insert 5.1, paragraphs 1 and 2, of this Technical Spe-  
3 cification with the following changes: In the first paragraph delete “in ISO/IEC 1539-1:2010” following “R624”  
4 and insert “(8.5.2c)” following “FORM TEAM statement”. In the second paragraph insert “(8.1.4a)” following  
5 “CHANGE TEAM construct”. }

---

6 {After 2.3.5 Execution sequence, insert a new subclause “2.3.6 Image execution states” consisting of five para-  
7 graphs, with the third paragraph consisting of the third paragraph and Note 5.8 of 5.8 STAT\_FAILED\_IMAGE  
8 of this Technical Specification, the fourth and fifth paragraphs consisting of the third and fourth paragraphs of  
9 5.9 STAT\_STALLED\_IMAGE of this Technical Specification, and the first and second paragraphs as follows.}

10 A stopped image is an image that has initiated termination of execution.

11 An active image is an image that is not a failed image, a stalled image, or a stopped image.

---

12 {In 2.4.7 Coarray, after the first paragraph, insert 5.1 paragraph 3 of this Technical Specification.}

---

13 {In 2.4.7 Coarray, edit the second paragraph as follows.}

14 For each coarray on an image in a team, there is a corresponding coarray with the same type, type parameters,  
15 and bounds on every other image in that team.

---

16 {In 2.4.7 Coarray, edit the first sentence of the third paragraph as follows.}

17 The set of corresponding coarrays on all images in a team is arranged in a rectangular pattern.

## 18 8.5 Edits to clause 4

19 {In 4.5.2.1 Syntax, edit constraint C433 as follows}

20 C433 (R425) If EXTENDS appears and the type being defined has ~~an ultimate~~ a component of type EVENT\_TYPE  
21 or LOCK\_TYPE from the intrinsic module ISO\_FORTRAN\_ENV, at any level of nonpointer component selection,  
22 its parent type shall have ~~an ultimate~~ a component at some level of nonpointer component selection of type  
23 EVENT\_TYPE or LOCK\_TYPE, respectively.

---

24 {In 4.5.6.2 The finalization process, add to the end of NOTE 4.48}

25 in the current team

## 26 8.6 Edits to clause 6

27 {In 6.6 Image selectors, replace R624 with}

28 R624 *image-selector* is *lbracket* [ *team-variable* :: ] *cosubscript-list* ■  
29 ■ [, TEAM\_ID = *scalar-int-expr*] *rbracket*

30 C627a (R624) *team-variable* and TEAM\_ID = shall not both appear in the same *image-selector*.

---

31 {In 6.6 Image selectors, edit the last sentence of the second paragraph as follows.}

32 An image selector shall specify an image index value that is not greater than the number of images in the team  
33 specified by *team-variable* or a TEAM\_ID specifier if either appears, or in the current team otherwise.

---

34 {In 6.6 Image selectors, after paragraph 2 insert the two paragraphs following C508 in 5.4 of this Technical  
35 Specification with the following change: following “FORM TEAM statement” insert “(8.5.2c)” }

---

1 {In 6.7.1.2, Execution of an ALLOCATE statement, edit paragraphs 3 and 4 as follows}

2 If an *allocation* specifies a coarray, its dynamic type and the values of corresponding type parameters shall be  
 3 the same on every active image in the current team. The values of corresponding bounds and corresponding  
 4 cobounds shall be the same on every image these images. If the coarray is a dummy argument, its ultimate  
 5 argument (12.5.2.3) shall be the same coarray on every image these images.

6 When an ALLOCATE statement is executed for which an *allocate-object* is a coarray, there is an implicit syn-  
 7 chronization of all active images in the current team. On each image these images, execution of the segment  
 8 (8.5.2) following the statement is delayed until all other active images in the current team have executed the  
 9 same statement the same number of times since execution last began in this team.

---

10 {In 6.7.3.2, Deallocation of allocatable variables, edit paragraphs 11 and 12 as follows}

11 When a DEALLOCATE statement is executed for which an *allocate-object* is a coarray, there is an implicit  
 12 synchronization of all active images in the current team. On each image these images, execution of the segment  
 13 (8.5.2) following the statement is delayed until all other active images in the current team have executed the  
 14 same statement the same number of times since execution last began in this team. If the coarray is a dummy  
 15 argument, its ultimate argument (12.5.2.3) shall be the same coarray on every image these images.

16 There is also an implicit synchronization of all active images in the current team in association with the deallo-  
 17 cation of a coarray or coarray subcomponent caused by the execution of a RETURN or END statement or the  
 18 termination of a BLOCK construct.

---

19 {In 6.7.4 STAT=specifier, edit paragraph 2 as follows}

20 If the STAT= specifier appears, successful execution of the ALLOCATE or DEALLOCATE statement on  
 21 all images in the current team causes the *stat-variable* to become defined with the value zero; if a failed  
 22 image is detected and execution is otherwise successful, the STAT= specifier is assigned the value of the  
 23 named constant STAT\_FAILED\_IMAGE in the intrinsic module ISO\_FORTRAN\_ENV (13.8.2); otherwise, if  
 24 a stalled image is detected and execution is otherwise successful, the STAT= specifier is assigned the value  
 25 STAT\_STALLED\_IMAGE in the intrinsic module ISO\_FORTRAN\_ENV.

---

26 {In 6.7.4 STAT= specifier, para 3, replace the text to the bullet list with}

27 If the STAT= specifier appears in an ALLOCATE or DEALLOCATE statement with a coarray *allocate-object* and  
 28 an error condition occurs, the specified variable is assigned a positive value. The value shall be that of the named  
 29 constant STAT\_STOPPED\_IMAGE in the intrinsic module ISO\_FORTRAN\_ENV if the reason is that a successful  
 30 execution would have involved an interaction with an image that has initiated termination; otherwise, the value is  
 31 a processor-dependent positive value that is different from the values of the named constants STAT\_STOPPED\_  
 32 IMAGE, STAT\_STALLED\_IMAGE, or STAT\_FAILED\_IMAGE in the intrinsic module ISO\_FORTRAN\_ENV. In  
 33 all of these cases, each *allocate-object* has a processor-dependent allocation status:

---

34 {At the end of 6.7.4 STAT= specifier, append the following new paragraph}

35 If the STAT argument does not appear and an error condition occurs or an image involved in execution of the  
 36 statement has failed or stalled, error termination is initiated.

## 37 8.7 Edits to clause 8

38 {In 8.1.1 General, paragraph 1, following the BLOCK construct entry in the list of constructs insert}

- 39 • CHANGE TEAM construct;
- 

40 {Following 8.1.4 BLOCK construct insert 5.3 CHANGE TEAM construct from this Technical Specification as

1 8.1.4a, with rule, constraint, and Note numbers modified, the reference “(5.2)” in C506 changed to “(13.8.2.26)”,  
2 and in the third paragraph following C507, delete “of ISO/IEC 1539-1:2010”. }

---

3 {In 8.1.5 CRITICAL construct: In para 1, line 1, after “one image” add “in the current team”. In para 3, line 1,  
4 after “other image” add “in the current team”.}

---

5 {Following 8.4 STOP and ERROR STOP statements, insert 5.7 FAIL IMAGE statement from this Technical  
6 Specification as 8.4a, with rule and Note numbers modified.}

---

7 {In 8.5.1 Image control statements, paragraph 2, insert extra bullet points following the CRITICAL and END  
8 CRITICAL line}

9 • CHANGE TEAM and END TEAM;

10 • EVENT POST and EVENT WAIT;

11 • FORM TEAM;

12 • SYNC TEAM;

---

13 {In 8.5.1 Image control statements, edit paragraph 3 as follows}

14 All image control statements except CRITICAL, END CRITICAL, FORM TEAM, LOCK, and UNLOCK include  
15 the effect of executing a SYNC MEMORY statement (8.5.5).

---

16 {In 8.5.2 Segments, after the first sentence of paragraph 3, insert the following }

17 A coarray that is of type EVENT\_TYPE may be referenced or defined during the execution of a segment that is  
18 unordered relative to the execution of another segment in which that coarray of type EVENT\_TYPE is defined.

---

19 {Following 8.5.2 Segments insert 6.3 EVENT POST statement from this Technical Specification as 8.5.2a, with  
20 rule and constraint numbers modified, and change the “(6.2)” in C604 to “(13.8.2.8a)”, and change the “(6.5)”  
21 at the end of the paragraph of text to “(13.8.2.21a)” }

---

22 {Following 8.5.2 Segments insert 6.4 EVENT WAIT statement from this Technical Specification as 8.5.2b, with  
23 rule and constraint numbers modified.}

---

24 {Following 8.5.2 Segments insert 5.5 FORM TEAM statement from this Technical Specification as 8.5.2c, with  
25 rule and Note numbers modified.}

---

26 {In 8.5.3 SYNC ALL statement, edit paragraph 2 as follows}

27 Execution of a SYNC ALL statement performs a synchronization of all active images in the current team.  
28 Execution on an image, M, of the segment following the SYNC ALL statement is delayed until each other active  
29 image in the current team has executed a SYNC ALL statement as many times as has image M since execution  
30 last began in this team. The segments that executed before the SYNC ALL statement on an image precede the  
31 segments that execute after the SYNC ALL statement on another image.

---

32 {In 8.5.4 SYNC IMAGES, edit paragraphs 1 through 4 as follows}

33 If *image-set* is an array expression, the value of each element shall be positive and not greater than the number  
34 of images in the current team, and there shall be no repeated values.

35 If *image-set* is a scalar expression, its value shall be positive and not greater than the number of images in the  
36 current team.

37 An *image-set* that is an asterisk specifies all images in the current team.

1 Execution of a SYNC IMAGES statement performs a synchronization of the image with each of the other active  
2 images in the *image-set*. Executions of SYNC IMAGES statements on images M and T correspond if the number  
3 of times image M has executed a SYNC IMAGES statement in the current team with T in its image set since  
4 execution last began in this team is the same as the number of times image T has executed a SYNC IMAGES  
5 statement in the current team with M in its image set since execution last began in this team. The segments  
6 that executed before the SYNC IMAGES statement on either image precede the segments that execute after the  
7 corresponding SYNC IMAGES statement on the other image.

---

8 {Following 8.5.5 SYNC MEMORY statement, insert 5.6 SYNC TEAM statement from this Technical Specification  
9 as 8.5.5a, with the rule number modified.}

---

10 {In 8.5.7 STAT= and ERRMSG= specifiers in image control statements replace paragraphs 1 and 2 by}

11 If the STAT= specifier appears in a CHANGE TEAM, END TEAM, EVENT POST, EVENT WAIT, FORM  
12 TEAM, LOCK, SYNC ALL, SYNC IMAGES, SYNC MEMORY, SYNC TEAM, or UNLOCK statement and  
13 its execution is successful on all images, the specified variable is assigned the value zero; if a failed image is  
14 detected and execution is otherwise successful, the STAT= specifier is assigned the value of the named constant  
15 STAT\_FAILED\_IMAGE in the intrinsic module ISO\_FORTRAN\_ENV (13.8.2); otherwise, if a stalled image is  
16 detected and execution is otherwise successful, the STAT= specifier is assigned the value of the named constant  
17 STAT\_STALLED\_IMAGE in the intrinsic module ISO\_FORTRAN\_ENV.

18 If the STAT= specifier appears in a CHANGE TEAM, END TEAM, EVENT POST, EVENT WAIT, FORM  
19 TEAM, LOCK, SYNC ALL, SYNC IMAGES, SYNC MEMORY, SYNC TEAM, or UNLOCK statement and  
20 an error condition occurs, the specified variable is assigned a positive value. The value shall be the named  
21 constant STAT\_STOPPED\_IMAGE in the intrinsic module ISO\_FORTRAN\_ENV if the reason is that a successful  
22 execution would have involved an interaction with an image that has initiated termination; otherwise, the value is  
23 a processor-dependent positive value that is different from the values of the named constants STAT\_STOPPED\_  
24 IMAGE, STAT\_STALLED\_IMAGE, or STAT\_FAILED\_IMAGE in the intrinsic module ISO\_FORTRAN\_ENV.

25 The set of images involved in execution of a END TEAM, FORM TEAM, SYNC ALL or SYNC MEMORY  
26 statement is that of the current team. The set of images involved in execution of a CHANGE TEAM or SYNC  
27 TEAM statement is that of the team specified by the value of the specified *team-variable*. The set of images  
28 involved in execution of a SYNC IMAGES statement is the union of its *image-set* and the executing image.  
29 The images involved in execution of a LOCK or UNLOCK statement are the ones on which the referenced lock  
30 variable is located and the executing image. The images involved in execution of an EVENT POST statement  
31 are the ones on which the referenced event variable is located and the executing image.

32 After execution of an image control statement with a STAT= specifier, all the failed or stalled images involved  
33 in the statement shall be known by the executing image to have failed or stalled.

34 If the STAT= specifier appears in a CHANGE TEAM, END TEAM, EVENT POST, EVENT WAIT, SYNC  
35 ALL, SYNC IMAGES, or SYNC TEAM statement and an error condition occurs, the effect is the same as that  
36 of executing the SYNC MEMORY statement, except for defining the STAT= variable.

---

37 {In 8.5.7 STAT= and ERRMSG= specifiers in image control statements replace paragraphs 4 and 5 by}

38 If the STAT= specifier does not appear in a CHANGE TEAM, END TEAM, EVENT POST, EVENT WAIT,  
39 FORM TEAM, LOCK, SYNC ALL, SYNC IMAGES, SYNC MEMORY, SYNC TEAM, or UNLOCK statement  
40 and its execution is not successful or an image involved in execution of the statement has failed or stalled, error  
41 termination is initiated.

42 If an ERRMSG= specifier appears in a CHANGE TEAM, END TEAM, EVENT POST, EVENT WAIT, FORM  
43 TEAM, LOCK, SYNC ALL, SYNC IMAGES, SYNC MEMORY, SYNC TEAM, or UNLOCK statement and  
44 its execution is not successful, the processor shall assign an explanatory message to the specified variable. If the  
45 execution is successful, the processor shall not change the value of the variable.

## 8.8 Edits to clause 9

{In 9.5.1, Referring to a file, edit the first sentence of paragraph 4 as follows}

In a READ statement, an *io-unit* that is an asterisk identifies an external unit that is preconnected for sequential formatted input on image 1 in the initial team only (9.6.4.3).

## 8.9 Edits to clause 13

{In 13.1 Classes of intrinsic procedures, edit paragraph 1 as follows}

Intrinsic procedures are divided into ~~seven~~ eight classes: inquiry functions, elemental functions, transformational functions, elemental subroutines, pure subroutines, atomic subroutines, collective subroutines, and (impure) subroutines.

{In 13.1 Classes of intrinsic procedures, replace paragraph 3 by paragraphs 1 through 4 and NOTES 7.1 and 7.2 of 7.2 Atomic subroutines of this Technical Specification, with these changes: Delete “of ISO/IEC 1539-1:2010” and renumber the NOTES.}

{In 13.1 Classes of intrinsic procedures, insert the contents of 7.3 Collective subroutines of this Technical Specification after paragraph 3 and Note 13.1, with these changes: Paragraph 2 of 7.3. Delete “of ISO/IEC 1539-1:2010” Paragraph 5 of 7.3. Add “(13.8.2)” after the first “ISO\_FORTRAN\_ENV”.}

{In 13.5 Standard generic intrinsic procedures, paragraph 2 after the line “A indicates ... atomic subroutine” insert a new line}

C indicates that the procedure is a collective subroutine

{In 13.5 Standard generic intrinsic procedures, Table 13.1, insert new entries into the table, alphabetically}

ATOMIC_ADD	(ATOM, VALUE [, STAT])	A	Atomic add operation.
ATOMIC_AND	(ATOM, VALUE [, STAT])	A	Atomic bitwise AND operation.
ATOMIC_CAS	(ATOM, OLD, COMPARE, NEW [, STAT])	A	Atomic compare and swap.
ATOMIC_FETCH_ADD	(ATOM, VALUE, OLD [,STAT])	A	Atomic fetch and add operation.
ATOMIC_FETCH_AND	(ATOM, VALUE, OLD [,STAT])	A	Atomic fetch and bitwise AND operation.
ATOMIC_FETCH_OR	(ATOM, VALUE, OLD [,STAT])	A	Atomic fetch and bitwise OR operation.
ATOMIC_FETCH_XOR	(ATOM, VALUE, OLD [,STAT])	A	Atomic fetch and bitwise exclusive OR operation.
ATOMIC_OR	(ATOM, VALUE [, STAT])	A	Atomic bitwise OR operation.
ATOMIC_XOR	(ATOM, VALUE [, STAT])	A	Atomic bitwise exclusive OR operation.
CO_BROADCAST	(A, SOURCE_IMAGE [, STAT, ERRMSG])	C	Copy a value to all images of the current team.
CO_MAX	(A [, RESULT_IMAGE, STAT, ERRMSG])	C	Compute maximum of elements across images.
CO_MIN	(A [, RESULT_IMAGE, STAT, ERRMSG])	C	Compute minimum of elements across images.
CO_REDUCE	(A, OPERATOR [, RESULT_IMAGE, STAT, ERRMSG])	C	General reduction of elements across images.
CO_SUM	(A [, RESULT_IMAGE, STAT, ERRMSG])	C	Sum elements across images.
EVENT_QUERY	(EVENT, COUNT	A	Count of an event variable.

	[, STAT])		
FAILED_IMAGES	([TEAM, KIND])	T	Indices of failed images.
GET_TEAM	([LEVEL])	T	Team value.
IMAGE_STATUS	(IMAGE [, TEAM])	E	Status of images.
STALLED_IMAGES	([TEAM, KIND])	T	Indices of stalled images
STOPPED_IMAGES	([TEAM, KIND])	T	Indices of stopped images.
TEAM_ID	([TEAM])	T	Team identifier.

1 {In 13.5 Standard generic intrinsic procedures, Table 13.1, edit the entries for ATOMIC\_DEFINE, ATOMIC\_REF,  
2 IMAGE\_INDEX, MOVE\_ALLOC, NUM\_IMAGES, and THIS\_IMAGE, as modified by ISO/IEC 1539-1:2010/Cor  
3 1:2012, as follows}

ATOMIC_DEFINE	(ATOM, VALUE [, STAT])	A	Define a variable atomically.
ATOMIC_REF	(VALUE, ATOM [, STAT])	A	Reference a variable atomically.
IMAGE_INDEX	(COARRAY, SUB) or (COARRAY, SUB, TEAM) or (COARRAY, SUB, TEAM_ID)	I	Image index from cosubscripts.
MOVE_ALLOC	(FROM, TO [, STAT, ERRMSG])	PS	Move an allocation.
NUM_IMAGES	( ) or (TEAM) or (TEAM_ID)	T	Number of images.
THIS_IMAGE	([TEAM])	T	Index of the invoking image.
THIS_IMAGE	(COARRAY [, TEAM]) or (COARRAY, DIM [, TEAM])	T	Cosubscript(s) for this image.

4 {In 13.5, Standard generic intrinsic procedures, paragraph 3, insert “in the initial team” after “image 1” }

5 {In 13.7 Specifications of the standard intrinsic procedures, insert subclauses 7.4.1 through 7.4.21 of this Technical  
6 Specification in order alphabetically, with subclause numbers adjusted accordingly.}

7 {In 13.7.20 ATOMIC\_DEFINE, edit the subclause title as follows}

8 13.7.20 ATOMIC\_DEFINE (ATOM, VALUE [, STAT])

9 {In 13.7.20 ATOMIC\_DEFINE, add the argument description as follows}

10 STAT (optional) shall be an integer scalar with a decimal range of at least four. It is an INTENT(OUT)  
11 argument.

12 {In 13.7.21 ATOMIC\_REF, edit the subclause title as follows}

13 13.7.21 ATOMIC\_REF (VALUE, ATOM [, STAT])

14 {In 13.7.21 ATOMIC\_REF, add the argument description and a paragraph as follows}

15 STAT (optional) shall be an integer scalar with a decimal range of at least four. It is an INTENT(OUT)  
16 argument.

17 If an error condition occurs, the VALUE argument becomes undefined.

---

1 {In 13.7.79 IMAGE\_INDEX, edit the subclause title as follows}

2 13.7.79 IMAGE\_INDEX (COARRAY, SUB) or IMAGE\_INDEX (COARRAY, SUB, TEAM) or IMAGE\_INDEX  
 3 (COARRAY, SUB, TEAM\_ID)

---

4 {In 13.7.79 IMAGE\_INDEX, edit the COARRAY argument description as follows}

5 COARRAY shall be a coarray of any type. If the function is invoked with a TEAM\_ID argument, it shall be  
 6 established in an ancestor of the specified team. Otherwise, it shall be established in the specified  
 7 team.

---

8 {In 13.7.79 IMAGE\_INDEX, add the arguments descriptions as follows}

9 TEAM shall be a scalar of type TEAM\_TYPE defined in the intrinsic module ISO\_FORTRAN\_ENV. Its  
 10 value shall represent the current or an ancestor team.

11 TEAM\_ID shall be a positive integer scalar. If the current team is the initial team, its value is ignored.  
 12 Otherwise, its value shall be that of a team identifier for a team that was formed by execution of a  
 13 FORM TEAM statement for the current team.

14 If TEAM appears, it specifies the team. Otherwise, the team specified is the current team.

---

15 {In 13.7.79 IMAGE\_INDEX, replace paragraph 5 with}

16 **Result Value.** If the value of SUB is a valid sequence of cosubscripts for COARRAY in the specified team, the  
 17 result is the index of the corresponding image in that team. Otherwise, the result is zero.

---

18 {In 13.7.118 MOVE\_ALLOC, edit the subclause title as follows}

19 13.7.118 MOVE\_ALLOC (FROM, TO [, STAT, ERRMSG])

---

20 {In 13.7.118 MOVE\_ALLOC, add the arguments descriptions as follows}

21 STAT (optional) shall be a default integer scalar. It is an INTENT(OUT) argument.

22 ERRMSG (optional) shall be a default character scalar. It is an INTENT(INOUT) argument.

---

23 {In 13.7.118 MOVE\_ALLOC, replace paragraphs 4 through 6 and the paragraph that was added by ISO/IEC  
 24 1539-1:2010/Cor 2:2013 by paragraphs 4 through 8 of 7.5.3 of this Technical Specification, deleting “of ISO/IEC  
 25 1539-1:2010” in paragraph 5.}

---

26 {In 13.7.126 NUM\_IMAGES, edit the subclause title as follows}

27 13.7.126 NUM\_IMAGES ( ) or NUM\_IMAGES ( TEAM ) or NUM\_IMAGES ( TEAM\_ID )

---

28 {In 13.7.126 NUM\_IMAGES, replace paragraph 3 with}

29 **Arguments.**

30 TEAM shall be a scalar of type TEAM\_TYPE defined in the intrinsic module ISO\_FORTRAN\_ENV. Its  
 31 value shall represent the current or an ancestor team.

32 TEAM\_ID shall be a positive integer scalar. If the current team is the initial team, its value is ignored.  
 33 Otherwise, its value shall be that of a team identifier for a team that was formed by execution of a  
 34 FORM TEAM statement for the current team.

35 If TEAM appears, it specifies the team. Otherwise, the team specified is the current team.

---

36 {In 13.7.126 NUM\_IMAGES, replace paragraph 5 with}

1 **Result Value.** The number of images in the team specified.

---

2 {In 13.7.165, as modified by ISO/IEC 1539-1:2010/Cor 1:2012, THIS\_IMAGE ( ) or THIS\_IMAGE (COARRAY)  
3 or THIS\_IMAGE (COARRAY, DIM) edit the subclause title as follows }

4 13.7.165 THIS\_IMAGE ([[TEAM]]) or THIS\_IMAGE (COARRAY [TEAM]) or THIS\_IMAGE (COARRAY, DIM  
5 [TEAM])

---

6 {In 13.7.165, as modified by ISO/IEC 1539-1:2010/Cor 1:2012, THIS\_IMAGE ( ) or THIS\_IMAGE (COARRAY)  
7 or THIS\_IMAGE (COARRAY, DIM) insert a new argument at the end of paragraph 3 }

8 TEAM (optional) shall be a scalar of type TEAM\_TYPE defined in the intrinsic module ISO\_FORTRAN\_  
9 ENV. Its value shall represent the current or an ancestor team. If COARRAY appears, it shall be  
10 established for TEAM.

---

11 {In 13.7.165, as modified by ISO/IEC 1539-1:2010/Cor 1:2012, THIS\_IMAGE ( ) or THIS\_IMAGE (COARRAY)  
12 or THIS\_IMAGE (COARRAY, DIM) at the end of paragraph 5 add }

13 *Case (iv):* The result of THIS\_IMAGE (TEAM) is a scalar with a value equal to the index of the invoking  
14 image in the team specified by the value of TEAM.

15 *Case (v):* The result of THIS\_IMAGE (COARRAY, TEAM) is the sequence of cosubscript values for  
16 COARRAY that would specify the invoking image in the team specified by the value of TEAM.

17 *Case (vi):* The result of THIS\_IMAGE (COARRAY, DIM, TEAM) is the value of cosubscript DIM in the  
18 sequence of cosubscript values for COARRAY that would specify the invoking image in the team  
19 specified by the value of TEAM.

---

20 {In 13.7.172 UCBOUND, edit the Result Value as follows.}

21 The final upper cobound is the final cosubscript in the cosubscript list for the coarray that selects the image with  
22 index NUM\_IMAGES(-) equal to the number of images in the current team when the coarray was established.

---

23 {In 13.8.2 The ISO\_FORTRAN\_ENV intrinsic module, insert a new subclause}

24 13.8.2.7a CURRENT\_TEAM

25 The value of the default integer scalar constant CURRENT\_TEAM identifies the current team in an invocation  
26 of the function GET\_TEAM.

---

27 {In 13.8.2 The ISO\_FORTRAN\_ENV intrinsic module, insert a new subclause 13.8.2.8a consisting of subclause  
28 6.2 EVENT\_TYPE of this Technical Specification, but omitting the final sentence of the first paragraph and the  
29 fourth sentence of the second paragraph.}

---

30 {In 13.8.2 The ISO\_FORTRAN\_ENV intrinsic module, insert a new subclause}

31 13.8.2.9a INITIAL\_TEAM

32 The value of the default integer scalar constant INITIAL\_TEAM identifies the initial team in an invocation of  
33 the function GET\_TEAM.

---

34 {In 13.8.2 The ISO\_FORTRAN\_ENV intrinsic module, insert a new subclause}

35 13.8.2.19a PARENT\_TEAM

36 The value of the default integer scalar constant PARENT\_TEAM identifies the parent team in an invocation of  
37 the function GET\_TEAM.

---

38 {In 13.8.2 The ISO\_FORTRAN\_ENV intrinsic module, insert a new subclause 13.8.2.21b consisting of the first  
39 paragraph and Notes 5.9 and 5.10 subclause 5.8 STAT\_FAILED\_IMAGE of this Technical Specification. }

---



1 {In 13.8.2 The ISO\_FORTRAN\_ENV intrinsic module, insert a new subclause 13.8.2.23a consisting of the first  
2 paragraph and Note of subclause 5.9 STAT\_STALLED\_IMAGE of this Technical Specification. }

---

3 {In 13.8.2.24 STAT\_STOPPED\_IMAGE, edit the paragraph as follows.}

4 The value of the default integer scalar constant STAT\_STOPPED\_IMAGE is assigned to the variable specified  
5 in a STAT= specifier (6.7.4, 8.5.7) or a STAT argument in a call to a collective subroutine if execution of the  
6 statement with that specifier or argument requires synchronization with an image that has initiated termination  
7 of execution. This value shall be positive and different from the value of IOSTAT\_INQUIRE\_INTERNAL\_UNIT.

---

8 {In 13.8.2.24 STAT\_STOPPED\_IMAGE, insert a new Note after paragraph 1}

9 In addition to detecting that an image has initiated normal termination by having the variable in a STAT=specifier  
10 or a STAT argument of a call to a collective subroutine assigned the value STAT\_STOPPED\_IMAGE, an image  
11 can get the indices of the images that have initiated normal termination in a specified team by invoking the  
12 intrinsic function STOPPED\_IMAGES.

---

13 {In 13.8.2 The ISO\_FORTRAN\_ENV intrinsic module, append a new subclause 13.8.2.26 consisting of subclause  
14 5.2 TEAM\_TYPE of this Technical Specification, but omitting the final sentence of the first paragraph.}

---

15 {In 13.8.2 The ISO\_FORTRAN\_ENV intrinsic module, append a new subclause}

16 13.8.2.26a Uniqueness of values of named constants

17 The values of the named constants IOSTAT\_INQUIRE\_INTERNAL\_UNIT, STAT\_FAILED\_IMAGE, STAT\_-  
18 LOCKED, STAT\_LOCKED\_OTHER\_IMAGE, STAT\_STALLED\_IMAGE, STAT\_STOPPED\_IMAGE, and STAT\_-  
19 UNLOCKED shall be distinct.

## 20 8.10 Edits to clause 16

21 {In 16.4 Statement and construct entities, in paragraph 1, after “DO CONCURRENT” replace “or” with a  
22 comma; after “ASSOCIATE construct” insert “, or as a coarray specified by a *codimension-decl* in a CHANGE  
23 TEAM construct,”}

---

24 {In 16.4 Statement and construct entities, add the following new paragraph after paragraph 8}

25 The associate names of a CHANGE TEAM construct have the scope of the block. They have the declared type,  
26 dynamic type, type parameters, rank, bounds, and cobounds as specified in 8.1.4a.

---

27 {In 16.5.1.6 Construct association, append the following sentence to the paragraph 1}

28 Execution of a CHANGE TEAM statement establishes an association between each coselector and the corres-  
29 ponding associate name of the construct.

---

30 {In 16.6.7, Variable definition context, after item (13) insert a new list item}

31 (13a) a coarray in a *codimension-decl* in a CHANGE TEAM construct if the coarray named by the corresponding  
32 *coselector-name* of that construct appears in a variable definition context within that construct;

---

33 {In 16.6.7, at the end of the list of variable definition contexts in para 1, replace the “.” at the end of entry (15)  
34 with “;” and add two new entries as follows}

35 (16) a *team-variable* in a FORM TEAM statement;

36 (17) an *event-variable* in an EVENT POST or EVENT WAIT statement.

## 1 **8.11 Edits to annex A**

2 {In A.2 Processor dependencies, in the list item beginning “the effect of calling COMMAND\_ARGUMENT\_  
3 COUNT”, insert “in the initial team” after “image 1”.}

---

4 {In A.2 Processor dependencies, in the list item beginning “the value assigned to a CMDSTAT”, replace “CM-  
5 DSTAT or STATUS” with “CMDSTAT, STAT, or STATUS”.}

---

6 {At the end of A.2 Processor dependencies, replace the final full stop with a semicolon and add new items as  
7 follows}

- 8 • the conditions that cause an image to fail (13.8.2.21b);
- 9 • the manner in which the stop code of the FAIL IMAGE statement is made available (8.4a);
- 10 • the computed value of the CO\_SUM intrinsic subroutine (13.7.42e);
- 11 • the computed value of the CO\_REDUCE intrinsic subroutine (13.7.42d);
- 12 • how sequences of event posts in unordered segments interleave with each other (8.5.2a);
- 13 • the image index value assigned by a FORM TEAM statement without a NEW\_INDEX= specifier (8.5.2c).

## 14 **8.12 Edits to annex C**

15 {In C.5 Clause 8 notes, at the end of the subclause insert subcauses A.1.1, A.1.2, A.1.3, A.1.4, A.2.1, A.2.2, and  
16 A.2.3 from this Technical Specification as subclauses C.5.5 to C.5.11.}

---

17 {In C.10 Clause 13 notes, at the end of the subclause insert subcauses A.3.1 and A.3.2 from this Technical  
18 Specification as subclauses C.10.2 and C.10.3.}

# Annex A

(Informative)

## Extended notes

### A.1 Clause 5 notes

#### A.1.1 Example using three teams

Compute fluxes over land, sea and ice in different teams based on surface properties. Assumption: Each image deals with areas containing exactly one of the three surface types.

```

8  SUBROUTINE COMPUTE_FLUXES(FLUX_MOM, FLUX_SENS, FLUX_LAT)
9  USE, INTRINSIC :: ISO_FORTRAN_ENV, ONLY: TEAM_TYPE
10 REAL, INTENT(OUT) :: FLUX_MOM(:, :), FLUX_SENS(:, :), FLUX_LAT(:, :)
11 INTEGER, PARAMETER :: LAND=1, SEA=2, ICE=3
12 CHARACTER(LEN=10)  :: SURFACE_TYPE
13 INTEGER             :: MY_SURFACE_TYPE, N_IMAGE
14 TYPE(Team_Type)    :: TEAM_SURFACE_TYPE
15
16     CALL GET_SURFACE_TYPE(THIS_IMAGE(), SURFACE_TYPE) ! Surface type
17     SELECT CASE (SURFACE_TYPE)                       ! of the executing image
18     CASE ("LAND")
19         MY_SURFACE_TYPE = LAND
20     CASE ("SEA")
21         MY_SURFACE_TYPE = SEA
22     CASE ("ICE")
23         MY_SURFACE_TYPE = ICE
24     CASE DEFAULT
25         ERROR STOP
26     END SELECT
27     FORM TEAM(MY_SURFACE_TYPE, TEAM_SURFACE_TYPE)
28
29     CHANGE TEAM(TEAM_SURFACE_TYPE)
30     SELECT CASE (TEAM_ID( ))
31     CASE (LAND    ) ! Compute fluxes over land surface
32         CALL COMPUTE_FLUXES_LAND(FLUX_MOM, FLUX_SENS, FLUX_LAT)
33     CASE (SEA     ) ! Compute fluxes over sea surface
34         CALL COMPUTE_FLUXES_SEA(FLUX_MOM, FLUX_SENS, FLUX_LAT)
35     CASE (ICE     ) ! Compute fluxes over ice surface
36         CALL COMPUTE_FLUXES_ICE(FLUX_MOM, FLUX_SENS, FLUX_LAT)
37     CASE DEFAULT
38         ERROR STOP
39     END SELECT
40     END TEAM
41 END SUBROUTINE COMPUTE_FLUXES

```

#### A.1.2 Example involving failed images

Parallel algorithms often use work sharing schemes based on a specific mapping between image indices and global data addressing. To allow such programs to continue when one or more images fail, spare images can be used

1 to re-establish execution of the algorithm with the failed images replaced by spare images, while retaining the  
2 image mapping.

3 The following example illustrates how this might be done. In this setup, failure cannot be tolerated for image 1  
4 in the initial team.

```

5 PROGRAM possibly_recoverable_simulation
6   USE, INTRINSIC :: iso_fortran_env, ONLY: team_type, STAT_FAILED_IMAGE
7   IMPLICIT NONE
8   INTEGER, ALLOCATABLE :: failed_img(:)
9   INTEGER :: images_used, i, images_spare, status
10  INTEGER :: id[*], me[*]
11  TYPE(team_type) :: simulation_team
12  LOGICAL :: read_checkpoint, done[*]
13
14  images_used = ... ! A value slightly less num_images()
15  images_spare = num_images() - images_used
16  read_checkpoint = this_image() > images_used
17
18  setup : DO
19    me = this_image()
20    id = 1
21    IF (me > images_used) id = 2
22  !
23  ! Set up spare images as replacement for failed ones
24  IF (image_status(1) == STAT_FAILED_IMAGE) &
25    ERROR STOP "cannot recover"
26  IF (this_image() == 1) THEN
27    failed_img = failed_images()
28    k = images_used
29    DO i = 1, size(failed_img)
30      DO k = k+1, num_images()
31        IF (image_status(k) == 0) EXIT
32      END DO
33      IF (k > num_images()) ERROR STOP "cannot recover"
34      me[k] = failed_img(i)
35      id[k] = 1
36    END DO
37    images_used = k
38  END IF
39  !
40  ! Set up a simulation team of constant size.
41  ! id == 2 does not participate in team execution
42  FORM TEAM (id, simulation_team, NEW_INDEX=me, STAT=status)
43  simulation : CHANGE TEAM (simulation_team, STAT=status)
44  IF (status==STAT_FAILED_IMAGE) EXIT simulation
45  IF (TEAM_ID() == 1) THEN
46    iter : DO
47      CALL simulation_procedure(read_checkpoint, status, done)
48    !
49    ! simulation_procedure:
50    !   sets up required objects (maybe coarrays)
51    !   reads checkpoint if requested
52    !   returns status on its internal synchronizations
53    !   returns .TRUE. in done once complete
54    read_checkpoint = .FALSE.
55  IF (status == STAT_FAILED_IMAGE) THEN

```

```

1         read_checkpoint = .TRUE.
2         EXIT simulation
3     ELSE IF (done)
4         EXIT iter
5     END IF
6     END DO iter
7     END IF
8     END TEAM simulation (STAT=status)
9     SYNC ALL (STAT=status)
10    IF (this_image() > images_used) done = done[1]
11    IF (done) EXIT setup
12    END DO setup
13    END PROGRAM possibly_recoverable_simulation

```

14 Supporting fail-safe execution imposes obligations on library writers who use the parallel language facilities. Every  
15 synchronization statement, allocation or deallocation of coarrays, or invocation of a collective procedure must  
16 specify a synchronization status variable, and implicit deallocation of coarrays must be avoided. In particular,  
17 coarray module variables that are allocated inside the team execution context are not persistent.

### 18 A.1.3 Accessing coarrays in sibling teams

19 The following program shows the subdivision of a 4 x 4 grid into 2 x 2 teams and addressing of sibling teams.

```

20 PROGRAM DEMO
21 ! Initial team : 16 images. Algorithm design is a 4 x 4 grid.
22 ! Desire 4 teams, for the upper left (UL), upper right (UR),
23 !                               Lower left (LL), lower right (LR)
24 USE,INTRINSIC :: ISO_FORTRAN_ENV, ONLY: team_type
25 TYPE (team_type) :: t
26 INTEGER,PARAMETER :: UL=11, UR=22, LL=33, LR=44
27 REAL    :: A(10,10)[4,*]
28 INTEGER :: mype, teamid, newpe
29 INTEGER :: UL_image_list(4) = [1, 2, 5, 6], &
30          LL_image_list(4) = UL_image_list + 2, &
31          UR_image_list(4) = UL_image_list + 8, &
32          LR_image_list(4) = UL_image_list + 10
33
34 mype = THIS_IMAGE()
35 IF (any(mype == UL_image_list)) teamid = UL
36 IF (any(mype == LL_image_list)) teamid = LL
37 IF (any(mype == UR_image_list)) teamid = UR
38 IF (any(mype == LR_image_list)) teamid = LR
39 FORM TEAM (teamid, t)
40
41 a = 3.14
42
43 CHANGE TEAM (t, b[2,*] => a)
44 ! Inside change team, image pattern for B is a 2 x 2 grid
45 b(5,5) = b(1,1)[2,1]
46
47 ! Outside the team addressing:
48
49 newpe = THIS_IMAGE()
50 SELECT CASE (team_id())
51 CASE (UL)

```

```

1         IF (newpe == 3) THEN
2             b(:,10) = b(:,1)[1, 1, TEAM_ID=UR] ! Right column of UL gets
3                                                     ! left column of UR
4         ELSE IF (newpe == 4) THEN
5             b(:,10) = b(:,1)[2, 1, TEAM_ID=UR]
6         END IF
7         CASE (LL)
8             ! Similar to complete column exchange across middle of the
9             ! original grid
10        END SELECT
11    END TEAM
12 END PROGRAM DEMO

```

#### 13 A.1.4 Reducing the codimension of a coarray

14 This example illustrates how to use a subroutine to coordinate cross-image access to a coarray for row and column  
15 processing.

```

16 PROGRAM row_column
17     USE, INTRINSIC :: iso_fortran_env, ONLY : team_type
18     IMPLICIT NONE
19
20     TYPE(team_type), target :: row_team, col_team
21     TYPE(team_type), pointer :: used_team
22     REAL, ALLOCATABLE :: a(:,:)[:,:]
23     INTEGER :: ip, na, p, me(2)
24
25     p = ... ; q = ... ! such that p*q == num_images()
26     na = ...           ! local problem size
27
28     ! allocate and initialize data
29     ALLOCATE(a(na,na)[p,*])
30     a = ...
31
32     me = this_image(a)
33
34     FORM TEAM(me(1), row_team, NEW_INDEX=me(2))
35     FORM TEAM(me(2), col_team, NEW_INDEX=me(1))
36
37     ! make a decision on whether to process by row or column
38     IF (...) THEN
39         used_team => row_team
40     ELSE
41         used_team => col_team
42     END IF
43
44     ... ! do local computations on a
45
46     CHANGE TEAM (used_team)
47
48     CALL further_processing(a, ...)
49
50     END TEAM
51 CONTAINS
52     SUBROUTINE further_processing(a, ...)

```

```

1     REAL :: a(:,:)[*]
2     INTEGER :: ip
3
4     ! update ip-th row or column submatrix
5     a(:,:)[ip] = ...
6
7     SYNC ALL
8     ... ! do further local computations on a
9
10    END SUBROUTINE
11    END PROGRAM row_column

```

## 12 A.2 Clause 6 notes

### 13 A.2.1 EVENT\_QUERY example

14 The following example illustrates the use of events via a program in which image 1 acts as master and distributes  
15 work items to the other images. Only one work item at a time can be active on a worker image, and each deals  
16 with the result (e.g. via I/O) without directly feeding data back to the master image.

17 Because the work items are not expected to be balanced, the master keeps cycling through all the images to find  
18 one that is waiting for work.

19 An event is posted by each worker to indicate that it has completed its work item. Since the corresponding  
20 variables are needed only on the master, we place them in an allocatable array component of a coarray. An event  
21 on each worker is needed for the master to post the fact that it has made a work item available for it.

```

22 PROGRAM work_share
23     USE, INTRINSIC :: iso_fortran_env, ONLY: event_type
24     USE :: mod_work, ONLY:  & ! Module that creates work items
25         work,                & ! Type for holding a work item
26         create_work_item, & ! Function that creates work item
27         process_item,     & ! Function that processes an item
28         work_done         ! Logical function that returns true
29                         ! if all work done
30
31     TYPE :: worker_type
32         TYPE(event_type), ALLOCATABLE :: free(:)
33     END TYPE
34     TYPE(event_type) :: submit[*] ! Post when work ready for a worker
35     TYPE(worker_type) :: worker[*] ! Post when worker is free
36     TYPE(work) :: work_item[*] ! Holds all the data for a work item
37     INTEGER :: count, i, nbusy[*]
38
39     IF (this_image() == 1) THEN
40         ! Get started
41         ALLOCATE(worker%free(2:num_images()))
42         nbusy = 0 ! This holds the number of workers working
43         DO i = 2, num_images() ! Start the workers working
44             IF (work_done()) EXIT
45             nbusy = nbusy + 1
46             work_item[i] = create_work_item()
47             EVENT POST (submit[i])
48         END DO
49         ! Main work distribution loop

```

```

1      master : DO
2          image : DO i = 2, num_images()
3              CALL EVENT_QUERY(worker%free(i), count)
4              IF (count == 0) CYCLE image! Worker is not free
5              EVENT WAIT (worker%free(i))
6              nbusy = nbusy - 1
7              IF (work_done()) CYCLE
8              nbusy = nbusy + 1
9              work_item[i] = create_work_item()
10             EVENT POST (submit[i])
11         END DO image
12         IF ( nbusy==0 ) THEN ! All done. Exit on all images.
13             DO i = 2, num_images()
14                 EVENT POST (submit[i])
15             END DO
16             EXIT master
17         END IF
18     END DO master
19 ELSE
20     ! Work processing loop
21     worker : DO
22         EVENT WAIT (submit)
23         IF (nbusy[1] == 0) EXIT
24         CALL process_item(work_item)
25         EVENT POST (worker[1]%free(this_image()))
26     END DO worker
27 END IF
28 END PROGRAM work_share

```

## 29 A.2.2 EVENT\_QUERY example that tolerates image failure

30 This example is an adaptation of the example of A.2.1 to make it able to execute in the presence of the failure of  
31 one or more of the worker images. The function create\_work\_item now accepts an integer argument to indicate  
32 which work item is required. It is assumed that the work items are indexed 1, 2, ... . It is also assumed that if  
33 an image fails while processing a work item, that work item can subsequently be processed by another image.

```

34 PROGRAM work_share
35     USE, INTRINSIC :: iso_fortran_env, ONLY: event_type
36     USE :: mod_work, ONLY:  & ! Module that creates work items
37         work,                & ! Type for holding a work item
38         create_work_item, & ! Function that creates work item
39         process_item,      & ! Function that processes an item
40         work_done          ! Logical function that returns true
41                             ! if all work done
42
43     TYPE :: worker_type
44         TYPE(event_type), ALLOCATABLE :: free(:)
45     END TYPE
46     TYPE(event_type) :: submit[*] ! Whether work ready for a worker
47     TYPE(worker_type) :: worker[*] ! Whether worker is free
48     TYPE(work) :: work_item[*] ! Holds all the data for a work item
49     INTEGER :: count, i, k, kk, nbusy[*], np, status
50     INTEGER, ALLOCATABLE :: working(:) ! Items being worked on
51     INTEGER, ALLOCATABLE :: pending(:) ! Items pending after image failure
52

```



```

1     IF (this_image() == 1) THEN
2         ! Get started
3         ALLOCATE(worker%free(2:num_images()))
4         ALLOCATE(working(2:num_images()), pending(num_images()-1))
5         nbusy = 0             ! This holds the number of workers working
6         k = 1                 ! Index of next work item
7         np = 0                ! Number of work items in array pending
8         DO i = 2, num_images() ! Start the workers working
9             IF (work_done()) EXIT
10            working(i) = 0
11            CALL EVENT_QUERY(submit[i],count,STAT=status) ! Test image i
12            IF (status==STAT_FAILED_IMAGE) CYCLE
13            work_item[i] = create_work_item(k)
14            working(i) = k
15            k = k + 1
16            nbusy = nbusy + 1
17            EVENT POST (submit[i], STAT=status)
18        END DO
19        ! Main work distribution loop
20        master : DO
21            image : DO i = 2, num_images()
22                CALL EVENT_QUERY(submit[i],count,STAT=status) ! Test image i
23                IF (status==STAT_FAILED_IMAGE) THEN          ! Image i has failed
24                    IF (working(i)>0) THEN                    ! It failed while working
25                        np = np + 1
26                        pending(np) = working(i)
27                        working(i) = 0
28                    END IF
29                    CYCLE image
30                END IF
31                CALL EVENT_QUERY(worker%free(i), count)
32                IF (count == 0) CYCLE image                    ! Worker is not free
33                EVENT WAIT (worker%free(i))
34                nbusy = nbusy - 1
35                IF (np>0) THEN
36                    kk = pending(np)
37                    np = np - 1
38                ELSE
39                    IF (work_done()) CYCLE image
40                    kk = k
41                    k = k + 1
42                END IF
43                nbusy = nbusy + 1
44                working(i) = kk
45                CALL EVENT_QUERY(submit[i],count,STAT=status) ! Test image i
46                IF (status/=STAT_FAILED_IMAGE) &
47                    work_item[i] = create_work_item(kk)
48                EVENT POST (submit[i],STAT=status)
49                ! If image i has failed, this will not hang and the failure
50                ! will be handled on the next iteration of the loop
51            END DO image
52            IF ( nbusy==0 ) THEN ! All done. Exit on all images.
53                DO i = 2, num_images()
54                    EVENT POST (submit[i],STAT=status)
55                    IF (status==STAT_FAILED_IMAGE) CYCLE

```

```

1         END DO
2         EXIT master
3     END IF
4 END DO master
5 ELSE
6     ! Work processing loop
7     worker : DO
8         EVENT WAIT (submit)
9         IF (nbusy[1] == 0) EXIT worker
10        CALL process_item(work_item)
11        EVENT POST (worker[1]%free(this_image()))
12    END DO worker
13 END IF
14 END PROGRAM work_share

```

### 15 A.2.3 EVENTS example

16 A tree is a graph in which every node except one has a single “parent” node to which it is connected by an edge.  
 17 The node without a parent is the “root”. The nodes that have a given node as parent are the “children” of that  
 18 node. The root is at level 1, its children are at level 2, etc.

19 A multifrontal code to solve a sparse set of linear equations involves a tree. Work at a node starts after work at  
 20 all its children is complete and their data has been passed to it.

21 Here we assume that all the nodes have been assigned to images. Each image has a list of its nodes and these  
 22 are ordered in decreasing tree level (all those at level  $L$  preceding those at level  $L - 1$ ). For each node, array  
 23 elements hold the number of children, details about the parent and an event variable. This allows the processing  
 24 to proceed asynchronously subject to the rule that a parent must wait for all its children as follows:

```

25 PROGRAM TREE
26     USE, INTRINSIC :: ISO_FORTRAN_ENV
27     INTEGER,ALLOCATABLE :: NODE(:) ! Tree nodes that this image handles
28     INTEGER,ALLOCATABLE :: NC(:)   ! NODE(I) has NC(I) children
29     INTEGER,ALLOCATABLE :: PARENT(:), SUB(:)
30         ! The parent of NODE(I) is NODE(SUB(I))[PARENT(I)]
31     TYPE(EVENT_TYPE),ALLOCATABLE :: DONE(:)[*]
32     INTEGER :: I, J, STATUS
33 ! Set up the tree, including allocation of all arrays.
34 DO I = 1, SIZE(NODE)
35     ! Wait for children to complete
36     EVENT WAIT(DONE(I),UNTIL_COUNT=NC(I),STAT=STATUS)
37     IF (STATUS/=0) EXIT
38
39     ! Process node, using data from children
40     IF (PARENT(I)>0) THEN
41         ! Node is not the root.
42         ! Place result on image PARENT(I) for node NODE(SUB)[PARENT(I)]
43         ! Tell PARENT(I) that this has been done.
44         EVENT POST(DONE(SUB(I))[PARENT(I)],STAT=STATUS)
45         IF (STATUS/=0) EXIT
46     END IF
47 END DO
48 END PROGRAM TREE

```

## 1 A.3 Clause 7 notes

### 2 A.3.1 Collective subroutine examples

3 The following example computes a dot product of two scalar coarrays using the `co_sum` intrinsic to store the  
4 result in a noncoarray scalar variable:

```
5     subroutine codot(x,y,x_dot_y)
6         real :: x[*],y[*],x_dot_y
7         x_dot_y = x*y
8         call co_sum(x_dot_y)
9     end subroutine codot
```

10 The function below demonstrates passing a noncoarray dummy argument to the `co_max` intrinsic. The function  
11 uses `co_max` to find the maximum value of the dummy argument across all images. Then the function flags all  
12 images that hold values matching the maximum. The function then returns the maximum image index for an  
13 image that holds the maximum value:

```
14     function find_max(j) result(j_max_location)
15         integer, intent(in) :: j
16         integer j_max,j_max_location
17         call co_max(j,j_max)
18     ! Flag images that hold the maximum j
19         if (j==j_max) then
20             j_max_location = this_image()
21         else
22             j_max_location = 0
23         end if
24     ! Return highest image index associated with a maximal j
25         call co_max(j_max_location)
26     end function find_max
```

### 27 A.3.2 Atomic memory consistency

#### 28 A.3.2.1 Relaxed memory model

29 Parallel programs sometimes have apparently impossible behavior because data transfers and other messages can  
30 be delayed, reordered and even repeated, by hardware, communication software, and caching and other forms of  
31 optimization. Requiring processors to deliver globally consistent behavior is incompatible with performance on  
32 many systems. Fortran specifies that all ordered actions will be consistent (2.3.5 and 8.5 in ISO/IEC 1539-1:2010),  
33 but all consistency between unordered segments is deliberately left processor dependent or undefined. Depending  
34 on the hardware, this can be observed even when only two images and one mechanism are involved.

#### 35 A.3.2.2 Examples with atomic operations

36 When variables are being referenced (atomically) from segments that are unordered with respect to the segment  
37 that is atomically defining or redefining the variables, the results are processor dependent. This supports use  
38 of so-called “relaxed memory model” architectures, which can enable more efficient execution on some hardware  
39 implementations.

40 The following examples assume the following declarations:

```
41     MODULE example
42         USE, INTRINSIC :: ISO_FORTRAN_ENV
43         INTEGER(ATOMIC_INT_KIND) :: x[*] = 0, y[*] = 0
```

1 Example 1:

2 With `x[j]` and `y[j]` still in their initial state (both zero), image `j` executes the following sequence of statements:

```
3 CALL ATOMIC_DEFINE(x,1)
4 CALL ATOMIC_DEFINE(y,1)
```

5 and image `k` executes the following sequence of statements:

```
6 DO
7   CALL ATOMIC_REF(tmp,y[j])
8   IF (tmp==1) EXIT
9 END DO
10 CALL ATOMIC_REF(tmp,x[j])
11 PRINT *,tmp
```

12 The final value of `tmp` on image `k` can be either 0 or 1. That is, even though image `j` thinks it wrote `x[j]` before  
13 writing `y[j]`, this ordering is not guaranteed on image `k`.

14 There are many aspects of hardware and software implementation that can cause this effect, but conceptually this  
15 example can be thought of as the change in the value of `y` propagating faster across the inter-image connections  
16 than the change in the value of `x`.

17 Changing the execution on image `j` by inserting

```
18 SYNC MEMORY
```

19 in between the definitions of `x` and `y` is not sufficient to prevent unexpected results; even though `x` and `y` are  
20 being updated in ordered segments, the references from image `k` are both from a segment that is unordered with  
21 respect to image `j`.

22 To guarantee the expected value for `tmp` of 1 at the end of the code sequence on image `k`, it is necessary to ensure  
23 that the atomic reference on image `k` is in a segment that is ordered relative to the segment on image `j` that  
24 defined `x[j]`; `SYNC MEMORY` is certainly necessary, but not sufficient unless it is somehow synchronized.

25 Example 2:

26 With the initial state of `x` and `y` on image `j` (i.e. `x[j]` and `y[j]`) still being zero, execution of

```
27 CALL ATOMIC_REF(tmp,x[j])
28 CALL ATOMIC_DEFINE(y[j],1)
29 PRINT *,tmp
```

30 on image `k1`, and execution of

```
31 CALL ATOMIC_REF(tmp,y[j])
32 CALL ATOMIC_DEFINE(x[j],1)
33 PRINT *,tmp
```

34 on image `k2`, in unordered segments, might print the value 1 both times.

35 This can happen by such mechanisms as “load buffering”; one might imagine that what is happening is that the  
36 writes (`ATOMIC_DEFINE`) are overtaking the reads (`ATOMIC_REF`).

37 It is likely that insertion of `SYNC MEMORY` between the calls to `ATOMIC_REF` and `ATOMIC_DEFINE` will be sufficient to  
38 prevent this anomalous behavior, but that is only guaranteed by the standard if the `SYNC MEMORY` executions  
39 cause an ordering between the relevant segments on images `k1` and `k2`.

1 Example 3:

2 Because there are no segment boundaries implied by collective subroutines, with the initial state as before,  
3 execution of

```
4     IF (THIS_IMAGE()==1) THEN
5         CALL ATOMIC_DEFINE(x[3],23)
6         y = 42
7     ENDIF
8     CALL CO_BROADCAST(y,1)
9     IF (THIS_IMAGE()==2) THEN
10        CALL ATOMIC_REF(tmp,x[3])
11        PRINT *,y,tmp
12    END IF
```

13 could print the values 42 and 0.

14 Example 4:

15 Assuming the declarations

```
16 INTEGER(ATOMIC_INT_KIND) :: x[*]= 0, z = 0
```

17 the statements

```
18 CALL ATOMIC_ADD(x[1], 1)          ! (A)
19 IF (THIS_IMAGE() == 2) THEN
20     wait : DO
21         CALL ATOMIC_REF(z, x[1])  ! (B)
22         IF (z == NUM_IMAGES()) EXIT wait
23     END DO wait                   ! (C)
24 END IF
```

25 will execute the “wait” loop on image 2 until all images have completed statement (A). The updates of x[1] are  
26 performed by each image in the same manner, but arbitrary order. Because the result from the complete set  
27 of updates will eventually become visible by execution of statement (B) for some loop iteration on image 2, the  
28 termination condition is guaranteed to be eventually fulfilled, provided that no image failure occurs, every image  
29 executes the above code, and no other code is executed in an unordered segment that performs updates to x[1].  
30 Furthermore, if two SYNC MEMORY statements are inserted in the above code before statement (A) and after  
31 statement (C), respectively, the segment started by the second SYNC MEMORY on image 2 is ordered after the  
32 segments on all images that end with the first SYNC MEMORY.